


WAGNER PRESENTS

ENGLISH

# COMPASS 2018

PRODUCT NAVIGATION



**#UNSTOPPABLES**

**WAGNER**

# WAGNER – your partner for surface finishing equipment



Facades, walls, furniture, doors, steel structures, mobile phones, car wheel rims and controls, leather sofas and radiators – there are hardly any objects which cannot be surface finished. Clearly along with function, durability and attractiveness, the surface of an object is its definition. Your customers, as professionals all want to achieve a high level quality finish. WAGNER can help support your business with high quality professional equipment which is both time saving and cost effective.

WAGNER surface finishing equipment is used not only in contracting but also in industry and home improvements – from small paint spraying systems, through professional painters' equipment right up to industrial painting plant for wet and powder coating. Industrial adhesive, sealing and potting technology including injection molding, are also part of the company product portfolio. Throughout the world WAGNER is known as a leading manufacturer of equipment for the machine application of paints, varnishes and plasters.

Different application areas characterise the product range of the contractor sector:

**Small projects:** Spraying units for repair and touch-up work. Ideal for all projects in the renovation and new construction sector when using the unit irregular and rare. Good price-performance ratio.

**Building trade:** Units for Painters and Plasterers. Ideal for all interior and exterior applications, for a wide range of surfaces, walls, ceiling radiators and door frames. Powerful screw pumps for heavy aggregated material.


**Wood and metal work:** Spray units for painting a wide range of objects such as stairs, floors, kitchens, furniture and railings with water diluted or solvent based paints.

**Corrosion and structural protection:** Applying protective coatings with airless technology and electric or petrol-driven piston pumps, as well as processing injections with diaphragm – or screw pumps.

**Preparing:** Power tools for the removal of paint and wallpaper.

The range for each stretches from small entry level units through all rounder units right up to specialised plant. Comprehensive accessories guarantee an optimal match to the object in question.

WAGNER develops numerous product innovations in close contact with users, paint manufacturers and scientific institutions. Our 1500 square metre technology centre in Markdorf plays an important role in practical research and relaying knowledge. For example interregional master classes to consolidate the training for the painting trade have taken place here for years. We provide a comprehensive Service Network and also a large number of specialist advisers to help you in an instant.



## The WAGNER Group worldwide:

1.500 employees

16 operational companies, including 9 production plants 8 international sales and service companies

Around 300 international agencies

A 1.500 m<sup>2</sup> Technology Centre in Markdorf and a further 7 throughout the world

Worldwide service directly on site

## Compass Guide

The compass is an aid to help guide you through the wide range of WAGNER products. To help you quickly find your way around, here are a few explanations about how our product catalogue has been designed. Find the perfect product to suit your customers' requirements in just a few steps.

### Step 1 The right application area

Each branch is assigned to a special section listing all the relevant products and accessories.

### Step 2 Comparison of technical data

At the start of each section you can find an overview matrix where you can compare the technical data of all products in the respective section.

### Step 3 Size of object and material

Everything right at one glance - get an overview: directly underneath the technical data spread sheet on the same page you can see for which materials and object sizes the products are suitable. Make together with your client the perfect choice which exactly meets his individual needs.

### Step 4 How the technology works

On the next page, following to the big overview you find a summary of the technology characteristics in comparison offered in the chapter. In addition you can see which spraying method matches the device technology and application area best. The following product pages are grouped by spraying method and within that by device technology.


### Step 5 The right accessories

The compass offers three ways to search for accessories:

- 1 Within one chapter: Your customer requires additional accessories for his device for the same area of application, e.g. enamel projects? All the accessories can be found in a separate section, at the end of each spraying method e.g. airless. In this way, you can extend Spraypacks for your customers in the same core area.
- 2 Within one chapter: Your customer would like to extend the application scope of the device that he has already purchased or would like a new device for several different applications such as emulsion and enamel applications? In this case, please head directly to „Conversion accessories“ which can be found at the end of each technology section, e.g. piston pumps. There you can find a list of accessories to expand the device's field of application.
- 3 You are an expert and search for something very specific? In the last chapter you will find the whole accessories programme sorted by spraying method.

All prices are subject to statutory VAT and recommended list prices which are intended to serve as a guide.





Small projects and sporadic spraying

1

Building trade –  
Interior walls and facades

2

Building trade –  
Plaster, fillers and bitumens

3

Building trade –  
Temperature controlled spraying

4

Building trade –  
Lacquers and wood preservatives

5

Wood and metal work (Explosion protection)

6

Corrosion and structural protection

7

Preparing –  
Paint or wallpaper removal

8

Accessories

9


Service

10

## Contents Compass 2018


# Key

## Spraying method




### XVL / HVLP

Low-pressure spraying uses a high volume of air and low air pressure (up to 0.07 bar). With the FineSpray method, the material is completely atomised at the outlet of the nozzle. The low pressure of the material with the high volume of air ensures slightly larger material droplets and therefore less spray mist.




### FineSpray

FineSpray is a compressed air-driven spraying method. At the outlet of the nozzle, the material is mixed with a current of ring-shaped air around the nozzle. This atomises the material in very fine droplets to produce an extremely good spray pattern. As this method creates a lot of overspray, we recommend that the procedure is carried out in spraying booths.




### AirCoat

In the AirCoat process (airless + air), the material is forced through the nozzle at a relatively low pressure (3 -12 MPa) by a piston or diaphragm pump, and compressed air (0.05 - 0.25 MPa) is used to assist in the atomisation process. This is possible thanks to the central air supply (air cap) that is located directly at the nozzle aperture and surrounds the sprayed material like an envelope.



### Airless

Unlike the case of air atomisation, airless atomisation technology atomises the material using the pressure of the material alone, i.e. without the use of any air. An electric, pneumatic or petrol-driven pump pressurises the material and forces a defined quantity of material through a nozzle aperture at up to 25 MPa. During this process, the material is diffused into a finely atomised spray jet. Although airless technology is particularly suitable for the application of emulsions, this spray process is also often used for painting jobs on building sites.



### Plaster spraying

When applying plaster with machines the high viscosity material is transported along the hose to the spraying lance using a screw pump. By adding compressed air at the end of the spraying lance, the material is atomised.

## Technologies



### Piston pump

Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.



### Diaphragm pump

The material is transported by means of a stroke movement in the diaphragm. Products featuring this technology are robust and yet easy to handle units for construction site use. Electrically driven diaphragm pumps can be used as both Airless and AirCoat Spraypacks.



### Double diaphragm pump

The material is transported by means of a stroke movement of two diaphragms working in opposite directions. This creates a very low-pulse material flow. This also allows you to work with materials which are particularly sensitive to shearing and moisture, and with premixed 2K materials. WAGNER double diaphragm pumps are explosion-proof and operated by compressed air which means that they can be used in workshops.



### Turbine

Low-pressure spraying (HVL/ XVL) uses a high volume of air and low air pressure (up to 0.07 MPa). The atomised air generated in the turbine flows through an air hose to the paint cup at the spray gun, where it then builds up pressure. This delivers the coating material through the standpipe to the nozzle and atomises the remaining air.



### Screw pumps

Screw pumps use displacement mechanisms to deliver the material. Two components, the rotor and the stator, are used for this. The rotor rotates and thus transports the material gently to the cavities of the stator. This technology can be used to transport extremely heavy materials, for example, for machine application of plaster, where the material is transported along the hose to the spraying lance using a screw pump. By adding compressed air at the end of the spraying lance, the material is atomised.

## Drive



### Electric

Simply connect to the hose and you're ready. WAGNER's electric motors are environmentally-friendly and use energy efficiently with an optimum multiplication ratio.



### Pneumatic

With the pneumatic drive, the motors are driven by compressed air. This means that they are explosionproof and the pumps can also be used in areas with high Ex protection requirements.



### Petrol-driven

Petrol-driven devices are ideal for hard to reach sites where a power supply is not yet available. The brand fuel-driven motor is extremely reliable and durable.

## Other



### Explosion-protection

All devices marked with this symbol are suitable for use in potentially explosive areas in accordance with guideline 94/4/CE (ATEX 95). You can find precise details for the explosion protection identifications of the particular unit in the applicable operating manual and on the model plate.



### TempSpray

The TempSpray heating systems are heated by means of an electric heating element located inside the hose, directly in the flow of paint. The material is heated to the required temperature uniformly along the whole length of the hose (continuously regulated from 20° to 60°C). This reduces the paint's viscosity, resulting in improved application. All TempSpray systems can be adapted to WAGNER Airless units.





















- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

## 1 | Small projects and sporadic spraying

### **Fast and simple.** **Efficient technology also for small jobs.**

Perfect surfaces are demanded also for repair and renovation jobs. These can easily be achieved with machine techniques. Our small machines are even profitable for surfaces under 50 m<sup>2</sup>. Even for irregular and rare usage spraying is more efficient than using a roller or brush. And a professional appearance is guaranteed.





## Product comparison

	FinishControl 3500	FinishControl 5000	ControlPro 350 Extra Skid version	ControlPro 350 Extra Cart version
			<b>NEW</b>	<b>NEW</b>
Spraying method				
Product image (may differ)				
Art. No.	2341501	2316090	2371061	2371065
Cat.	DPXVLP	DPXVLP	DPPPE	DPPPE
Technology				
Weight	2.3 kg	8 kg	7.6 kg	13 kg
Motor output	0.7 kW	1.4 kW	0.6 kW	0.6 kW
Drive				
Voltage	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Max. nozzle size	-	-	0.019"	0.019"
Max. operating pressure	0.2 bar, 0.02 MPa	0.275 bar, 0.0275 MPa	110 bar, 11 MPa	110 bar, 11 MPa
Max. delivery rate	-	-	1.5 l/min	1.5 l/min

Material	FinishControl 3500	FinishControl 5000	ControlPro 350 Extra Skid version	ControlPro 350 Extra Cart version
Release agent, oils, greases	S	S	S	S
Glazes, stains and impregnating agents	S	S	S-M	S-M
Undercoats, primers, fillers, synthetic resin-based paints, acrylic paints	S	S	S-M	S-M
Emulsion and latex paints	S	S	S	S

Suitable for following object sizes: S = less than 200 m<sup>2</sup>, M = 200 m<sup>2</sup> - 800 m<sup>2</sup>, L = over 800 m<sup>2</sup>, - = not suitable

## The following pump technologies are available in this chapter

	Turbine	Piston pump
Technology		
Description	Low-pressure spraying uses a high volume of air and low air pressure (up to 0.07 bar). The atomised air generated in the turbine flows through an air hose to the paint tank on the spray gun, where it then builds up pressure. This delivers the coating material through the standpipe to the nozzle to be atomized with the remaining air.	Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.
Benefits and applications	<ul style="list-style-type: none"> <li>• Perfect as an entry-level device or for small projects (e.g. repair works)</li> <li>• Easy to use</li> <li>• Can be exactly matched to the characteristics of the object</li> <li>• Large variety of materials through different spraying attachments and cup guns (quick colour changes are possible)</li> <li>• Superbly fine spray pattern, even with water-based materials</li> <li>• Easy to clean as only the spray attachment is filled with material</li> </ul>	<ul style="list-style-type: none"> <li>• Perfect for high-viscosity materials</li> <li>• Optimal suction performance</li> <li>• High delivery volumes, including with high-viscosity materials</li> <li>• High material pressure: long hose lengths possible</li> <li>• Use of large nozzle sizes possible</li> <li>• WAGNER quality: Extra durable packings</li> </ul>
Recommended spraying method		



## FinishControl 3500 Spraypack




The hand-held XVLP device

- Always available: As the smallest in its class, it is available on every construction site - The practical shoulder strap makes it easy to transport
- Flexible: Ideal for renovation and repair work and projects of up to 50 m<sup>2</sup>
- Everything included: The practical carry case provides enough space for transporting the device and two filled spray attachments in an upright position
- Not suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>FinishControl 3500 Spraypack</b>	<b>2341501</b>	<b>DPXVLP</b>
Turbine housing with handle	2350780	
StandardSpray spray attachment	2321879	
Carrying case, for FC 3500	2341100	
Air filters, 3 pieces, for FinishControl 3500	2343947	
Filling hopper, 3 pieces, for FinishControl spray attachments	2324745	
Carrying strap, for FC 3500	2341187	
Strap holder FinishControl 3500, incl. screws	2343948	
Cleaning brush	514209	



## FinishControl 5000 Spraypack



An all-rounder for projects up to 50 m<sup>2</sup>




The entry-level answer for professional coating using spray technology

- Universally suitable for use with varnishes, lacquers and emulsion paints, thanks to a modular spraying attachment system for simple material changes
- Total control directly on the gun
- Extremely compact and practical
- Not suitable for use in potentially explosive atmospheres


Scope of delivery	Article no.	Cat.
<b>FinishControl 5000 Spraypack</b>	<b>2316090</b>	<b>DPXVLP</b>
FinishControl 5000, basic unit	2322444	
Air hose including handle, for FinishControl 5000	2314573	
StandardSpray spray attachment	2321879	

## XVLP accessories

### Spraying attachments XVLP

	Article no.	Cat.
 FineSpray spray attachment	2321877	DPXVZU
 StandardSpray spray attachment	2321879	DPXVZU
 WallSpray spray attachment	2321880	DPXVZU


### Filters








	Article no.	Cat.
 Air filters, 3 pieces, for FC 5000	2322446	DPXVET
 Air filters, 3 pieces, for FinishControl 3500	2343947	DPXVET
 Feed tube filter, coarse, 5 pcs, for FinishControl spray attachments	2324249	DPXVET
 Feed tube filter, fine, 5 pcs, for FinishControl spray attachments	2324248	DPXVET

### Hoses

	Article no.	Cat.
 Air hose including handle, for FinishControl 5000	2314573	DPXVET

### Cleaning and storage

	Article no.	Cat.
Carrying case, for FC 3500	2341100	DPXVET
 Carrying strap, for FC 3500	2341187	DPXVET

Cleaning and storage		Article no.	Cat.
	Cleaning brush	514209	DHET
	Cleaning kit for HVLP and XVLP spraying guns	2354639	DHZU
	Cleaning set, for XVLP spray attachments	935364	DPZU
	Strap holder FinishControl 3500, incl. screws	2343948	DPXVET
	Tanos Systainer	2340218	DPXVZU
Other		Article no.	Cat.
	Can Adapter, for FinishControl	2350692	DPXVZU
	Container seal, for all XVLP spray attachments	2319223	DPXVET
	Container with cover, 1000 ml, stainless steel, for FinishControl spray attachments	2322451	DPXVET
	Container with cover, 1400 ml, for WallPaint spray attachments	2324749	DPXVET
	Feed tube, emulsion	2323674	DPXVET
	Feed tube, standard	2319222	DPXVET
	Filling hopper, 3 pieces, for FinishControl spray attachments	2324745	DPXVET
	Nozzle seal, for FinishControl	2323934	DPXVET
	Turbine housing with handle	2350780	DPXVET



## ControlPro 350 Extra Spraypack - Skid version



The compact airless device with maximum control

- Up to 55% less overspray mist thanks to reduced spraying pressure
- Direct intake from the original container: for fast, clean painting
- Maximum control: soft spray pattern makes paint application easier
- Valve depressor: for high levels of operating safety and easy start-up
- Handy carrying handle and compact design: make changing working location easy

Scope of delivery	Article no.	Cat.
<b>ControlPro 350 Extra Spraypack - Skid version</b>	<b>2371061</b>	<b>DPPPE</b>
HEA Control Pro metal gun	517101	
ControlPro HEA hose; 15 m	517802	
ControlPro HEA Tip 311	517311	
ControlPro HEA Tip 515	517515	
ControlPro HEA Tip 619	517619	
ControlPro nozzle extension, 30 cm, G-thread, with holder without nozzle	517700	
ControlPro HEA inline filter	517202	



## ControlPro 350 Extra Spraypack - Cart version










The mobile airless device with maximum control

- Up to 55% less overspray mist thanks to reduced spraying pressure
- Direct intake from the original container: for fast, clean painting
- Maximum control: soft spray pattern makes paint application easier
- Valve depressor: for high levels of operating safety and easy start-up
- Handy cart and compact design: make changing working location easy

Scope of delivery	Article no.	Cat.
<b>ControlPro 350 Extra Spraypack - Cart version</b>	<b>2371065</b>	<b>DPPPE</b>
HEA Control Pro metal gun	517101	
ControlPro HEA hose; 15 m	517802	
ControlPro HEA Tip 311	517311	
ControlPro HEA Tip 515	517515	
ControlPro HEA Tip 619	517619	
ControlPro nozzle extension, 30 cm, G-thread, with holder without nozzle	517700	
ControlPro HEA inline filter	517202	




## ControlPro 350 Extra accessories

ControlPro 350 Extra accessories		Article no.	Cat.
	ControlPro HEA Tip 211	517211	DHZU
	ControlPro HEA Tip 311	517311	DHZU
	ControlPro HEA Tip 313	517313	DHZU
	ControlPro HEA Tip 413	517413	DHZU
	ControlPro HEA Tip 515	517515	DHZU
	ControlPro HEA Tip 517	517517	DHZU
	ControlPro HEA Tip 619	517619	DHZU
	ControlPro Tip guard	517200	DHZU
	ControlPro HEA hose; 15 m	517802	DHZU
	ControlPro nozzle extension, 30 cm, G-thread, with holder without nozzle	517700	DHZU
	ControlPro nozzle extension, 60 cm, G-thread, with holder without nozzle	517701	DHZU
	Double seal set, 5 pieces, for TradeTip 3 nozzles	556037	DPZU
	ControlPro HEA inline filter	517202	DHET

## Notes

Grid area for notes.



## 2 | Building trade – Interior walls and facades

### **Simply faster.** **Professional quality wall design.**

Now for some colour – Nothing transforms a building faster than a new coat of paint. Your customers in the painting trade take on not only small renovation jobs but also new-build and large-scale projects. Whether for external walls or indoor work – in this section, you will find units for every size of object. So that paint jobs can be completed in record time.



# Product comparison

	<b>HEA</b> HIGH EFFICIENCY AIRLESS <b>SuperFinish 23 Plus Emulsion</b> (A) = Skid version (B) = HEA; Cart version	<b>SuperFinish 27</b>	<b>SuperFinish 31</b>	<b>HEA</b> HIGH EFFICIENCY AIRLESS <b>ProSpray 3.20 HEA</b>	<b>HEA</b> HIGH EFFICIENCY AIRLESS <b>ProSpray 3.21 HEA</b>	<b>ProSpray 3.23 Emulsion</b>
<b>Spraying method</b>						
<b>Product image (may differ)</b>						
<b>Art. No.</b>	(A) = 2341493 (B) = 2384153	341051	341022	2384151	2384152	2308258
<b>Cat.</b>	DPSFS	DPSFS	DPSFS	DPPS	DPPS	DPPS
<b>Technology</b>						
<b>Weight</b>	(A) = 24 kg (B) = 29 kg	40 kg	43 kg	13.6 kg	17.9 kg	17.7 kg
<b>Motor output</b>	1.3 kW	1.5 kW	1.7 kW	1 kW	1.03 kW	1.03 kW
<b>Drive</b>						
<b>Voltage</b>	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
<b>Max. nozzle size</b>	0.023"	0.027"	0.031"	0.021"	0.023"	0.024"
<b>Max. operating pressure</b>	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa	207 bar, 20.7 MPa	221 bar, 22.1 MPa	221 bar, 22.1 MPa
<b>Max. delivery rate</b>	2.6 l/min	3 l/min	3.5 l/min	1.6 l/min	2 l/min	2.3 l/min
<b>Max. viscosity</b>	20.000 mPas	25.000 mPas	25.000 mPas	20.000 mPas	20.000 mPas	20.000 mPas





Material	<b>SuperFinish 23 Plus Emulsion</b>	<b>SuperFinish 27</b>	<b>SuperFinish 31</b>	<b>ProSpray 3.20 HEA</b>	<b>ProSpray 3.21 HEA</b>	<b>ProSpray 3.23 Emulsion</b>
<b>Emulsion, facades and latex paints</b>	S-M	S-M	M-L	S	S	S-M
<b>Fabric adhesives (interior)</b>	-	S-M	M-L	-	-	-

Suitable for following object sizes: S = less than 200 m<sup>2</sup>, M = 200 m<sup>2</sup> - 800 m<sup>2</sup>, L = over 800 m<sup>2</sup>, - = not suitable

<b>ProSpray 3.25</b> (A) = Skid version (B) = Cart version	<b>ProSpray 3.29</b>	<b>ProSpray 3.31*</b>	<b>ProSpray 3.34</b>	<b>ProSpray 3.39 Emulsion</b>	<b>HeavyCoat 950</b> (E) = Electric (G) = Petrol-driven
(A) = 2308259 (B) = 2308260	2308261	2308262	2308263	2351261	(E) = 2332184 (G) = 2332186
DPPS	DPPS	DPPS	DPPS	DPPS	DPHC
(A) = 17.9 kg (B) = 27.4 kg	43.5 kg	43.5 kg	47.6 kg	50 kg	(E) = 83 kg (G) = 76 kg
1.1 kW	1.72 kW	1.84 kW	1.95 kW	2.19 kW	(E) = 3.6 kW (G) = 4.1 kW
230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
0.027"	0.029"	0.032"	0.034"	0.039"	0.052"
221 bar, 22.1 MPa	221 bar, 22.1 MPa	221 bar, 22.1 MPa	221 bar, 22.1 MPa	221 bar, 22.1 MPa	250 bar, 25 MPa
2.6 l/min	3 l/min	3.8 l/min	4.5 l/min	5 l/min	(A) = 6.6 l/min (B) = 8 l/min
25.000 mPas	25.000 mPas	25.000 mPas	25.000 mPas	30.000 mPas	50.000 mPas

<b>ProSpray 3.25</b>	<b>ProSpray 3.29</b>	<b>ProSpray 3.31</b>	<b>ProSpray 3.34</b>	<b>ProSpray 3.39 Emulsion</b>	<b>HeavyCoat 950 E/G</b>
S-M	S-M	M-L	M-L	M-L	M-L
-	S	S-M	M-L	M-L	M-L

## The following pump technologies are available in this chapter

	Diaphragm pump	Piston pump
Technology		
Description	The material is transported by means of a stroke movement in the diaphragm. Products featuring this technology are robust and yet easy to handle units for construction site use. Electrically driven diaphragm pumps can be used as both Airless and AirCoat Spraypacks.	Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.
Benefits and applications	<ul style="list-style-type: none"> <li>• Flexible material intake: It is possible to use small amounts with a hopper or apply the material directly from the original container</li> <li>• The pressure can be continuously regulated from 0 to 25 MPa</li> <li>• Ease of maintenance</li> <li>• Very low wear</li> <li>• Low operating costs</li> <li>• WAGNER quality: Long stroke technology and extremely robust design</li> </ul>	<ul style="list-style-type: none"> <li>• Perfect for high-viscosity materials</li> <li>• Optimal suction performance</li> <li>• High delivery volumes, including with high-viscosity materials</li> <li>• High material pressure: long hose lengths possible</li> <li>• Use of large nozzle sizes possible</li> <li>• WAGNER quality: Extra durable packings</li> </ul>
Recommended spraying method		



## SuperFinish 23 Plus Emulsion Spraypack - Skid version



Compact - light and yet robust

- Compact: Smallest in its class, mobile and light
- For small emulsion jobs up to 200 m<sup>2</sup>
- Robust: Ideal for demanding construction site use
- PumpRunner: Perfect for clean, tidy transport
- Use with 20 m hoses guaranteed with any material

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus Emulsion Spraypack - Skid version</b>	<b>2341493</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus - Skid version	2334424	
Suction system, for SF 23 Plus, incl. PumpRunner	2342879	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus Emulsion Spraypack - Skid version, 110 V</b>	<b>2346425</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus - Skid version	2334424	
Suction system, for SF 23 Plus, incl. PumpRunner	2342879	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	



**HEA** HIGH EFFICIENCY AIRLESS



## SuperFinish 23 Plus HEA Spraypack

Compact - light and yet robust

- Innovative, low-pressure airless technology: up to 55% less overspray
- Compact: Smallest in its class, mobile and light
- For small emulsion jobs up to 200 m<sup>2</sup>
- Robust: Ideal for demanding construction site use
- PumpRunner: Perfect for clean, tidy transport
- Use with 20 m hoses guaranteed with any material



Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus HEA Spraypack</b>	<b>2384153</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus on cart	2334444	
Suction system, for SF 23 Plus, incl. PumpRunner	2342879	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Pressure gauge set assy. HEA(MPa)	2383995	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
HEA ProTip 519	554519	

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus Emulsion Spraypack - Cart version, 110 V</b>	<b>2346426</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus on cart	2334444	
Suction system, for SF 23 Plus, incl. PumpRunner	2342879	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	



## SuperFinish 27 Spraypack

The versatile solution - For almost any job up to 800 m<sup>2</sup>

- Particularly long service life: Tried and trusted diaphragm technology with QLS technology
- Flexible: Small volume processing with top-mounted container or work directly from the original container
- Perfect for site work: Robust cart and large wheels make manoeuvring on the construction site a simple task



Scope of delivery	Article no.	Cat.
<b>SuperFinish 27 Spraypack</b>	<b>341051</b>	<b>DPFSF</b>
Basic unit, SF 27	341050	
QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra	341263	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D20, 115 / 421	271046	

Scope of delivery	Article no.	Cat.
<b>SuperFinish 27 Emulsion Spraypack - Cart version, 110 V</b>	<b>341115</b>	<b>DPFSF</b>
Basic unit, SF 27	341050	
QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra	341263	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D20, 115 / 421	271046	



## SuperFinish 31 Spraypack

The powerful all-rounder

- Versatile and powerful: Handles an extremely wide spectrum of materials
- Flexible: Small volume processing with top-mounted containers or working directly from the original container
- No compromises: High performance ensures you're always on the safe side



Scope of delivery	Article no.	Cat.
<b>SuperFinish 31 Spraypack</b>	<b>341022</b>	<b>DPFSF</b>
Basic unit, SF 31	341005	
QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra	341263	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D20, 115 / 421	271046	

## Accessories for conversion (diaphragm pumps)

Airless rollers	Article no.	Cat.
InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL

Barrel / container processing (for SF 27 / SF 31)	Article no.	Cat.
Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU
Suction system for containers, with suction filter, 3.5 m	97083	DPZU
Blind plug for C-coupling	97305	DPZU
2x replacement seal for suction system	9971529	DPZU
Coupling spanner with thermally insulated handle (2x)	9100099	DPPCZU
Large volume containers	2309956	DPZU
Container Connector SF27/SF31	2371930	DPZU

### Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

Airless painting applications	Article no.	Cat.
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories"	554XXX	DPTIP
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	DPFILT
Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine	97022	DPFILT
Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	DPHOSE
HP hose DN4, 27 MPa, NPS 1/4", 7.5 m	9984573	DPHOSE
HP hose DN3, 27 MPa, NPS 1/4", 10 m	2301052	ILZU
HP hose DN4, 27 MPa, NPS 1/4", 10 m	2302374	DPHOSE
5 litre hopper, M36x2	341265	DPZU

HEA HIGH EFFICIENCY AIRLESS



## ProSpray 3.20 HEA Spraypack

The compatible piston pump for Airless beginners

- Innovative, low-pressure airless technology: up to 55% less overspray
- Optimum value-for-money: Ideal for all users who mostly spray-coat small surfaces
- Robust and simple: Impact-protected on/off switch, durable, easily accessible packing and other user-friendly details
- Casing optimized for construction site applications: Practical hose reel for transport
- Innovative ProSpray product features: New packings - inlet valve - and more

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.20 HEA Spraypack</b>	<b>2384151</b>	<b>DPPS</b>
ProSpray 3.20 Spraypack	532004	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Pressure gauge set assy. HEA(MPa)	2383995	
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	
HEA ProTip 517	554517	

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.20 Spraypack, 110 V</b>	<b>532009</b>	<b>DPPS</b>
Basic unit, PS 3.20	532008	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	
TradeTip 3 nozzle, 419	553419	



HEA HIGH EFFICIENCY AIRLESS



## ProSpray 3.21 HEA Spraypack



Small and compact - for object sizes up to 200 m<sup>2</sup>

Compact paint spraying unit ideal for objects of up to 200 m<sup>2</sup>. For spraying emulsion paints, undercoats, fillers, primers and latex paints. With Digi-Trac control.

- Innovative, low-pressure airless technology: up to 55% less overspray
- Optimum value-for-money: Ideal for all users who mostly spray-coat small surfaces
- For trouble-free operation: Integrated high-pressure filter
- Compact design with outstanding performance data: 0.023" nozzle size, 2.0 l/min Max. delivery rate, 16 kg weight
- With flexible suction system for simple intake directly from the original container
- Innovative ProSpray product features: Piston lubricated at the touch of a button - inlet valve depressor for outstandingly reliable operation - and much more

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.21 HEA Spraypack</b>	<b>2384152</b>	<b>DPPS</b>
Basic unit, PS 3.21	558004	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Pressure gauge set assy. HEA(MPa)	2383995	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
HEA ProTip 517	554517	

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.21 Spraypack, 110 V</b>	<b>2311375</b>	<b>DPPS</b>
Basic unit, PS 3.21	558004	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	



## ProSpray 3.23 Emulsion Spraypack



The expert for small-area emulsion jobs

- Including flexible suction system for intake directly from the original container
- Easy to handle: Compact design for ease of transport and space-saving storage
- Innovative ProSpray product features: Maintenance-free, brushless motor - piston lubricated at the touch of a button - inlet valve depressor for outstandingly reliable operation - and much more.

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.23 Emulsion Spraypack</b>	<b>2308258</b>	<b>DPPS</b>
Basic unit, PS 3.23	558001	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.23 Emulsion Spraypack, 110 V</b>	<b>2311376</b>	<b>DPPS</b>
Basic unit, PS 3.23	558001	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	



## ProSpray 3.25 Spraypack - Skid version



A compact emulsion unit for medium-sized objects

- Lightweight: Just 17.9 kg
- Two versions: Available on trolley or as a compact Skid version
- Innovative ProSpray product features: Steering, information and control directly on the device - piston oiled at the touch of a button - inlet valve depressor for high operating reliability - and more.

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.25 Spraypack - Skid version</b>	<b>2308259</b>	<b>DPPS</b>
Basic unit, PS 3.25 - Skid version	558002	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.25 Spraypack - Skid version, 110 V</b>	<b>2311377</b>	<b>DPPS</b>
Basic unit, PS 3.25 - Skid version	558002	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	



## ProSpray 3.25 Spraypack - Cart version



A compact emulsion unit for medium-sized objects

- Lightweight: Just 27.4 kg
- Two versions: Available on trolley or as a compact Skid version
- Innovative ProSpray product features: Steering, information and control directly on the device - piston oiled at the touch of a button - inlet valve depressor for high operating reliability - and more.

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.25 Spraypack - Cart version</b>	<b>2308260</b>	<b>DPPS</b>
Basic unit, PS 3.25 on cart	558003	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.25 Spraypack - Cart version, 110 V</b>	<b>2311378</b>	<b>DPPS</b>
Basic unit, PS 3.25 on cart	558003	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	



## ProSpray 3.29 Spraypack

Solid airless pump for emulsion work up to 800 m<sup>2</sup>

- Stable, low-maintenance unit
- Ideally equipped for emulsion work up to 800 m<sup>2</sup>
- Innovative ProSpray product features: Steering, information and control directly on the device - tilting carriage - integrated high-pressure filter - and more.



Scope of delivery	Article no.	Cat.
<b>ProSpray 3.29 Spraypack</b>	<b>2308261</b>	<b>DPPS</b>
Basic unit, PS 3.29	558005	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D10, 111 / 419	271045	



## ProSpray 3.34 Spraypack

A technology masterpiece for high-viscosity materials such as flame retardants and corrosion-proofing products

This high-performance piston pump is ideally suited for large building sites where it is also able to handle high-viscosity materials

- For large building sites: Powerful and robust
- Faster than ever: Quick-change fluid section for ease of servicing and shorter reaction times
- Innovative ProSpray product features: Steering, information and control directly on the device - tilting carriage - integrated high-pressure filter - and more.



Scope of delivery	Article no.	Cat.
<b>ProSpray 3.34 Spraypack</b>	<b>2308263</b>	<b>DPPS</b>
Basic unit, PS 3.34	558007	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D20, 115 / 421	271046	



## ProSpray 3.31 Spraypack

A reliable unit for large-area emulsion work

- No-maintenance brushless motor
- High coverage performance together with easy operation
- Innovative ProSpray product features: Steering, information and control directly on the device - tilting carriage - integrated high-pressure filter - and more.



Scope of delivery	Article no.	Cat.
<b>ProSpray 3.31 Spraypack</b>	<b>2308262</b>	<b>DPPS</b>
Basic unit, PS 3.31	558006	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D20, 115 / 421	271046	

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.31 Spraypack, 110 V</b>	<b>2311380</b>	<b>DPPS</b>
Basic unit, PS 3.31	558006	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
2SpeedTip, D20, 115 / 421	271046	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	



## ProSpray 3.39 Emulsion Spraypack



Powerful emulsion unit for large areas

- More power: Greater suction performance thanks to the low position of the suction valve
- Twice as fast with emulsion: Parallel two-gun operation possible
- Innovative ProSpray product features: Tilting carriage - change paints without using tools, etc.

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.39 Emulsion Spraypack</b>	<b>2351261</b>	<b>DPPS</b>
Basic unit, PS 3.39	558008	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D40, 117 / 427	271048	
Double connector A = 1/4" NPS x 3/8" NPT	812-003	
Double connector A = 3/8" NPT x A = 1/2" NPS	815-005	

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.39 Emulsion Spraypack, 110 V</b>	<b>2311382</b>	<b>DPPS</b>
Basic unit, PS 3.39	558008	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, D40, 117 / 427	271048	
Double connector A = 1/4" NPS x 3/8" NPT	812-003	
Double connector A = 3/8" NPT x A = 1/2" NPS	815-005	



## HeavyCoat 950 E Spraypack / 230 V



Power pack for heavy materials

- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 950 E Spraypack / 230 V</b>	<b>2332184</b>	<b>DPHC</b>
Basic unit, HC 950 E	528501	
HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, D40, 117 / 427	271048	



## HeavyCoat 950 G Spraypack / Petrol



Power pack for heavy materials

- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 950 G Spraypack / Petrol</b>	<b>2332186</b>	<b>DPHC</b>
Basic unit, HC 950 G	528500	
HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, D40, 117 / 427	271048	



## Accessories for conversion (piston pumps)

Airless rollers	Article no.	Cat.
InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL













Processing of large volumes	Article no.	Cat.
Adapter, for container suction system, for PS 30 / PS 34	340255	DPET
Adapter for container suction system; for PS 3.39	524252	DPET
Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU
Blind plug for C-coupling	97305	DPZU
Suction system for containers, with suction filter, 3.5 m	97083	DPZU
Large volume containers	2309956	DPZU
Large volume container, incl. sack support and roller press	2309960	DPZU
Large volume container incl. sack support, roller press and adaptor set for HeavyCoat	2309955	DPZU
Press table incl. guide rail for roller	2323178	DPZU
Adapter set for large volume container, for PS 3.25	2312155	DPZU
Adapter set for large volume container, for PS 3.29 - PS 3.34	2312156	DPZU
Adapter set for large volume container, for PS 3.39	2312157	DPZU
Coupling spanner with thermally insulated handle (2x)	9100099	DPPCZU
Container Connector PS 39/HC	2383128	DPZU






## Temperature-controlled spraying










Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

Airless painting applications	Article no.	Cat.
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories"	554XXX	DPTIP
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	DPFILT
Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine	97022	DPFILT
Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
5 litre hopper; for PS 3.20 / PS 3.21 / PS 3.23 / PS 3.25 skid-mounted	704-453	DPZU





## Airless accessories


Guns	Article no.	Cat.
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
 Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
 Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
 Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	DPALG
 Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder	502166	DPALG
 Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	DPALG
 Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder	2341126	DPALG
 Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8"	296441	DPALG
 Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16"	296443	DPALG
 Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8"	296442	DPALG
 Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16"	296444	DPALG

Nozzle extensions	Article no.	Cat.
 ClearSpray valve, G-thread	0521012A	DPALG
 ClearSpray valve, F-thread	0521012F	DPALG
 Nozzle extension, 15 cm, G-thread, with holder without nozzle	556074	DPALG
 Nozzle extension, 15 cm, F-thread, with holder, without nozzle	556051	DPALG
 Nozzle extension, 30 cm, G-thread, with holder without nozzle	556075	DPALG







Nozzle extensions	Article no.	Cat.
 Nozzle extension, 30 cm, F-thread, with holder, without nozzle	556052	DPALG
 Nozzle extension, 45 cm, G-thread, with holder without nozzle	556076	DPALG
 Nozzle extension, 45 cm, F-thread, with holder, without nozzle	556053	DPALG
 Nozzle extension, 60 cm, G-thread, with holder without nozzle	556077	DPALG
 Nozzle extension, 60 cm, F-thread, with holder, without nozzle	556054	DPALG
Knee joint with screw (G-thread)	286908	DPET
 Knee joint, F-thread, for nozzle extension	97009	DPZU
Nozzle extension, 1 m with swivelling knee joint; F-thread	96015	DPALG
 Nozzle extension, 2 m with swivelling knee joint; F-thread	96016	DPALG
Nozzle extension, 3 m with swivelling knee joint; F-thread	96017	DPALG
 Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU
 SpeedShield	538905	DPZU






Nozzles	Article no.	Cat.
 Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
 Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
 Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
 TwinTip nozzles; a summary table can be found in the final chapter, “Accessories“	1009XXX	DPTIP











Nozzles	Article no.	Cat.
 Adjustable fan tip nozzles; a summary table can be found in the final chapter, “Accessories“	9990XX	DPTIP


  

Nozzle holder	Article no.	Cat.
 Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles	289390	DPTIP
 Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles	289391	DPTIP
 Double seal set, 5 pieces, for TradeTip 3 nozzles	556037	DPZU
 Nozzle holder, for low overspray, for TwinTip nozzles	1006001	ILET
 Saddle seal, for nozzle holder, for TwinTip nozzles	1006700	ILPCZU
 Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU




  

Gun filter insert	Article no.	Cat.
 Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
 Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
 Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
 Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium	97024	DPFILT
 Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse	89323	DPFILT

Gun filter insert		Article no.	Cat.
	Gun filter green, set of 10 pieces, 30 MA, 0.56 mm MW, coarse	97025	DPFILT
High-pressure filter (for SuperFinish)		Article no.	Cat.
	HP-filter HF-01, for diaphragm pumps	97120	DPZU
High-pressure filter pads (for ProSpray / high-pressure filter HF-01)		Article no.	Cat.
	Filter cartridge, 30 MA, for ProSpray / high-pressure filter HF-01	730-067-30	DPZU
	Filter cartridge, 60 MA, for ProSpray / high-pressure filter HF-01	730-067	DPZU
	Filter cartridge, 100 MA, for ProSpray / high-pressure filter HF-01	730-067-10	DPET
	Supporting shell, for ProSpray / high-pressure filter HF-01	757-105	DPET
	Supporting disc, for ProSpray / high-pressure filter HF-01	702-251	DPET
High-pressure filter pads (for HeavyCoat)		Article no.	Cat.
	Filter cartridge, 0 MA, for HeavyCoat / LineCoat	930-004	DPET
	Filter cartridge, 5 MA, for HeavyCoat / LineCoat	349431	DPET
	Filter cartridge, 50 MA, for HeavyCoat / LineCoat	930-006	DPET
	Filter cartridge, 100 MA, for HeavyCoat / LineCoat	930-007	DPET

Hoses		Article no.	Cat.
	HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	DPHOSE
	HP hose DN10, max. 25 MPa, NPSM 3/8", 30 m	2336584	DPHOSE
	HP hose DN6, 27 MPa, M16x1.5, 30 m	9984562	DPHOSE
	HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
	HP hose DN6, 27 MPa, NPSM 1/4", 30 m	9984575	DPHOSE
	HP hose DN6, max. 27 MPa, M16x1.5, 15 m	9984507	DPHOSE

Hose whips		Article no.	Cat.
	Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PTFE	9984458	DPHOSE











Hose reels		Article no.	Cat.
	Coupling sleeve l = 1/4"NPS x A = M16x1.5	34041	ILZP
	Hose reel HR30; M16x1.5; for SF 27 / SF 31	341910	DPZU
	Hose reel HR45, incl. 30 m HP hose DN6, for all diaphragm and piston pumps	341912	DPZU














Two transition fittings (Art. No. 34041) are required for connection of the hose reel.







### Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"









Suction system (for SuperFinish)	Article no.	Cat.
 Suction system, for SF 23 Plus, incl. PumpRunner	2342879	DPET
 Filter DN25 MW = 1.0 mm, for SF 23 Plus	2323325	ILZU
 QuickClean suction system, for SF 21 / SF 23 / SF 1500	341262	DPZU
 QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra	341263	DPZU
 Filter for suction system, M38x1.5 1 mm MW (SF 27 / SF 31 / SF 1750 and F 500)	341435	DPET
 Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU
 Suction system for containers, with suction filter, 3.5 m	97083	DPZU
 Suction system; flexible; for emulsion; DN25	34630	DPZU
Filter basket; for flexible suction system; for emulsion; 0.8 mm MW	36580	DPET
 Metex filter support cage	34950	DPZU
 Filter bag for emulsions, for Metex filter support cage, 5 pieces	34951	DPZU

Suction systems (for ProSpray)	Article no.	Cat.
 Suction hose, for rigid suction system, for PS 3.29 / PS 26 on cart	705-054	DPET
Intake elbow for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on trolley	451-241	DPET
Return hose for rigid suction system, for PS 3.29 / PS 26 on trolley	702-239	DPET
 Return hose for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart	800-904	DPET
 Clamp for rigid suction system, PS 3.29 / PS 26 / PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart	730-334	DPET
 Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU
 Blind plug for C-coupling	97305	DPZU
 Suction system for containers, with suction filter, 3.5 m	97083	DPZU
 Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose	250243	DPFILT
 Suction hose, flexible, for PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 on stand or cart	704-300A	DPET
 Filter for suction system, PS 3.21 / P 20	295565	DPET
 Filter for suction system, MA 10, PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26	700-805	DPET
 Filter for suction system, MA 10, PS 3.31 / PS 3.34 / PS 30 / PS 34	349602	DPET
 Metex filter support cage	34950	DPZU
 Filter bag for emulsions, for Metex filter support cage, 5 pieces	34951	DPZU

Suction systems (for HeavyCoat)	Article no.	Cat.
 Inlet elbow, for HeavyCoat	349580	DPET
 Container suction system, incl. C-coupling adapter, for HeavyCoat	349907	DPZU
 Inlet elbow, 2-C, for HeavyCoat	349252	DPET
 Inlet elbow, 2", for HeavyCoat 950/970	342205	DPZU
 Blind plug for C-coupling	97305	DPZU
 Reducing adapter B- to C-coupling, for HeavyCoat	9991651	DPZU








Hopper	Article no.	Cat.
 20 litre hopper, M36x2	341266	DPZU





Large volume containers	Article no.	Cat.
Adapter set for large volume container, for PS 3.25	2312155	DPZU
Adapter set for large volume container, for PS 3.29 - PS 3.34	2312156	DPZU
Adapter set for large volume container, for PS 3.39	2312157	DPZU
 Container Connector PS 39/HC	2383128	DPZU
 Container Connector SF27/SF31	2371930	DPZU
 Large volume container incl. sack support, roller press and adaptor set for HeavyCoat	2309955	DPZU




Large volume containers	Article no.	Cat.
 Large volume container, incl. sack support and roller press	2309960	DPZU
 Large volume containers	2309956	DPZU
 Press table incl. guide rail for roller	2323178	DPZU

Connectors / double connectors	Article no.	Cat.
 Double connector A = 1/4" x 1/4"	34038	DPZU

An in-depth summary of all nozzles can be found in the final chapter, "Accessories".

Cleaning / storage / preserving / operating materials	Article no.	Cat.
 EasyClean cleaning and conservation agent, 1 litre	508281	DPZU
 EasyClean cleaning and conservation agent, 118 ml	508620	DPZU
 EasyGlide, special oil, 118 ml	508619	DPET
 Hydraulic oil Divinol 1 litre, for diaphragm pumps	21061	DPET
 PumpRunner, for SF 23 Plus / SF 27 / SF 31 / PS 3.25 / PS 3.29 / PS 3.34	2306987	DPZU
 TipClean, container incl. special cleaner	97108	DPZU
TipClean, container incl. special cleaner, box (24 pieces)	97109	DPZU
 TipClean, refill bottle, 1 liter	97110	DPZU

Tools		Article no.	Cat.
	Adjusting spanner	9991114	DPZU
	Double open ended spanner for inlet valve for SF 21 / SF 23	344340	DPET
	Double open-ended spanner for inlet valve, for SF 27 / SF 31	341434	DPET
	Strap spanner for HP filters	349720	DPET

Other		Article no.	Cat.
	FI-Protection PRCD 230 V / 16 A	9956257	DPZU
	InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL
	Pressure gauge set assy. HEA(MPa)	2383995	DPZU

## Notes

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	





- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

### 3 | Building trade – Plaster, fillers and bitumens

## Clean application. The intelligent, energy-saving solution.

Whether you are handling fillers, plaster or adhesives – applying these materials is truly hard work. The transport of the material in multi-storey buildings is tiring and dirt and mess are guaranteed. With WAGNER's machine technology, things are a lot easier. This makes it possible to pump the material automatically to heights of up to 30 m. This not only ensures a flawless surface but also optimises construction site logistics.

# Product comparison

		<b>NEW</b>	<b>NEW</b>		
	ProSpray 3.39 Filler	HeavyCoat 750 (E) = Electric (G) = Petrol-driven	HeavyCoat 750 E SSP	HeavyCoat 950 (E) = Electric (G) = Petrol-driven	HeavyCoat 970 (E) = Electric (G) = Petrol-driven
Spraying method					
Product image (may differ)					
Art. No.	2308264	(E) = 2371027 (G) = 2371029	2371028	(E) = 2332184 (G) = 2332186	(E) = 2332191 (G) = 2332192
Cat.	DPPS	DPHC	DPHC	DPHC	DPHC
Technology					
Weight	50 kg	(E) = 85 kg (G) = 81 kg	86 kg	(E) = 83 kg (G) = 76 kg	(E) = 100 kg (G) = 88 kg
Motor output	2.19 kW	(E) = 3.1 kW (G) = 4.1 kW	3.1 kW	(E) = 3.6 kW (G) = 4.1 kW	(E) = 5.5 kW (G) = 6 kW
Drive					
Voltage	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	(E) = 230 V / 50 Hz	(E) = 400 V / 50 Hz
Max. nozzle size	0.039"	0.043"	0.043"	0.052"	0.056"
Max. operating pressure	221 bar, 22.1 MPa	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa
Max. delivery rate	5 l/min	(E) = 6 l/min (G) = 7.6 l/min	6.0 l/min	(E) = 6.6 l/min (G) = 8 l/min	(E) = 10 l/min (G) = 12 l/min
Max. viscosity	30.000 mPas	(E) = 50.000 mPas (G) = 65.000 mPas	50.000 mPas	50.000 mPas	65.000 mPas
Max. grain size	-	-	-	-	-

Material	ProSpray 3.39 Filler	HeavyCoat 750 E/G	HeavyCoat 750 E SSP	HeavyCoat 950 E/G	HeavyCoat 970 E/G
Flame retardant, corrosion protection, fabric adhesives	S	M	M	M	L
Fillers, Airless spraying fillers	S	M	M	M	L
Structural waterproofing (bituminous coatings, thick coating materials)	-	M	M	M	L
Plaster (brush rendering / concrete contact primer, final coat)	-	-	-	-	-
Reinforcing stopper, bonded thermal insulation system adhesives / fillers, mineral renders	-	-	-	-	-





Suitable for following object sizes: S = less than 200 m<sup>2</sup>, M = 200 m<sup>2</sup> - 800 m<sup>2</sup>, L = over 800 m<sup>2</sup>, - = not suitable

HeavyCoat 950 SSP (E) = Electric (G) = Petrol-driven	HeavyCoat 970 SSP (E) = Electric (G) = Petrol-driven	PlastCoat 830 E	PlastCoat 1030 E	PlastMax	PlastCoat HP 10
(E) = 2332187 (G) = 2332189	(E) = 2332193 (G) = 2332194	2308305	2361588	2361587	2367228
DPHC	DPHC	DPPC	DPPC	DPPC	DPPC
(E) = 84 kg (G) = 76 kg	(E) = 103 kg (G) = 88 kg	47 kg	59 kg	178 kg	80 kg
(E) = 3.6 kW (G) = 4.1 kW	(E) = 5.5 kW (G) = 6 kW	1.8 kW	2.2 kW	3.0 kW	2.2 kW
(E) = 230 V / 50 Hz	(E) = 400 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
0.052"	0.056"	-	-	-	0.045"
250 bar, 25 MPa	250 bar, 25 MPa	40 bar, 4 MPa	40 bar, 4 MPa	40 bar, 4 MPa	120 bar / 12 MPa
(E) = 6.6 l/min (G) = 8 l/min	(E) = 10 l/min (G) = 12 l/min	12 l/min	15 l/min	15 l/min	6 l/min
50.000 mPas	65.000 mPas	-	-	-	-
-	-	K3 mm	K6 mm	K6 mm	-

HeavyCoat 950 E/G SSP	HeavyCoat 970 E/G SSP	PlastCoat 830 E	PlastCoat 1030 E	PlastMax	PlastCoat HP 10
M	L	S-M	M-L	M-L	M-L
M	L	S-M	M-L	-	S-M
M	L	S-M	M-L	M-L	-
-	-	S-M	M-L	M-L	-
-	-	S-M	M-L	M-L	-



## The following pump technologies are available in this chapter

	Piston pump	Screw pump
Technology		
Description	Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.	Screw pumps use displacement mechanisms to deliver the material. Two components, the rotor and the stator, are used for this. The rotor rotates and thus transports the material gently to the cavities of the stator. This technology can be used to transport extremely heavy materials, for example, for machine application of plaster, where the material is transported along the hose to the spraying lance using a screw pump. By adding compressed air at the end of the spraying lance, the material is atomised.
Benefits and applications	<ul style="list-style-type: none"> <li>• Perfect for high-viscosity materials</li> <li>• Optimal suction performance</li> <li>• High delivery volumes, including with high-viscosity materials</li> <li>• High material pressure: long hose lengths possible</li> <li>• Use of large nozzle sizes possible</li> <li>• WAGNER quality: Extra durable packings</li> </ul>	<ul style="list-style-type: none"> <li>• Possible to work with highly filled materials</li> <li>• Wide variety of material with just one device</li> <li>• Uncomplicated technology allows users to work continuously with reduced strain and without the need for extensive training</li> <li>• Optimising the construction site logistics: Long hose lengths enable automatic transport of materials over 30 m</li> <li>• Continuously variable material delivery control</li> <li>• The material is pumped gently inside the compressor</li> </ul>
Recommended spraying method		



## ProSpray 3.39 Filler Spraypack



Entry-level filler unit

- More power: Greater suction performance thanks to the low position of the suction valve
- The most powerful pump in the ProSpray family: Even able to cope with Airless spraying fillers
- Innovative ProSpray product features: Tilting trolley - change paints without using tools, etc.

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.39 Filler Spraypack</b>	<b>2308264</b>	<b>DPPS</b>
Basic unit, PS 3.39	558008	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	
2SpeedTip, S10, 235 / 527	271049	
Connector 3/8" x 1/2"	814-005	



## HeavyCoat 750 E Spraypack / 230 V



New compact power pack for heavy material

- Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- Powerful: constant performance for the application of heavy, filled and high-viscosity materials such as bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- Maximum user-friendliness thanks to simple operation

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 750 E Spraypack / 230 V</b>	<b>2371027</b>	<b>DPHC</b>
Basic unit; HC 750 E	537004	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, S10, 235 / 527	271049	

**NEW**



## HeavyCoat 750 G Spraypack / Petrol



New compact power pack for heavy material

- Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- Powerful: constant performance for the application of heavy, filled and high-viscosity materials such as bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- Maximum user-friendliness thanks to simple operation

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 750 G Spraypack / Petrol</b>	<b>2371029</b>	<b>DPHC</b>
Basic unit; HC 750 G	537006	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, S10, 235 / 527	271049	

**NEW**



## HeavyCoat 750 E SSP Spraypack / 230 V



New compact power pack for heavy material

- Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- Powerful: constant performance for the application of heavy, filled and high-viscosity materials such as bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- Maximum user-friendliness thanks to simple operation

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 750 E SSP Spraypack / 230 V</b>	<b>2371028</b>	<b>DPHC</b>
Basic unit; HC 750 E SSP	537009	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Connector 3/8" x 1/2"	814-005	
2SpeedTip, S10, 235 / 527	271049	
Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	



## HeavyCoat 950 E Spraypack / 230 V



Power pack for heavy materials

- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 950 E Spraypack / 230 V</b>	<b>2332184</b>	<b>DPHC</b>
Basic unit, HC 950 E	528501	
HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, D40, 117 / 427	271048	



## HeavyCoat 950 G Spraypack / Petrol



Power pack for heavy materials

- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 950 G Spraypack / Petrol</b>	<b>2332186</b>	<b>DPHC</b>
Basic unit, HC 950 G	528500	
HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, D40, 117 / 427	271048	





## HeavyCoat 970 E Spraypack / 400 V



All-round Xtra speed for XL projects

With a delivery volume of 10 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 10 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 970 E Spraypack / 400 V</b>	<b>2332191</b>	<b>DPHC</b>
Basic unit, HC 970 E	528509	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, S20, 243 / 539	271050	



## HeavyCoat 970 G Spraypack / Petrol



All-round Xtra speed for XL projects

With a delivery volume of 12 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 12 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 970 G Spraypack / Petrol</b>	<b>2332192</b>	<b>DPHC</b>
Basic unit, HC 970 G	528508	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, S20, 243 / 539	271050	



## HeavyCoat 950 E SSP Spraypack / 230 V



Power pack for heavy materials

- Equipped with shovel piston for enhanced performance (SSP)
- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 950 E SSP Spraypack / 230 V</b>	<b>2332187</b>	<b>DPHC</b>
Basic unit, HC 950 E SSP	528503	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	
2SpeedTip, S20, 243 / 539	271050	



## HeavyCoat 950 G SSP Spraypack / Petrol



Power pack for heavy materials

- Equipped with shovel piston for enhanced performance (SSP)
- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 950 G SSP Spraypack / Petrol</b>	<b>2332189</b>	<b>DPHC</b>
Basic unit, HC 950 G SSP	528502	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	
2SpeedTip, S20, 243 / 539	271050	



## HeavyCoat 970 E SSP Spraypack / 400 V

All-round Xtra speed for XL projects

With a delivery volume of 12 l/min, the HC 970 is WAGNER's most powerful hydraulically-driven piston pump

- Equipped with shovel piston for enhanced performance (SSP)
- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 12 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 970 E SSP Spraypack / 400 V</b>	<b>2332193</b>	<b>DPHC</b>
Basic unit, HC 970 E SSP	528507	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	
2SpeedTip, S20, 243 / 539	271050	



## HeavyCoat 970 G SSP Spraypack / Petrol

All-round Xtra speed for XL projects

With a delivery volume of 12 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- Equipped with shovel piston for enhanced performance (SSP)
- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 12 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 970 G SSP Spraypack / Petrol</b>	<b>2332194</b>	<b>DPHC</b>
Basic unit, HC 970 G SSP	528506	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	
2SpeedTip, S20, 243 / 539	271050	

## Accessories for conversion (piston pumps)

Airless emulsion applications	Article no.	Cat.
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	DPALG
Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder	502166	DPALG
Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8"	296441	DPALG
Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16"	296443	DPALG
Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8"	296442	DPALG
Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16"	296444	DPALG
Nozzle extension, 15 cm, G-thread, with holder without nozzle	556074	DPALG
Nozzle extension, 15 cm, F-thread, with holder, without nozzle	556051	DPALG
Nozzle extension, 30 cm, G-thread, with holder without nozzle	556075	DPALG
Nozzle extension, 30 cm, F-thread, with holder, without nozzle	556052	DPALG
Nozzle extension, 45 cm, G-thread, with holder without nozzle	556076	DPALG
Nozzle extension, 45 cm, F-thread, with holder, without nozzle	556053	DPALG
Nozzle extension, 60 cm, G-thread, with holder without nozzle	556077	DPALG
Nozzle extension, 60 cm, F-thread, with holder, without nozzle	556054	DPALG
Nozzle extension, 1 m with swivelling knee joint; F-thread	96015	DPALG
Nozzle extension, 2 m with swivelling knee joint; F-thread	96016	DPALG
Nozzle extension, 3 m with swivelling knee joint; F-thread	96017	DPALG
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
TwinTip nozzles; a summary table can be found in the final chapter, "Accessories"	1009XXX	DPTIP
Adjustable fan tip nozzles; a summary table can be found in the final chapter, "Accessories"	9990XX	DPTIP
Knee joint with screw (G-thread)	286908	DPET
Knee joint, F-thread, for nozzle extension	97009	DPZU
Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse	89323	DPFILT
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
HP hose DN6, 27 MPa, NPSM 1/4", 30 m	9984575	DPHOSE
Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE	9984458	DPHOSE
Double connector A = 1/4" x 1/4"	34038	DPZU

Airless rollers	Article no.	Cat.
InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL

Processing of large volumes (for Dispersion mit PS 3.39/Heavy Coat)	Article no.	Cat.
Adapter for container suction system; for PS 3.39	524252	DPET
Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU
Suction system for containers, with suction filter, 3.5 m	97083	DPZU
Adapter set for large volume container, for PS 3.39	2312157	DPZU
Large volume containers	2309956	DPZU
Inlet elbow, 2-C, for HeavyCoat	349252	DPET
Large volume container, incl. sack support and roller press	2309960	DPZU
Large volume container incl. sack support, roller press and adaptor set for HeavyCoat	2309955	DPZU
Press table incl. guide rail for roller	2323178	DPZU
Container Connector PS 39/HC	2383128	DPZU

### Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"









Corrosion and structural protection	Article no.	Cat.
Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	DPALG
Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder	2341126	DPALG
HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	DPHOSE
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	DPHOSE
Double connector A = 1/2" x 3/8" (hose reducer)	3203026	ILZP
Transition fitting I = M16x1.5 x A = 1/2"	349256	DPET
Large volume container incl. sack support, roller press and adaptor set for HeavyCoat	2309955	DPZU
Large volume containers	2309956	DPZU
Press table incl. guide rail for roller	2323178	DPZU











Conversion to petrol (for HeavyCoat devices 950/970)	Article no.	Cat.
Kit for conversion to petrol operation, 4.8 PS, Honda	0290614A	DPET
Kit for conversion to petrol-driven operation, 8.5 PS, Honda	0290456A	DPET






Conversion to electrical operation (for HeavyCoat devices 950/970)	Article no.	Cat.
Kit for conversion to electric motor, 230 V	0528611A	DPZU
Kit for conversion to electric motor, 400 V	0528612A	DPET

Texture-effect application	Article no.	Cat.
Texture-effect set for applying spray filler	258720	DPZU





## Airless accessories






Guns	Article no.	Cat.
 Airless gun AG 14, G-thread 1/4", incl. TradeTip 3 nozzle holder	0502081A	DPALG
 Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder	502166	DPALG
 Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	DPALG
 Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder	2341126	DPALG
 Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8"	296441	DPALG
 Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16"	296443	DPALG
 Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8"	296442	DPALG
 Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16"	296444	DPALG

Nozzle extensions	Article no.	Cat.
 ClearSpray valve, G-thread	0521012A	DPALG
 ClearSpray valve, F-thread	0521012F	DPALG
 Nozzle extension, 15 cm, G-thread, with holder without nozzle	556074	DPALG
 Nozzle extension, 15 cm, F-thread, with holder, without nozzle	556051	DPALG
 Nozzle extension, 30 cm, G-thread, with holder without nozzle	556075	DPALG
 Nozzle extension, 30 cm, F-thread, with holder, without nozzle	556052	DPALG
 Nozzle extension, 45 cm, G-thread, with holder without nozzle	556076	DPALG
 Nozzle extension, 45 cm, F-thread, with holder, without nozzle	556053	DPALG
 Nozzle extension, 60 cm, G-thread, with holder without nozzle	556077	DPALG
 Nozzle extension, 60 cm, F-thread, with holder, without nozzle	556054	DPALG

Nozzle extensions	Article no.	Cat.
 Knee joint, F-thread, for nozzle extension	97009	DPZU
 Knee joint with screw (G-thread)	286908	DPET
 Nozzle extension, 1 m with swivelling knee joint; F-thread	96015	DPALG
 Nozzle extension, 2 m with swivelling knee joint; F-thread	96016	DPALG
 Nozzle extension, 3 m with swivelling knee joint; F-thread	96017	DPALG

 Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU
---	--------	------

Nozzles	Article no.	Cat.
 Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
 Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
 TwinTip nozzles; a summary table can be found in the final chapter, „Accessories“	1009XXX	DPTIP
 Adjustable fan tip nozzles; a summary table can be found in the final chapter, „Accessories“	9990XX	DPTIP

Nozzle holder	Article no.	Cat.
 Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles	289390	DPTIP
 Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles	289391	DPTIP
 Double seal set, 5 pieces, for TradeTip 3 nozzles	556037	DPZU
 Nozzle holder, for low overspray, for TwinTip nozzles	1006001	ILET
 Saddle seal, for nozzle holder, for TwinTip nozzles	1006700	ILPCZU



Nozzle holder	Article no.	Cat.
---------------	-------------	------

Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU
---	--------	------

High-pressure filter pads (for ProSpray / high-pressure filter HF-01)	Article no.	Cat.
---	-------------	------

Filter cartridge, 30 MA, for ProSpray / high-pressure filter HF-01	730-067-30	DPZU
--	------------	------

Filter cartridge, 60 MA, for ProSpray / high-pressure filter HF-01	730-067	DPZU
--	---------	------

Filter cartridge, 100 MA, for ProSpray / high-pressure filter HF-01	730-067-10	DPET
---	------------	------

Supporting shell, for ProSpray / high-pressure filter HF-01	757-105	DPET
---	---------	------

Supporting disc, for ProSpray / high-pressure filter HF-01	702-251	DPET
--	---------	------

High-pressure filter pads (for HeavyCoat)	Article no.	Cat.
---	-------------	------

Filter cartridge, 0 MA, for HeavyCoat / LineCoat	930-004	DPET
--	---------	------

Filter cartridge, 5 MA, for HeavyCoat / LineCoat	349431	DPET
--	--------	------

Filter cartridge, 50 MA, for HeavyCoat / LineCoat	930-006	DPET
---	---------	------

Filter cartridge, 100 MA, for HeavyCoat / LineCoat	930-007	DPET
--	---------	------

Hoses	Article no.	Cat.
-------	-------------	------

HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	DPHOSE
--	---------	--------

HP hose DN10, max. 25 MPa, NPSM 3/8", 30 m	2336584	DPHOSE
--	---------	--------

HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	DPHOSE
--	---------	--------

HP hose DN19, max. 25 MPa, NPSM 3/4", 15 m	2336586	DPHOSE
--	---------	--------

Hose whips	Article no.	Cat.
------------	-------------	------

Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	DPHOSE
---	---------	--------

Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE	9984458	DPHOSE
---	---------	--------

### Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

Suction systems (for HeavyCoat)	Article no.	Cat.
---------------------------------	-------------	------

Container suction system, incl. C-coupling adapter, for HeavyCoat	349907	DPZU
---	--------	------

Inlet elbow, 2-C, for HeavyCoat	349252	DPET
---------------------------------	--------	------





Inlet elbow, for HeavyCoat	349580	DPET
----------------------------	--------	------


Intake elbow for fillers, for HeavyCoat	2340003	DPET
---	---------	------


Processing of large volumes	Article no.	Cat.
-----------------------------	-------------	------

Press table incl. guide rail for roller	2323178	DPZU
---	---------	------



Large volume containers	2309956	DPZU
-------------------------	---------	------




Processing of large volumes		Article no.	Cat.
	Large volume container, incl. sack support and roller press	2309960	DPZU
	Large volume container incl. sack support, roller press and adaptor set for HeavyCoat	2309955	DPZU
	Container suction system, incl. C-coupling adapter, for HeavyCoat	349907	DPZU
	Container Connector PS 39/HC	2383128	DPZU





Double connector (for connection to HD filter)		Article no.	Cat.
	Double connector A = 1/4" NPS x 3/8" NPT	812-003	DPET
	Double connector A = 3/4" NPSM x 3/8" NPSM; 53 MPa	9985783	DPZU
	Double connector A = 3/8" NPT x A = 1/2" NPS	815-005	DPET



Connectors / double connectors		Article no.	Cat.
	Double connector A = 1/2" x 1/2" (hose connector)	3202901	ILSET
	Double connector A = 1/2" x 3/8" (hose reducer)	3203026	ILZP
	Double connector A = 1/4" NPSM x 3/8" NPSM; 53 MPa	367561	DPZU
	Double connector A = 1/4" x 1/4"	34038	DPZU
	Double connector A = 1/4" x M16x1.5	34033	DPZU
	Double connector A = 3/4" NPSM x 1/2" NPSM; 53 MPa	9985782	DPZU
	Double connector A = 3/8" NPS x 3/8" NPS; 53 MPa	256343	DPZU

An in-depth summary of all nozzles can be found in the final chapter, "Accessories".

Cleaning / storage / preserving / operating materials		Article no.	Cat.
	EasyClean cleaning and conservation agent, 1 litre	508281	DPZU
	EasyClean cleaning and conservation agent, 118 ml	508620	DPZU

Cleaning / storage / preserving / operating materials		Article no.	Cat.
	EasyGlide, special oil, 118 ml	508619	DPET
	Hydraulic oil 5 litre, for HeavyCoat	349909	DPET
	TipClean, container incl. special cleaner	97108	DPZU
	TipClean, container incl. special cleaner, box (24 pieces)	97109	DPZU
	TipClean, refill bottle, 1 liter	97110	DPZU


Tools		Article no.	Cat.
	Adjusting spanner	9991114	DPZU
	Coupling spanner with thermally insulated handle (2x)	9100099	DPPCZU
	Relief combination, for HeavyCoat	349911	DPZU
	Strap spanner for HP filters	349720	DPET

Other		Article no.	Cat.
	FI-Protection PRCD 230 V / 16 A	9956257	DPZU
	Pressure gauge set assy. HEA(MPa)	2383995	DPZU



## PlastCoat 830 E Spraypack

High-performance plaster spraying system for large areas




- Professional coverage of large areas: powerful motor and integrated material container
- Practical: Automatic stator extraction for easy cleaning
- Wide range of possibilities: Rounded off by accessories such as bag presses
- Easy to transport: Easy to dismantle
- Possibility to switch the pump on or off directly at the spray lance (electrically)

Scope of delivery	Article no.	Cat.	Price in €
<b>PlastCoat 830 E Spraypack</b>	<b>2308305</b>	<b>DPPC</b>	<b>4,090.00</b>
Basic unit, PC 830 E	2308660		
Mortar hose DN25, M/V35, 10 m, including air hose and control cable	2325197		
Spraying lance, automatic, incl. 6 mm nozzle	2334115		
Pump lubricant 500 ml	9992824		
Tool bag	3799003		
Cleaning accessories	-		



## PlastMax Spraypack

Mixing pump (230 V) for the economical application of mineral and paste-like materials




- Complete solution: Mixing, pumping and spraying with a single unit
- User-friendly and powerful: clearly arranged control panel including speed inverter and material flow rate (up to 20 l/min, depending on pump casing) and much more
- Easy transport and quick cleaning: the tiltable mixing chamber and the quick stator changing allow an easy cleaning. For transport the unit can be disassembled into four modules.
- Easy to maintain and durable: self-priming water pump with stainless steel case and brass impeller
- Integrated compressor (250 l/min suction power): dirt resistant and oil-free compressed air for low maintenance.

Scope of delivery	Article no.	Cat.	Price in €
<b>PlastMax Spraypack</b>	<b>2361587</b>	<b>DPPC</b>	<b>7,375.00</b>
Base unit; PlastMax	2361594		
Mortar hose DN25, M/V25, 10 m incl. air hose	2325182		
In-wall lance, pneumatic	2334122		
Accessory box, complete, for PlastMax	2362233		



## PlastCoat 1030 E Spraypack

The power to handle large volumes – compact and versatile




- Compact and lightweight: 58 kg of weight with a delivery height of 20 m and delivery radius of 40 m, materials up to a grain size of 6 mm supported
- Easy cleaning for use on building sites: automatic stator extraction and automatic pressure release
- For large surfaces and easy transport: integrated 50-litre plastic container, four wheels and a low overall height
- Maintenance-free and robust: brushless DC motor for a high torque
- Closing the gun turns off pump (electric)

Scope of delivery	Article no.	Cat.	Price in €
<b>PlastCoat 1030 E Spraypack</b>	<b>2361588</b>	<b>DPPC</b>	<b>5,325.00</b>
Base unit; PC 1030	2360345		
Mortar hose DN25, M/V35, 10 m, including air hose and control cable	2325197		
Spraying lance, automatic, incl. 6 mm nozzle	2334115		
Pump lubricant 500 ml	9992824		
Tool box, premium, without content	348450		
Cleaning accessories	-		



## PlastCoat HP 10 Spraypack 230 V





High-pressure screw pump for paste-like materials




- High performance: The 230 V system is continuously adjustable and impresses with its high delivery power of max. 6 l/min (depending on the consistency of the materials being processed)
- Compact and robust: Round stainless steel material hopper with a capacity of 40 l and tyres suitable for construction site use make the machine an ideal partner for daily use
- No additional compressor required: up to 120 bar working pressure
- Innovative product features: Hard-wearing, easy to clean, quiet operation and much more.
- Safety grate shields user from contact with rotating pump for maximum user protection
- Quiet and hard-wearing: low-maintenance, valve-less pump with quiet operation


Scope of delivery	Article no.	Cat.	Price in €
<b>PlastCoat HP 10 Spraypack 230 V</b>	<b>2367228</b>	<b>DPPC</b>	<b>7,040.00</b>
Basic unit; PlastCoat HP10	2367227		
Mortar hose (DN 19; 10 m)	2368630		
Mobility hose (DN 13; 2.5 m)	2368631		
Spray lance (without nozzle holder and nozzle)	2368604		
TradeTip 3 nozzle, 643	553643		
TradeTip 3 nozzle holder	289390		

## Plaster spraying accessories







Flow mixer	Article no.	Cat.
 PlastMix 15 flow mixer	2348669	DPPC
 PlastMix 15 flow mixer, PUR mixing tube, incl. booster pump	2360039	DPPC
 PlastMix 15 flow mixer, incl. booster pump	2351507	DPPC
 PlastMix 15 flow mixer; PUR mixing pipe	2359240	DPPC

Accessories for PlastMax	Article no.	Cat.
 Accessory box, complete, for PlastMax	2362233	DPPC
PlastMax Mixing shaft, light materials	2366915	DPPCZU
PlastMax Turbo Mixer	2371521	DPPCET
Rotor PlastMAX D5-2,5	2363614	DPPCET
Rotor PlastMax D4-1/2	2366947	DPPCET
Rotor PlastMax D4-1/4	2366951	DPPCET
Rotor PlastMax D8-1,5	2369949	DPPCET
Stator PlastMAX D5-2,5	2363615	DPPCET
Stator PlastMax D4-1/2	2366948	DPPCET
Stator PlastMax D4-1/4	2366952	DPPCET
Stator PlastMax D8-1,5	2369950	DPPCET




Accessories for PlastCoat HP 10	Article no.	Cat.
Cleaning and conservation agent (1 l)	2368525	DPPCET
Cleaning ball; for PlastCoat HP 10 (DN 20mm)	2368524	DPPCZU
Extension cable for remote operation (10 m)	2368540	DPPCZU
Extension cable for remote operation (20 m)	2368544	DPPCZU
Extension cable for remote operation (40 m)	2368546	DPPCZU
Extension cable for remote operation (5 m)	2368535	DPPCZU
Extension hose (DN 19, 10m)	2368627	DPPCZU





Accessories for PlastCoat HP 10	Article no.	Cat.
Extension hose (DN 19, 20m)	2368628	DPPCZU
Extension hose (DN 19, 30m)	2368629	DPPCZU
Mobility hose (DN 13; 2.5 m)	2368631	DPPCZU
Mortar hose (DN 19; 10 m)	2368630	DPPCZU
 PlastCoat HP10 sack press table	2367229	DPPCZU
Rotor and stator; complete; for PlastCoat HP 10	2367496	DPPCZU
Spray lance (without nozzle holder and nozzle)	2368604	DPPCZU

Accessories for PlastMix 15 flow mixer	Article no.	Cat.
Flow meter	2349234	DPPCZU
Mixing shaft, for PlastMix 15	2349436	DPPCET
PUR mixing tube	2359241	DPPCET
Power cable, 6 m, for PlastMix 15	2349166	DPPCET
Solenoid valve	2349458	DPPCET
Transport shaft, for PlastMix 15	2349434	DPPCET








Spraying lance	Article no.	Cat.
 Angle head 70°	2337672	DPPCZU
 Fill and dosing attachment	2335388	DPPCZU
 Glue attachment	2335394	DPPCZU
 In-wall lance, automatic	2334121	DPPCZU
 In-wall lance, pneumatic	2334122	DPPCZU
 Spray lance extension, 150 cm	2339400	DPPCZU






Spraying lance	Article no.	Cat.
 Spray lance extension, 200 cm	2334124	DPPCZU
 Spray lance extension, 80 cm	2334123	DPPCZU
 Spraying lance, automatic, incl. 6 mm nozzle	2334115	DPPCZU






Nozzles	Article no.	Cat.
 Angle head 70°	2337672	DPPCZU
In-wall nozzle, 10 mm	2362235	DPPCZU
 In-wall nozzle, 12 mm	2362236	DPPCZU
In-wall nozzle, 14 mm	268746	DPPCZU
In-wall nozzle, 16 mm	268747	DPPCZU
In-wall nozzle, 18 mm	268748	DPPCZU
 Texture nozzle set, stainless steel, 4/6/8/10 mm	268905	DPPCZU
Texture nozzle, stainless steel, 04 mm	268779	DPPCZU
Texture nozzle, stainless steel, 05 mm	348915	DPPCZU
Texture nozzle, stainless steel, 06 mm	268780	DPPCZU
Texture nozzle, stainless steel, 07 mm	348916	DPPCZU
 Texture nozzle, stainless steel, 08 mm	268781	DPPCZU
Texture nozzle, stainless steel, 09 mm	348917	DPPCZU
Texture nozzle, stainless steel, 10 mm	268782	DPPCZU
Texture nozzle, stainless steel, 12 mm	342327	DPPCZU
Texture nozzle, stainless steel, 15 mm	342328	DPPCZU







Hoses	Article no.	Cat.
 Adapter fix connector V35/M25	342321	DPPCET








Hoses	Article no.	Cat.
 Adapter V25/M35 hose connection	348920	DPPCET
 Air hose DN9, 10.5 m	2311644	DPPCET
Mortar hose DN19, M/V25, 2 m incl. swivel joint: including air hose	2324927	DPPCZU
Mortar hose DN19, M/V25, 2 m incl. swivel joint: including air hose and control cable	2334131	DPPCZU
Mortar hose DN19, M/V25, 10 m incl. air hose	2325194	DPPCZU
 Mortar hose DN19, M/V25, 10 m, incl. air hose and control cable	2325193	DPPCZU
 Mortar hose DN25, M/V25, 10 m incl. air hose	2325182	DPPCZU
 Mortar hose DN25, M/V35, 10 m, including air hose and control cable	2325197	DPPCZU
Mortar hose DN35: V35; 13.3 m; incl. air hose	2363405	DPPCZU
 Mortar hose DN35, V35, 13.3 m, including air hose and control cable	2325199	DPPCZU
 Hose holder	342215	DPPCET

Compressors	Article no.	Cat.
 Air compressor C 330/03	2337718	DPPCZU
 VKM 592 compressor, with automatic switch-off, 230V / 50Hz	2311921	DPPCZU

Pump casings and pump worms	Article no.	Cat.
 Pump casing W10/2.5, 270x89, black, for PC 1030 / PC 25 / PC 35	348311	DPPCET

Pump casings and pump worms		Article no.	Cat.
	Pump casing W10/3, 270x89, yellow, for PC 1030 / PC 25 / PC 35	348315	DPPCET
	Pump casing W15/2, 270x89, brown, for PC 1030 / PC 25 / PC 35	348925	DPPCZU
	Pump casing, for PC 430 / PC 830	2304954	DPPCET
	Pump worm W10/2.5, Ø = 40 mm, L = 317 mm, black, for PC 1030 / PC 25 / PC 35	348312	DPPCET
	Pump worm W10/3, Ø = 40 mm, L = 320 mm, yellow, for PC 1030 / PC 25 / PC 35	348316	DPPCET
	Pump worm W15/2, Ø = 40 mm, L = 320 mm, brown, for PC 1030 / PC 25 / PC 35	348926	DPPCZU
	Pump worm, for PC 830	2304986	DPPCET
	Rotor D8-1,5	2385520	DPPCET
	Stator D8-1,5	2385532	DPPCET

Cleaning and storage		Article no.	Cat.
	Bottle brush for cleaning interior of outlet unit and spraying lance	342329	DPPCET
	Brush with handle and cap	9100095	DPPCZU
	Cleaning adapter M27GK	342241	DPPCZU
	Cleaning ball DN19, 25 mm	342330	DPPCET
	Cleaning ball DN27, 30 mm	342331	DPPCET
	Cleaning ball DN35, 40 mm	342332	DPPCET
	Cleaning brush, 280 to 420 mm long	348959	DPZU
	Cleaning needle, for plaster spraying nozzles	342916	DPPCET
	Tool bag	3799003	DHET

Cleaning and storage		Article no.	Cat.
	Tool box, premium, without content	348450	DPPCET
Other		Article no.	Cat.
	Adapter machine plug to Harting	2337504	DPPCZU
	Cleaning and conservation agent (1 l)	2368525	DPPCET
	Cleaning ball; for PlastCoat HP 10 (DN 20mm)	2368524	DPPCZU
	Control cable for automatic lance, 14 m	2311692	DPPCZU
	Extension cable for remote operation (10 m)	2368540	DPPCZU
	Extension cable for remote operation (20 m)	2368544	DPPCZU
	Extension cable for remote operation (40 m)	2368546	DPPCZU
	Extension cable for remote operation (5 m)	2368535	DPPCZU
	Extension hose (DN 19, 10m)	2368627	DPPCZU
	Extension hose (DN 19, 20m)	2368628	DPPCZU
	Extension hose (DN 19, 30m)	2368629	DPPCZU
	Height-adjustable sack press table	2371563	DPPCZU
	Mobility hose (DN 13; 2.5 m)	2368631	DPPCZU
	Mortar hose (DN 19; 10 m)	2368630	DPPCZU
	Pump lubricant 500 ml	9992824	DPPCET
	Remote operation	2368460	DPPCZU
	Rotor and stator; complete; for PlastCoat HP 10	2367496	DPPCZU
	Seal, fix-coupling M27	342314	DPPCET
	Seal, fix-coupling M35	9971531	DPPCET
	Spray lance (without nozzle holder and nozzle)	2368604	DPPCZU
	Support table cpl. for PC 830	2318389	DPPCZU
	Toolbox 24"	2371412	DPPCET

Other

Article no.

Cat.



Toolbox, for PlastCoat

348958

DPPCET

## Notes

A large grid area for taking notes, consisting of many small squares.

1

2

3

4

5

6

7

8

9

10



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

## 4 | Building trade – Temperature controlled spraying

### **Temperature controlled spraying.** **Optimised paint application.**

Heating up the material in the hose of the TempSpray products improves the spray properties of many materials like impregnations and coatings up to airless spatula. To make coating materials sprayable they usually have to be diluted. Thanks to the heating hose system not only can the solvents be reduced but also the applied film thicknesses can be increased. But these are only a few of this innovative system's many advantages. TempSpray products can be adapted to all Airless units and thus offer a wide field of use.



# Product comparison

	TempSpray H 126 basic unit	TempSpray H 126 Spraypack	TempSpray H 226 basic unit	TempSpray H 226 Spraypack	TempSpray H 326 basic unit
Spraying method	-		-		-
Product image (may differ)					
Art. Nr.	2311659	2311852	2311660	2311853	2311661
Cat.	DPTS	DPTS	DPTS	DPTS	DPTS
Technology	-	-	-	-	-
Weight	3.2 kg	3.2 kg	13.2 kg	13.2 kg	16.8 kg
Drive					
Voltage	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
Power connection cable	4 m	4 m	6 m	6 m	6 m
Heater power	0.6 kW	0.6 kW	1.3 kW	1.3 kW	1.1 kW
Material hose length	10 m	10 m	15 m	15 m	30 m
Max. operating pressure	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa
Temperature controller	20 – 60 °C	20 – 60 °C	20 – 60 °C	20 – 60 °C	20 – 60 °C
Max. Viscosity	5.000 mPas	5.000 mPas	25.000 mPas	25.000 mPas	25.000 mPas

Material	TempSpray H 126 basic unit	TempSpray H 126 Spraypack	TempSpray H 226 basic unit	TempSpray H 226 Spraypack	TempSpray H 326 basic unit
Wood impregnation, oils, stains, glazes, primers, undercoats, fillers, lacquers, 2K materials (watch the pot life)	+	+	-	-	-
Thick film materials, high solids, emulsion paints, latex paints, facade protections, roof coatings	-	-	+	+	+
Corrosion proofing, bituminous media, adhesives	-	-	-	-	+
Heavy corrosion proofings, Airless filler	-	-	-	-	-

+ = suitable; - = not suitable

TempSpray H 326, Spraypack	SuperFinish 23 Plus TS - Skid version	SuperFinish 23 Plus TS - Cart version	TempSpray H 126 AirCoat Spraypack
2311854	2341495	2341496	-
DPTS	DPFSF	DPFSF	-
-			-
23 kg	29 kg	29 kg	3.5 kg
230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
6 m	6 m	6 m	4 m
1.1 kW	1.3 kW	1.3 kW	0.6 kW
30 m	10 m	10 m	10 m
250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa
20 – 60 °C	20 – 60 °C	20 – 60 °C	20 – 60 °C
25.000 mPas	20.000 mPas	20.000 mPas	5.000 mPas

TempSpray H 326, Spraypack	SuperFinish 23 Plus TS - Skid version	SuperFinish 23 Plus TS - Cart version	TempSpray H 126 AirCoat Spraypack
-	+	+	+
+	-	-	-
+	-	-	-
-	-	-	-



## TempSpray H 126

The material heater that simplifies your work – perfect surface finishes through reduced viscosity

- Easy to use: specially designed for paint jobs, easily adapted for use with all Airless devices
- Effortless operation: flexible, steel-reinforced DN6 hose
- Flexible: continuous temperature regulation from 20°C - 60°C
- Lightweight: weighs only 3.5 kg



Scope of delivery	Article no.	Cat.
<b>TempSpray H 126 Basic Unit, 10 m</b>	<b>2311659</b>	<b>DPTS</b>


Scope of delivery	Article no.	Cat.
<b>TempSpray H 126 Spraypack, 10 m</b>	<b>2311852</b>	<b>DPTS</b>
TempSpray H 126 Basic Unit, 10 m	2311659	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, L10, 208 / 510	271042	



## TempSpray H 326

The longest TempSpray of all time: for extended versatility and working radius

- Ideal for emulsions, masonry, facade paints
- Twice the working radius for indoor and outdoor work: 30 m heated hose
- Practical: large trolley-mounted hose reel for simple transportation on building sites



Scope of delivery	Article no.	Cat.
<b>TempSpray H 326 Basic Unit, 30 m</b>	<b>2311661</b>	<b>DPTS</b>

Scope of delivery	Article no.	Cat.
<b>TempSpray H 326 Spraypack, 30 m</b>	<b>2311854</b>	<b>DPTS</b>
TempSpray H 326 Basic Unit, 30 m	2311661	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, D20, 115 / 421	271046	



## TempSpray H 226

Practical material heater for emulsions

- Specially designed for emulsions, latex paints
- Practical: trolley-mounted hose reel for simple transportation on building sites
- Flexible: for indoor and outdoor use, easily adapted to all Airless units



Scope of delivery	Article no.	Cat.
<b>TempSpray H 226 Basic Unit, 15 m</b>	<b>2311660</b>	<b>DPTS</b>

Scope of delivery	Article no.	Cat.
<b>TempSpray H 226 Spraypack, 15 m</b>	<b>2311853</b>	<b>DPTS</b>
TempSpray H 226 Basic Unit, 15 m	2311660	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, D10, 111 / 419	271045	



## SuperFinish 23 Plus TempSpray Spraypack - Skid version



Enamel specialist with heated hose

- Perfect surface results thanks to heated hose
- Also ideal for highly viscous materials such as VOC enamels
- The TempSpray system heats the material directly in the hose, thereby ensuring perfect viscosity without thinning, as well as optimum paint application

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus TempSpray Spraypack - Skid version</b>	<b>2341495</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus - Skid version	2334424	
5 litre hopper, M36x2	341265	
TempSpray H 126 Basic Unit, 10 m	2311659	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, L10, 208 / 510	271042	
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	



## TempSpray H 126 AirCoat Spraypack



The material heater that simplifies your work - perfect surface finishes through AirCoat technology and reduced viscosity

- Easy to use: specially designed for paint jobs, easily adapted for use with all AirCoat devices
- Effortless operation: flexible, steel-reinforced DN6 hose
- Flexible: continuous temperature regulation from 20°C - 60°C
- Lightweight: weighs only 3.5 kg

Scope of delivery	Article no.	Cat.
<b>TempSpray H 126 AirCoat Spraypack, 10 m</b>	<b>-</b>	<b>-</b>
TempSpray H 126 Basic Unit, 10 m	2311659	
AirCoat gun AC 4600 Professional, incl. blue air cap and holder	394156	
Air hose DN6, 10 cm, for AirCoat applications, incl. cable tie	344905	



## SuperFinish 23 Plus TempSpray Spraypack - Cart version



Enamel specialist with heated hose

- Perfect surface results thanks to heated hose
- Also ideal for highly viscous materials such as VOC enamels
- The TempSpray system heats the material directly in the hose, thereby ensuring perfect viscosity without thinning, as well as optimum paint application

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus TempSpray Spraypack - Cart version</b>	<b>2341496</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus on cart	2334444	
5 litre hopper, M36x2	341265	
TempSpray H 126 Basic Unit, 10 m	2311659	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	
2SpeedTip, L10, 208 / 510	271042	
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	





- 1
- 2
- 3
- 4
- 5**
- 6
- 7
- 8
- 9
- 10

## 5 | Building trade – Lacquers and wood preservatives

### **Mobile units for building sites. Perfectly coated surfaces.**

Is the finish wearing thin? When performing renovation work, in particular, there are numerous objects such as doors, radiators and window frames that often need a new coat of paint. For jobs such as these, WAGNER supplies small but robust units to ensure that your customers are ideally equipped for every application. For paints, glazes, stains or oils, there is an entry-level or professional device to meet every painter's needs.



# Product comparison

**NEW**

	FinishControl 3500	FinishControl 5000	FineCoat 9900 Plus	Finish 230 AirCoat compact	SuperFinish 23 Plus AirCoat (A) = Skid version (B) = Cart version
<b>Spraying method</b>					
<b>Product image (may differ)</b>					
<b>Art. No.</b>	2341501	2316090	276048	2301689	(A) = 2341489 (B) = 2341490
<b>Cat.</b>	DPXVLP	DPXVLP	DPFC	DPFSF	DPFSF
<b>Technology</b>					
<b>Weight</b>	2,3 kg	8 kg	10 kg	40.6 kg	(A) = 24 kg (B) = 29 kg
<b>Motor output</b>	0.7 kW	1.4 kW	1.5 kW	0.56 kW	1.3 kW
<b>Drive</b>					
<b>Voltage</b>	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
<b>Max. nozzle size</b>	-	-	-	0.019"	0.023"
<b>Max. operating pressure</b>	0.2 bar, 0.02 MPa	0.275 bar, 0.0275 MPa	0.72 bar, 0.072 MPa	250 bar, 25 MPa	250 bar, 25 MPa
<b>Max. delivery rate</b>	-	-	-	1.2 l/min	2.6 l/min
<b>Max. Viscosity</b>	-	-	-	-	20.000 mPas







Material	FinishControl 3500	FinishControl 5000	FineCoat 9900 Plus	Finish 230 AirCoat compact	SuperFinish 23 Plus AirCoat
<b>Release agent, oils, greases</b>	S	S	S-M	S	S-M
<b>Glazes, stains and impregnating agents</b>	S	S	S-M	S	S-M
<b>Undercoats, primers, fillers, synthetic resin-based paints, acrylic paints</b>	S	S	S-M	S	S-M

Suitable for following object sizes: S = less than 200 m<sup>2</sup>, M = 200 m<sup>2</sup> - 800 m<sup>2</sup>, L = over 800 m<sup>2</sup>, - = not suitable

SuperFinish 23 Plus AirCoat with compressor (A) = Skid version (B) = Cart version	Finish 230	SuperFinish 17 ex Airless Enamel	SuperFinish 23 Plus Airless Enamel* (A) = Skid version (B) = Cart version	ProSpray 3.23 Enamel
(A) = 2353392 (B) = 2353393	311062	2364966	(A) = 2341491 (B) = 2341492	2308273
DPFSF	DPFSF	ILGR	DPFSF	DPFS
(A) = 37 kg (B) = 42 kg	17 kg	15,4 kg	(A) = 24 kg (B) = 29 kg	17.7 kg
1.3 kW	1.1 kW	0,23 kW	1.3 kW	1.03 kW
230 V / 50 Hz	230 V / 50 Hz	-	230 V / 50 Hz	230 V / 50 Hz
0.023"	0.019"	0.017"	0.023"	0.024"
250 bar, 25 MPa	260 bar, 26 MPa	230 bar, 23 MPa	250 bar, 25 MPa	221 bar, 22.1 MPa
2.6 l/min	1.25 l/min	1.6 l/min	2.6 l/min	2.3 l/min
20.000 mPas	-	15.000 mPas	20.000 mPas	20.000 mPas

SuperFinish 23 Plus AirCoat with compressor	Finish 230	SuperFinish 17 ex Airless Enamel	SuperFinish 23 Plus Airless Enamel	ProSpray 3.23 Enamel
S-M	S	S-M	S-M	S-M
S-M	-	S-M	S-M	S-M
S-M	S	S-M	S-M	S-M

## The following pump technologies are available in this chapter

	Turbine	Diaphragm pump	Piston pump
Technology			
Description	Low-pressure spraying uses a high volume of air and low air pressure (up to 0.07 bar). The atomised air generated in the turbine flows through an air hose to the paint tank on the spray gun, where it then builds up pressure. This delivers the coating material through the standpipe to the nozzle to be atomized with the remaining air.	The material is transported by means of a stroke movement in the diaphragm. Products featuring this technology are robust and yet easy to handle units for construction site use. Electrically driven diaphragm pumps can be used as both Airless and AirCoat Spraypacks.	Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.
Benefits and applications	<ul style="list-style-type: none"> <li>• Perfect as an entry-level device or for small projects (e.g. repair works)</li> <li>• Easy to use</li> <li>• Can be exactly matched to the characteristics of the object</li> <li>• Large variety of materials through different spraying attachments and cup guns (quick colour changes are possible)</li> <li>• Superbly fine spray pattern, even with water-based materials</li> <li>• Easy to clean as only the spray attachment is filled with material</li> </ul>	<ul style="list-style-type: none"> <li>• Flexible material intake: It is possible to use small amounts with a hopper or apply the material directly from the original container</li> <li>• The pressure can be continuously regulated from 0 to 25 MPa</li> <li>• Ease of maintenance</li> <li>• Very low wear</li> <li>• Low operating costs</li> <li>• WAGNER quality: Long stroke technology and extremely robust design</li> </ul>	<ul style="list-style-type: none"> <li>• Perfect for high-viscosity materials</li> <li>• Optimal suction performance</li> <li>• High delivery volumes, including with high-viscosity materials</li> <li>• High material pressure: long hose lengths possible</li> <li>• Use of large nozzle sizes possible</li> <li>• WAGNER quality: Extra durable packings</li> </ul>
Recommended spraying method			

## FinishControl 3500 Spraypack



The hand-held XLVP device

- Always available: As the smallest in its class, it is available on every construction site. The practical shoulder strap makes it easy to transport
- Flexible: Ideal for renovation and repair work and projects of up to 50 m<sup>2</sup>
- Everything included: The practical carry case provides enough space for transporting the device and two filled spray attachments in an upright position
- Not suitable for use in potentially explosive atmospheres



### Scope of delivery

	Article no.	Cat.
<b>FinishControl 3500 Spraypack</b>	<b>2341501</b>	<b>DPXVLP</b>
Turbine housing with handle	2350780	
StandardSpray spray attachment	2321879	
Carrying case, for FC 3500	2341100	
Air filters, 3 pieces, for FinishControl 3500	2343947	
Filling hopper, 3 pieces, for FinishControl spray attachments	2324745	
Carrying strap, for FC 3500	2341187	
Strap holder FinishControl 3500, incl. screws	2343948	
Cleaning brush	514209	

## FinishControl 5000 Spraypack



An all-rounder for projects up to 50 m<sup>2</sup>

The entry-level answer for professional coating using spray technology


- Universally suitable for use with varnishes, lacquers and emulsion paints, thanks to a modular spraying attachment system for simple material changes
- Total control directly on the gun
- Extremely compact and practical
- Not suitable for use in potentially explosive atmospheres







### Scope of delivery


	Article no.	Cat.
<b>FinishControl 5000 Spraypack</b>	<b>2316090</b>	<b>DPXVLP</b>
FinishControl 5000, basic unit	2322444	
Air hose including handle, for FinishControl 5000	2314573	
StandardSpray spray attachment	2321879	






## XVLP accessories










Spraying attachments XVLP		Article no.	Cat.
	FineSpray spray attachment	2321877	DPXVZU
	StandardSpray spray attachment	2321879	DPXVZU
	WallSpray spray attachment	2321880	DPXVZU

Filters		Article no.	Cat.
	Air filters, 3 pieces, for FC 5000	2322446	DPXVET
	Air filters, 3 pieces, for FinishControl 3500	2343947	DPXVET
	Feed tube filter, coarse, 5 pcs, for FinishControl spray attachments	2324249	DPXVET
	Feed tube filter, fine, 5 pcs, for FinishControl spray attachments	2324248	DPXVET

Hoses		Article no.	Cat.
	Air hose including handle, for FinishControl 5000	2314573	DPXVET

Cleaning and storage		Article no.	Cat.
	Carrying case, for FC 3500	2341100	DPXVET
	Carrying strap, for FC 3500	2341187	DPXVET

Cleaning and storage		Article no.	Cat.
	Cleaning brush	514209	DHET
	Cleaning kit for HVLP and XVLP spraying guns	2354639	DHZU
	Cleaning set, for XVLP spray attachments	935364	DPZU
	Strap holder FinishControl 3500, incl. screws	2343948	DPXVET
	Tanos Systainer	2340218	DPXVZU

Other		Article no.	Cat.
	Can Adapter, for FinishControl	2350692	DPXVZU
	Container seal, for all XVLP spray attachments	2319223	DPXVET
	Container with cover, 1000 ml, stainless steel, for FinishControl spray attachments	2322451	DPXVET
	Container with cover, 1400 ml, for WallPaint spray attachments	2324749	DPXVET
	Feed tube, emulsion	2323674	DPXVET
	Feed tube, standard	2319222	DPXVET
	Filling hopper, 3 pieces, for FinishControl spray attachments	2324745	DPXVET
	Nozzle seal, for FinishControl	2323934	DPXVET
	Turbine housing with handle	2350780	DPXVET

**NEW**



## FineCoat 9900 Plus Spraypack

High-performance HVLP paint specialist in an easy-to-use design






- Compact and easy to use
- Permits precise adaptation to the object to be painted and provides an unmistakably fine spray pattern, even with water-based materials
- Wide range of applications both indoors and outdoors
- Not suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>FineCoat 9900 Plus Spraypack</b>	<b>276048</b>	<b>DPFC</b>
Air hose assy. FC-9900 Plus	277236	
FineCoat gun; 1-litre pressure cup; incl. nozzle set No. 4; for FC 7000 / FC 8800 / FC 9900	277035	











## HVLP accessories

Guns	Article no.	Cat.
 Conversion kit FineCoat Split Gun, for gravity feed cup	524045	DPZU
 FineCoat Split Gun; suction cup; 1000 ml	524028	DPZU
 FineCoat gun; 1-litre pressure cup; incl. nozzle set No. 4; for FC 7000 / FC 8800 / FC 9900	277035	DPZU
 FineCoat spraying lance WSL 60 with hopper; for liquid raw fibres; texture effects or plaster; only usable with quick release coupling (art. No. 0275 625)	261024	DPZU
 Flocking gun WF-20; 20 mm; for the application of dry chips to a wet undercoat	261025	DPZU
 Gravity feed cup, for FineCoat Split Gun, 600 ml	524053	DPZU

Nozzles	Article no.	Cat.
 Air cap, d = 09 mm, RD45	261460	DPET
Air cap, d = 12 mm, RD45	261461	DPET
Air cap, d = 14.5 mm, RD45	261462	DPET
Nozzle set, for FineCoat Split Gun, no. 2, Ø 0.8 mm	529209	DPZU
Nozzle set, for FineCoat Split Gun, no. 3, Ø 1.3 mm	529210	DPZU
Nozzle set, for FineCoat Split Gun, no. 4, Ø 1.8 mm	529211	DPZU
 Nozzle set, for FineCoat Split Gun, no. 5, Ø 2.2 mm	529212	DPZU
Nozzle set, for FineCoat Split Gun, no. 6, Ø 2.4 mm	529213	DPZU
Nozzle set, for FineCoat Split Gun, no. 7, Ø 2.6 mm	529214	DPZU
Nozzle, d = 04 mm, 6KT.22, for WSL 50/60	261463	DPZU
 Nozzle, d = 06 mm, 6KT.22, for WSL 50/60	261464	DPZU
Nozzle, d = 08 mm, 6KT.22, for WSL 50/60	261465	DPZU
Nozzle, d = 10 mm, 6KT.22, for WSL 50/60	261466	DPZU

Spray nozzle sets for FineCoat guns (not SplitGun) can be found in the final chapter, "Accessories"



Hoses		Article no.	Cat.
	Air hose, 4.5 m, for FineCoat turbines incl. quick release coupling	276233	DPET
	Air hose assy. FC-9900 Plus	277236	DPET
	Air hose, 9 m, for FC Controller	275249	DPET
	Hose pack, consisting of material and air hose DN10, 8.2 m	261255	DPET
	Hose whip, 152 cm, for FineCoat	524405	DPET
Filters		Article no.	Cat.
	Filter kit, for FC 9900 / FC 9800	279938	DPET
Other		Article no.	Cat.
	Cleaning kit for HVLP and XVLP spraying guns	2354639	DHZU
	Pressure gauge 0-4 bar, 1/8", for pressure tank FineCoat 9950 PP	261342	DPZU
	Pressure tank insert, solvent resistant, plastic	261374	DPET
	Quick release coupling	275625	DPET
	Remote pressure pot	524232	DPZU
	Service kit, for FC gun with pressure cup	295981	DPZU

## Notes

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	



## Finish 230 AirCoat compact Spraypack



Fully-featured mobile solution for painting tasks including built-in compressor

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Perfectly matching components: Little overspray and highly efficient application
- Extremely versatile and mobile: built-in, quiet-running, high-performance compressor
- Particularly easy handling
- Not suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Finish 230 AirCoat compact Spraypack</b>	<b>2301689</b>	<b>DPGR</b>
Basic unit, F 230 AC compact	550005	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
AirCoat gun AC 4600 Professional, incl. green air cap, holder and nozzle	394152	



## SuperFinish 23 Plus AirCoat Spraypack - Skid version



Mobile complete solution for enamel work

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Perfectly matching components: Little overspray and high application efficiency
- Particularly easy handling
- The industry standard, quality-crafted by WAGNER
- Not suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus AirCoat Spraypack - Skid version</b>	<b>2341489</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus - Skid version	2334424	
5 litre hopper, M36x2	341265	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
AirCoat gun AC 4600 Professional, incl. blue air cap and holder	394156	
Nozzle ACF3000 11/40	379411	
AirCoat regulator, fitting kit	340250	



## SuperFinish 23 Plus AirCoat Spraypack - Cart version



Mobile complete solution for enamel work

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Perfectly matching components: Little overspray and high application efficiency
- Particularly easy handling
- The industry standard, quality-crafted by WAGNER
- Not suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus AirCoat Spraypack - Cart version</b>	<b>2341490</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus on cart	2334444	
5 litre hopper, M36x2	341265	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
AirCoat gun AC 4600 Professional, incl. blue air cap and holder	394156	
Nozzle ACF3000 11/40	379411	
AirCoat regulator, fitting kit	340250	



## SuperFinish 23 Plus AirCoat Spraypack with compressor - Skid version



Mobile complete solution for surface coatings with compressor

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Perfectly matching components: Little overspray and high application efficiency
- Particularly easy handling
- The industry standard, quality-crafted by WAGNER
- Not suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus AirCoat Spraypack with compressor - Skid version</b>	<b>2353392</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus - Skid version	2334424	
5 litre hopper, M36x2	341265	
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m	2302379	
AirCoat gun AC 4600 Professional, incl. green air cap and holder	394158	
Nozzle ACF3000 11/40	379411	
Compressor AirBoost 100, for SF 23 Plus	2347935	



## SuperFinish 23 Plus AirCoat Spraypack with compressor - Cart version



Mobile complete solution for surface coatings with compressor

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Perfectly matching components: Little overspray and high application efficiency
- Particularly easy handling
- The industry standard, quality-crafted by WAGNER
- Not suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus AirCoat Spraypack with compressor - Cart version</b>	<b>2353393</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus on cart	2334444	
5 litre hopper, M36x2	341265	
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m	2302379	
AirCoat gun AC 4600 Professional, incl. green air cap and holder	394158	
Nozzle ACF3000 11/40	379411	
Compressor AirBoost 100, for SF 23 Plus	2347935	

## Accessories for conversion (diaphragm pumps)

Airless emulsion applications (for SF 23 Plus)	Article no.	Cat.
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium	97024	DPFILT
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
Suction system, for SF 23 Plus, incl. PumpRunner	2342879	DPET

Airless rollers (for SF 23 Plus)	Article no.	Cat.
InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL












### Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"





Airless painting applications	Article no.	Cat.
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories"	554XXX	DPTIP
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	DPFILT
Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine	97022	DPFILT
Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	DPHOSE
HP hose DN4, 27 MPa, NPS 1/4", 7.5 m	9984573	DPHOSE
HP hose DN3, 27 MPa, NPS 1/4", 10 m	2301052	ILZU





Airless painting applications	Article no.	Cat.
HP hose DN4, 27 MPa, NPS 1/4", 10 m	2302374	DPHOSE
5 litre hopper, M36x2	341265	DPZU


## AirCoat accessories

Guns	Article no.	Cat.
 AirCoat gun AC 4500, blue air cap and holder	2368269	ILZU
 AirCoat gun AC 4500, green air cap and holder	2368270	ILZU
 AirCoat gun AC 4500, red air cap and holder	2368271	ILZU
 AirCoat gun AC 4600 Professional, incl. blue air cap and holder	394156	ILZU
 AirCoat gun AC 4600 Professional, incl. blue air cap, holder and nozzle	394150	ILZU
 AirCoat gun AC 4600 Professional, incl. green air cap and holder	394158	ILZU
 AirCoat gun AC 4600 Professional, incl. green air cap, holder and nozzle	394152	ILZU
 AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	ILZU
 AirCoat gun AC 4600 Professional, incl. red air cap, holder and nozzle	394151	ILZU
Nozzle extensions	Article no.	Cat.
 AirCoat nozzle extension: 30 cm	394090	ILZU
AirCoat nozzles	Article no.	Cat.
 AirCoat nozzles AC4600 Prof./ GM3000 AC; an overview table can be found in the last chapter „Accessories“	379XXX	ILTIP








Air caps	Article no.	Cat.
 Blue air cap for water-based materials (water-based paints), incl. union nut	394911	ILZU
 Green air cap for water-based materials and solvent-based materials (low air consumption), incl. union nut	394912	ILZU
 Red air cap for solvent-based materials, incl. union nut	394910	ILZU
 Union nut complete	394921	ILET

Gun filter insert	Article no.	Cat.
 Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
 Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
 Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	DPFILT
 Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine	97022	DPFILT




AirCoat hoses	Article no.	Cat.
Air hose, DN6, 1/4", 10 m, for HP double hose	2304451	DPZU
Air hose, DN6, 1/4", 7.5 m, for HP double hose	2304449	DPZU
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 10 m	9984596	DPHOSE
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	DPHOSE
 HP double hose, material DN3, max. 27 MPa, air DN6, M16x1.5, 7.5 m	2306802	DPHOSE
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m	2302379	DPHOSE
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m	2302378	DPHOSE
HP double hose, material DN4, max. 27 MPa, air DN6, M16x1.5, 7.5 m	2306803	DPHOSE

AirCoat hoses	Article no.	Cat.
 Protective tubing, 10 m, for HP double hose	2305871	DPET
 Protective tubing, 7.5 m, for HP double hose	2305870	DPET




Hopper	Article no.	Cat.
 5 litre hopper EX, M36x2 with filter disk	340265	ILZU
 5 litre hopper, M36x2	341265	DPZU
 5 litre hopper, for F 230	524242	DPET

Connectors / double connectors	Article no.	Cat.
 Double connector A = 1/4" x 1/4"	34038	DPZU
Double connector A = 1/4" x M16x1.5	34033	DPZU
 Coupling sleeve I = 1/4"NPS x A = M16x1.5	34041	ILZP


An in-depth summary of all nozzles can be found in the final chapter, "Accessories".

Cleaning / storage / preserving / operating materials	Article no.	Cat.
 EasyClean cleaning and conservation agent, 118 ml	508620	DPZU
 EasyClean cleaning and conservation agent, 1 litre	508281	DPZU
 EasyGlide, special oil, 118 ml	508619	DPET


**Cleaning / storage / preserving / operating materials** Article no. Cat.

	Hydraulic oil Divinol 1 litre, for diaphragm pumps	21061	DPET
	TipClean, container incl. special cleaner, box (24 pieces)	97109	DPZU
	TipClean, container incl. special cleaner	97108	DPZU
	TipClean, refill bottle, 1 liter	97110	DPZU

**Compressors** Article no. Cat.

	Compressor AirBoost 100, for SF 23 Plus	2347935	DPZU
	Fan filter, 5 pieces, for compressor AB 100	2351461	DPFILT
	Suction filter, for compressor AB 100	2348863	DPET

**Other** Article no. Cat.

	AirCoat regulator, fitting kit	340250	DPZU
	Depressor housing service kit; for SF 21 to SF 31	341705	DPET
	FI-Protection PRCD 230 V / 16 A	9956257	DPZU



**Finish 230 Enamel Spraypack**



The entry-level model for professional Airless spraying

- Ideally suited for smaller paint and emulsion jobs (depending on Spraypack equipment)
- As the smallest model in its class, the Finish 230 offers exceptional value-for-money
- Easy to move: Practical carrying handle and built-in hose holder
- Not suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Finish 230 Enamel Spraypack</b>	<b>311062</b>	<b>DPGR</b>
Basic unit, Finish 230 Enamel	-	
HP hose DN4, 27 MPa, NPS 1/4", 7.5 m	9984573	
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	
2SpeedTip, L10, 208 / 510	271042	
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	



**SuperFinish 17ex Airless Enamel Spraypack - Skid version**



The painting specialist for perfect surfaces

- Compact and robust: perfect mobility thanks to compact dimensions
- Economical and low-maintenance: extremely low-wear construction for cost-efficient working
- Unique, pneumatically powered diaphragm pump: extremely quiet and economical in terms of air and material consumption
- Flexible: Very small volume processing with hopper or work directly from the original container
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>SuperFinish 17ex Airless Enamel Spraypack - Skid version</b>	<b>2364966</b>	<b>ILGR</b>
Basic unit; SuperFinish 17ex	2364969	
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538042	
2SpeedTip, L10, 208 / 510	271042	
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	
5L hopper set for Cobra	341267	



## SuperFinish 23 Plus Airless Enamel Spraypack - Skid version



The perfect solution for small paint jobs using diaphragm technology

- Entry-level Airless unit for painting objects up to 800 m<sup>2</sup>
- Straightforward handling and simple operation: Multifunction switch for greater safety - It is impossible to turn the unit on and off under pressure
- Improved performance: No-maintenance brushless motor
- FineFinish painting with hopper and the special FineFinish nozzle

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus Airless Enamel Spraypack - Skid version</b>	<b>2341491</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus - Skid version	2334424	
5 litre hopper, M36x2	341265	
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538042	
2SpeedTip, L10, 208 / 510	271042	
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus Airless Enamel Spraypack - Skid version, 110 V</b>	<b>2346423</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus - Skid version	2334424	
5 litre hopper, M36x2	341265	
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538042	
2SpeedTip, L10, 208 / 510	271042	
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	



## SuperFinish 23 Plus Airless Enamel Spraypack - Cart version



The perfect solution for small paint jobs using diaphragm technology

- Entry-level Airless unit for painting objects up to 800 m<sup>2</sup>
- Straightforward handling and simple operation: Multifunction switch for greater safety - It is impossible to turn the unit on and off under pressure
- Improved performance: No-maintenance brushless motor
- FineFinish painting with hopper and the special FineFinish nozzle

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus Airless Enamel Spraypack - Cart version</b>	<b>2341492</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus on cart	2334444	
5 litre hopper, M36x2	341265	
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538042	
2SpeedTip, L10, 208 / 510	271042	
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	

Scope of delivery	Article no.	Cat.
<b>SuperFinish 23 Plus Airless Enamel Spraypack - Cart version, 110 V</b>	<b>2346424</b>	<b>DPFSF</b>
Basic unit, SF 23 Plus on cart	2334444	
5 litre hopper, M36x2	341265	
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538042	
2SpeedTip, L10, 208 / 510	271042	
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	

## Accessories for conversion (diaphragm pumps)

Airless emulsion applications (for SF 23 Plus)	Article no.	Cat.
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium	97024	DPFILT
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
Suction system, for SF 23 Plus, incl. PumpRunner	2342879	DPET

Airless rollers (for SF 23 Plus)	Article no.	Cat.
InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL

### Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

AirCoat painting applications	Article no.	Cat.
AirCoat gun AC 4500, blue air cap and holder	2368269	ILZU
AirCoat gun AC 4600 Professional, incl. blue air cap and holder	394156	ILZU
AirCoat nozzles AC4600 Prof./ GM3000 AC; an overview table can be found in the last chapter „Accessories“	379XXX	ILTIP
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	DPHOSE
AirCoat regulator, fitting kit	340250	DPZU
Compressor AirBoost 100, for SF 23 Plus	2347935	DPZU



## ProSpray 3.23 Enamel Spraypack

The expert for small-area lacquering jobs

- The expert for enamelling jobs with hopper and paint nozzle for small material volumes and fast colour changes
- Easy to handle: Compact design for ease of transport and space-saving storage
- Innovative ProSpray product features: Maintenance-free, brushless motor - piston lubricated at the touch of a button - inlet valve depressor for outstandingly reliable operation - and much more.

Scope of delivery	Article no.	Cat.
<b>ProSpray 3.23 Enamel Spraypack</b>	<b>2308273</b>	<b>DPPS</b>
Basic unit, PS 3.23	558001	
5 litre hopper; for PS 3.20 / PS 3.21 / PS 3.23 / PS 3.25 skid-mounted	704-453	
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538042	
2SpeedTip, L10, 208 / 510	271042	
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	



## Accessories for conversion (piston pumps)







Airless emulsion applications	Article no.	Cat.
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU








Airless rollers	Article no.	Cat.
InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL





### Temperature-controlled spraying






Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"


## Airless accessories





Guns	Article no.	Cat.
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
 Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
 Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
 Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	DPALG
 Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder	502166	DPALG





Nozzle extensions	Article no.	Cat.
 ClearSpray valve, G-thread	0521012A	DPALG
 ClearSpray valve, F-thread	0521012F	DPALG
 Nozzle extension, 15 cm, G-thread, with holder without nozzle	556074	DPALG
 Nozzle extension, 15 cm, F-thread, with holder, without nozzle	556051	DPALG
 Nozzle extension, 30 cm, G-thread, with holder without nozzle	556075	DPALG
 Nozzle extension, 30 cm, F-thread, with holder, without nozzle	556052	DPALG
 Nozzle extension, 45 cm, G-thread, with holder without nozzle	556076	DPALG


Nozzle extensions	Article no.	Cat.
 Nozzle extension, 45 cm, F-thread, with holder, without nozzle	556053	DPALG
 Nozzle extension, 60 cm, G-thread, with holder without nozzle	556077	DPALG
 Nozzle extension, 60 cm, F-thread, with holder, without nozzle	556054	DPALG
 Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU


Airless nozzles	Article no.	Cat.
 Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
 Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
 Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
 TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, “Accessories“	554XXX	DPTIP
 Adjustable fan tip nozzles; a summary table can be found in the final chapter, “Accessories“	9990XX	DPTIP




Airless nozzle holders	Article no.	Cat.
 2SpeedTip nozzle holder	271065	DPTIP
 Anti-contact guard, for adjustable fan tip	97294	DPET



Airless nozzle holders	Article no.	Cat.
 Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles	289390	DPTIP
 Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles	289391	DPTIP
 Double seal set, 5 pieces, for TradeTip 3 nozzles	556037	DPZU
 Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU

Gun filter insert	Article no.	Cat.
 Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
 Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
 Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	DPFILT
 Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine	97022	DPFILT





Hoses	Article no.	Cat.
HP hose DN3, 27 MPa, M16x1.5, 7.5 m	9984584	DPHOSE
HP hose DN3, 27 MPa, NPS 1/4", 10 m	2301052	ILZU
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	DPHOSE
HP hose DN4, 27 MPa, M16x1.5, 7.5 m	9984510	DPHOSE
 HP hose DN4, 27 MPa, NPS 1/4", 10 m	2302374	DPHOSE
HP hose DN4, 27 MPa, NPS 1/4", 7.5 m	9984573	DPHOSE
HP hose DN6, 27 MPa, M16x1.5, 30 m	9984562	DPHOSE
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
HP hose DN6, 27 MPa, NPSM 1/4", 30 m	9984575	DPHOSE
HP hose DN6, max. 27 MPa, M16x1.5, 15 m	9984507	DPHOSE



Hose whips	Article no.	Cat.
 Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE	9984458	DPHOSE
Hose whip DN5, max. 27 MPa, M16x1.5, 1 m, enamel paints, PFTE	9984456	DPHOSE
Hose whip DN6, max. 27 MPa, M16x1.5, 2.5 m	9984569	DPHOSE




Hopper	Article no.	Cat.
 5 litre hopper EX, M36x2 with filter disk	340265	ILZU
 5 litre hopper, M36x2	341265	DPZU
 5 litre hopper, for F 230	524242	DPET

Connectors / double connectors	Article no.	Cat.
 Double connector A = 1/4" x 1/4"	34038	DPZU
Double connector A = 1/4" x M16x1.5	34033	DPZU
 Coupling sleeve l = 1/4"NPS x A = M16x1.5	34041	ILZP

An in-depth summary of all nozzles can be found in the final chapter, "Accessories".

Cleaning / storage / preserving / operating materials	Article no.	Cat.
 EasyClean cleaning and conservation agent, 118 ml	508620	DPZU
 EasyClean cleaning and conservation agent, 1 litre	508281	DPZU
 EasyGlide, special oil, 118 ml	508619	DPET
 Hydraulic oil Divinol 1 litre, for diaphragm pumps	21061	DPET

Cleaning / storage / preserving / operating materials	Article no.	Cat.
TipClean, container incl. special cleaner, box (24 pieces)	97109	DPZU
 TipClean, container incl. special cleaner	97108	DPZU
 TipClean, refill bottle, 1 liter	97110	DPZU

Other	Article no.	Cat.
 FI-Protection PRCD 230 V / 16 A	9956257	DPZU
 Pressure gauge set assy. HEA(MPa)	2383995	DPZU
 SpeedShield	538905	DPZU



- 1
- 2
- 3
- 4
- 5
- 6**
- 7
- 8
- 9
- 10

## 6 | Wood and metal work (Explosion protection)

### Flawless finishes. For valuable individual items.

Most carpentry, joinery and metalworking workshops produce high-class workmanship. They create individual items of furniture, windows, doors, staircases, railing and much more besides. The perfect surface finish is essential here. By ensuring particularly fine material atomisation, our AirCoat pumps always meet the very highest requirements. The devices are explosion-proof and can consequently be used in paint booths.



# Product Comparison

	Zip 52 (A) = Alu (B) = stainless steel (C) = Acetal conductive	Zip 52 Perfect Flow	Zip 52 Spraypack	Cobra 40-10 AirCoat	SuperFinish 17 ex AirCoat	FineFinish 20-30 S AirCoat (A) = on trolley with hopper (B) = on 4 legs
<b>Spraying method</b>						
<b>Product image (may differ)</b>						
<b>Art. No.</b>	(A) = 2301832 (B) = 2301836 (C) = 2301837	2301838	2309669	322112	2364967	(A) = 2309799 (B) = 2309802
<b>Cat.</b>	ILCGR	ILCGR	ILCGR	ILGR	ILGR	ILGR
<b>Technology</b>						
<b>Weight</b>	3.8 kg	3.8 kg	3.8 kg	19 kg	15,4 kg	11 kg
<b>Drive</b>						
<b>Max. nozzle size</b>	-	-	-	0.023"	0.017"	0.019"
<b>Max. operating pressure</b>	8 bar, 0.8 MPa	8 bar, 0.8 MPa	8 bar, 0.8 MPa	250 bar, 25 MPa	230 bar, 23 MPa	160 bar, 16 MPa
<b>Max. delivery rate</b>	52 l/min	52 l/min	52 l/min	2 l/min	1,6 l/min	1.8 l/min
<b>Transmission ratio</b>	1 : 1	1 : 1	1 : 1	40 : 1	-	20 : 1
<b>Air inlet pressure</b>	1-8 bar, 0.1-0.8 MPa	1-8 bar, 0.1-0.8 MPa	1-8 bar, 0.1-0.8 MPa	2.5-6 bar, 0.25-0.6 MPa	6-8 bar, 0.6-0.8 MPa	2-8 bar, 0.2-0.8 MPa





Material	Zip 52	Zip 52 Perfect Flow	Zip 52 Spraypack	Cobra 40-10 AirCoat	SuperFinish 17 ex AirCoat	FineFinish 20-30 S AirCoat
<b>Release agent, oils, greases</b>	S-L	S-L	S-L	S-L	S-M	S-M
<b>Glazes, stains and impregnating agents</b>	S-L	S-L	S-L	S-L	S-M	S-M
<b>Undercoats, primers, fillers, synthetic resin-based paints, acrylic paints</b>	S-L	S-L	S-L	S-L	S-M	S-M
<b>Materials sensitive to shearing and moisture, UV paints</b>	S-L	S-L	S-L	S-L	-	-

Suitable for following object sizes: S = less than 200 m<sup>2</sup>, M = 200 m<sup>2</sup> - 800 m<sup>2</sup>, L = over 800 m<sup>2</sup>, - = not suitable

FineFinish 40-15 Compact	Wildcat 18-40 AirCoat (A) = on 4 legs (B) = with hopper (C) = on trolley	Wildcat 18-40 on wall mount	Puma 28-40 AirCoat (A) = on 4 legs (B) = on trolley	Puma 28-40 on wall mount	FineFinish 40-15 S Airless on 4 legs	Puma 28-40 Airless on 4 legs
		-		-		
2363202	(A) = 366126 (B) = 366127 (C) = 366125	2301851	(A) = 367168 (B) = 367167	2301854	2309804	2303397
ILGR	ILGR	ILGR	ILGR	ILGR	ILGR	ILGR
17 kg	15 kg	15 kg	16 kg	16 kg	9 kg	16 kg
-	0.019"	0.019"	0.023"	0.023"	0.013"	0.023"
280 bar, 28 MPa	144 bar, 14.4 MPa	144 bar, 14.4 MPa	224 bar, 22.4 MPa	224 bar, 22.4 MPa	250 bar, 25 MPa	224 bar, 22.4 MPa
-	2.4 l/min	2.4 l/min	2.4 l/min	2.4 l/min	0.9 l/min	2.4 l/min
40 : 1	18 : 1	18 : 1	28 : 1	28 : 1	40 : 1	28 : 1
2-7 bar, 0.2-0.7 MPa	2.5-8 bar, 0.25-0.8 MPa	2.5-8 bar, 0.25-0.8 MPa	2.5-8 bar, 0.25-0.8 MPa	2.5-8 bar, 0.25-0.8 MPa	2-8 bar, 0.2-0.8 MPa	2-8 bar, 0.2-0.8 MPa

FineFinish 40-15 Compact	Wildcat 18-40 AirCoat	Wildcat 18-40 on wall mount	Puma 28-40 AirCoat	Puma 28-40 on wall mount	FineFinish 40-15 S Airless	Puma 28-40 Airless
S-M	S-L	S-L	S-L	S-L	S-M	S-L
S-M	M-L	M-L	M-L	M-L	S-M	M-L
S-M	S-L	S-L	S-L	S-L	S-M	S-L
-	-	-	-	-	-	-

## The following pump technologies are available in this chapter

	Double diaphragm pump	Piston pump
Technology		
Description	The material is transported by means of a stroke movement of two diaphragms working in opposite directions. This creates a very low-pulse material flow. This also allows you to work with materials which are particularly sensitive to shearing and moisture, and with premixed 2K materials. WAGNER double diaphragm pumps are explosion-proof and operated by compressed air which means that they can be used in workshops.	Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.
Benefits and applications	<ul style="list-style-type: none"> <li>• Ideally suited for the application of small quantities</li> <li>• Extremely low pulsation</li> <li>• Ideal for materials which are sensitive to shearing and moisture</li> <li>• Robust design</li> <li>• Continuously variable pressure regulation for little overspray</li> <li>• Low operating costs</li> </ul>	<ul style="list-style-type: none"> <li>• Perfect for high-viscosity materials</li> <li>• Optimal suction performance</li> <li>• High delivery volumes, including with high-viscosity materials</li> <li>• High material pressure: long hose lengths possible</li> <li>• Use of large nozzle sizes possible</li> <li>• WAGNER quality: Extra durable packings</li> </ul>
Recommended spraying method		



### Zip 52 Alu

Lightweight unit for use with air-atomising paint guns

- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- Extremely low pulsation: Making the unit perfect for lower-pressure applications
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

#### Scope of delivery

	Article no.	Cat.
<b>Zip 52 Alu</b>	<b>2301832</b>	<b>ILCGR</b>
Aluminium housing	-	
Diaphragm PTFE	-	
Valve seat stainless steel	-	
Ball stainless steel	-	
Pump mounts on plate	-	
3x air pressure regulator for pump, material pressure and atomiser air	-	
Circulation device	-	
Suction hose	-	
Material pressure regulator in consistal	-	
Frame / cart / mounting to be ordered separately (see accessories)	-	



### Zip 52 stainless steel

Lightweight unit for use with air-atomising paint guns

- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- Extremely low pulsation: Making the unit perfect for lower-pressure applications
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

#### Scope of delivery

	Article no.	Cat.
<b>Zip 52 stainless steel</b>	<b>2301836</b>	<b>ILCGR</b>
Stainless steel housing	-	
Diaphragm PTFE	-	
Valve seat stainless steel	-	
Ball stainless steel	-	
Pump mounts on plate	-	
3x air pressure regulator for pump, material pressure and atomiser air	-	
Circulation device	-	
Suction hose	-	
Material pressure regulator in stainless steel	-	
Frame / cart / mounting to be ordered separately (see accessories)	-	



## Zip 52 Acetal conductive

Lightweight unit for use with air-atomising paint guns



- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- No pulses thanks to the Fine Flow Controller (FFC)
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Zip 52 Acetal conductive</b>	<b>2301837</b>	<b>ILCGR</b>
Acetal housing	-	
Diaphragm PTFE	-	
Valve seat stainless steel	-	
Ball stainless steel	-	
Pump mounts on plate	-	
3x air pressure regulator for pump, material pressure and atomiser air	-	
Circulation device	-	
Suction hose	-	
Material pressure regulator in stainless steel	-	
Frame / cart / mounting to be ordered separately (see accessories)	-	



## Zip 52 Spraypack

Lightweight unit for use with air-atomising paint guns



- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- Extremely low pulsation: Making the unit perfect for lower-pressure applications
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Zip 52 Spraypack</b>	<b>2309669</b>	<b>ILCGR</b>
Zip 52 Finishing Alu	U760.00	
Stand, for Zip 52	T760.00S	
5L hopper set for Zip	2328487	
Hose pack DN9, 7.5 m, material 3/8", air 1/4"	3677250	
PILOT Maxi MD material connection 1.5 mm	V1161605153	



## Zip 52 Perfect Flow, 4-legs, flexible





Lightweight unit for use with air-atomising paint guns






- Economical: Compact, lightweight design avoids extensive cleaning requirements and cuts down on solvent use
- Extremely low pulsation: Making the unit perfect for lower-pressure applications
- Reliable double diaphragm pump technology for high delivery volumes
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Zip 52 Perfect Flow, 4-legs, flexible</b>	<b>2301838</b>	<b>ILCGR</b>
Aluminium housing	-	
Diaphragm Polyethylene/Santoprene	-	
Valve seat stainless steel	-	
Ball stainless steel	-	
Pressure regulator for pump and atomised air	-	
Large filter	-	
Flexible suction hose	-	



## FineSpray accessories

Skid / cart / wall mount	Article no.	Cat.
 Cart set with wheels, for Zip 52	T760.00SR	ILCZU
 Clutch and wheel set, for Zip 52, for conversion from stand to cart	T760.00R	ILCZU
 Stand, for Zip 52	T760.00S	ILCZU
 Wall bracket, for Zip 52	T760.00M	ILCZU
Wall mounting for Zip 52	T600.573	ILCZU

Guns	Article no.	Cat.
 PILOT Trend MP paint connection 1.5 mm	V1061304153	ILW001
 PILOT Trend HD gravity cup 1.5 mm	V1060103153	ILW001

Filters	Article no.	Cat.
Filter pad	T500.00	ILZU
 Filter pad 100 meshes	T500.00A	ILCZU
 Filter pad 150 meshes	T500.00B	ILZU
 Filter, coarse, 60 meshes	T454.00	ILCZU

Filters	Article no.	Cat.
 Filter, medium, 100 meshes	T455.00	ILCZU

Hoses	Article no.	Cat.
 Hose pack DN6, 7.5 m, material 3/8", air 1/4"	3677249	ILZU
 Hose pack DN9, 7.5 m, material 3/8", air 1/4"	3677250	ILWO
Restricted fitting: A = R3/8"-I = Rp1/4"	3202252	ILET





## Cobra 40-10 AC Spraypack with 5 litre hopper



The best-selling unit in the AirCoat range:  
To satisfy the most demanding coating needs

- Flexible: Very small volume processing with hopper or work directly from the original container
- When used with hopper: Frequent colour changes are no problem thanks to the unit's easy-to-clean design
- Unique double diaphragm technology: Perfect for materials sensitive to shearing and moisture as well as for premixed 2K materials
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Cobra 40-10 AC Spraypack with 5 litre hopper</b>	<b>322112</b>	<b>ILGR</b>
Basic unit, Cobra 40-10 - Skid version	2301858	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	
Nozzle ACF3000 11/40	379411	
AirCoat regulator assy. Cobra	2333479	
5 litre hopper EX, for Cobra	2344505	



## FineFinish 20-30 S AirCoat Spraypack - Cart version with 5 litre hopper



Introduction to the world of AirCoat technology  
with proven piston pump performance

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Compact and lightweight: Ideal for small painting jobs
- Flexible: Optionally available with hopper for handling small material quantities or with direct intake for medium-sized projects.
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>FineFinish 20-30 S AirCoat Spraypack - Cart version with 5 litre hopper</b>	<b>2309799</b>	<b>ILGR</b>
Piston pump EvoMotion 20-30 S	2329452	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	
Nozzle ACF3000 11/40	379411	
AirCoat controller set; for pneumatic piston pumps	T6145.00A	
EvoMotion cart rollers	T6196.00	
Ball valve R 1/4"; G 1/4"; PN 350-SSt	2334488	
Return pipe DN6-G1/4"-100mm-PE	2331752	
5 litre hopper, for pneumatic piston pumps, incl. intake elbow	2332169	



## SuperFinish 17ex AirCoat Spraypack - Skid version



The FineFinish specialist for perfect surfaces:

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Compact and robust: perfect mobility thanks to compact dimensions
- Economical and low-maintenance: extremely low-wear construction for cost-efficient working operation
- Unique, pneumatically powered diaphragm pump: extremely quiet and economical in terms of air and material consumption
- Flexible: Very small volume processing with hopper or work directly from the original container
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>SuperFinish 17ex AirCoat Spraypack - Skid version</b>	<b>2364967</b>	<b>ILGR</b>
Basic unit; SuperFinish 17ex	2364969	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
AC 4500 Professional	2365346	
Red air cap for solvent-based materials, incl. union nut	394910	
Nozzle ACF3000 11/40	379411	
AirCoat controller set; complete	9991932	
5L hopper set for Cobra	341267	



## FineFinish 20-30 S AirCoat Spraypack on stand



Introduction to the world of AirCoat technology  
with proven piston pump performance

- With AirCoat technology: Particularly fine atomisation for a perfect finish
- Compact and lightweight: Ideal for small painting jobs
- Flexible: Optionally available with hopper for handling small material quantities or with direct intake for medium-sized projects.
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>FineFinish 20-30 S AirCoat Spraypack on stand</b>	<b>2309802</b>	<b>ILGR</b>
Piston pump EvoMotion 20-30 S	2329452	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	
Nozzle ACF3000 11/40	379411	
AirCoat controller set; for pneumatic piston pumps	T6145.00A	
Stand 4" complete	2332374	
Ball valve R 1/4"; G 1/4"; PN 350-SSt	2334488	
Return pipe DN6-G1/4"-100mm-PE	2331752	
Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15	2324158	



## FineFinish 40-15 Compact Spraypack



Compact entry-level device for versatile AirCoat applications

- Optimum suction performance: the pre-installed hopper allows small quantities and viscous materials to be processed economically, as well as quick paint changes
- Versatile: easy to convert to airless
- Quick cleaning: only a little cleaning agent is needed, saving time and money and protecting the environment
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>FineFinish 40-15 Compact Spraypack</b>	<b>2363202</b>	<b>ILGR</b>
EvoMotion 40-15 compact piston pump	U6S40015HEB	
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m	2302378	
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	
Nozzle ACF3000 11/40	379411	
Ball valve R 1/4"; G 1/4"; PN 350-SSt	2334488	
Return pipe DN6-G1/4"-100mm-PE	2331752	



## Wildcat 18-40 AirCoat Spraypack with 5 litre hopper



Versatile solution - modular equipment

- Flexible, thanks to its modular construction: Standard four-leg version, mobile cart version, for small quantities with hopper or with a wall mount for stationary operation
- No more icing in continuous operation IceBreaker motor
- Outstandingly economical: Operates even at low inlet air pressures of > 1 bar
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Wildcat 18-40 AirCoat Spraypack with 5 litre hopper</b>	<b>366127</b>	<b>ILGR</b>
Pneumatic pump Wildcat 18-40 PE / TG	2329456	
Stand 4" complete	2332374	
5 litre hopper, for pneumatic piston pumps, incl. intake elbow	2332169	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	
Nozzle ACF3000 11/40	379411	
AirCoat controller add-on kit; without sight glass; for Puma / Cobra	2328611	
Release combination assy.	2329023	
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt	2329978	



## Wildcat 18-40 AirCoat Spraypack on stand



Versatile solution - modular equipment

- Flexible, thanks to its modular construction: Standard four-leg version, mobile cart version, for small quantities with hopper or with a wall mount for stationary operation
- No more icing in continuous operation IceBreaker motor
- Outstandingly economical: Operates even at low inlet air pressures of > 1 bar
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Wildcat 18-40 AirCoat Spraypack on stand</b>	<b>366126</b>	<b>ILGR</b>
Pneumatic pump Wildcat 18-40 PE / TG	2329456	
Stand 4" complete	2332374	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15	2324158	
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	
Nozzle ACF3000 11/40	379411	
AirCoat controller add-on kit; without sight glass; for Puma / Cobra	2328611	
Release combination assy.	2329023	
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt	2329978	



## Wildcat 18-40 AirCoat Spraypack - Cart version



Versatile solution - modular equipment

- Flexible, thanks to its modular construction: Standard four-leg version, mobile cart version, for small quantities with hopper or with a wall mount for stationary operation
- No more icing in continuous operation IceBreaker motor
- Outstandingly economical: Operates even at low inlet air pressures of > 1 bar
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Wildcat 18-40 AirCoat Spraypack - Cart version</b>	<b>366125</b>	<b>ILGR</b>
Pneumatic pump Wildcat 18-40 PE / TG	2329456	
Cart 4" complete	2325901	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
Suction hose DN16, for piston pumps, Zip and Cobra	2324110	
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	
Nozzle ACF3000 11/40	379411	
AirCoat controller add-on kit; without sight glass; for Puma / Cobra	2328611	
Release combination assy.	2329023	
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt	2329978	



## Wildcat 18-40 on wall mount, without hose and gun



Versatile solution - modular equipment

- Flexible, thanks to its modular construction: Standard four-leg version, mobile cart version, for small quantities with hopper or with a wall mount for stationary operation
- No more icing in continuous operation IceBreaker motor
- Outstandingly economical: Operates even at low inlet air pressures of > 1 bar
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Wildcat 18-40 on wall mount, without hose and gun</b>	<b>2301851</b>	<b>ILGR</b>
Pneumatic pump Wildcat 18-40 PE / TG	2329456	
Wall mounting 4" complete	2332143	
Suction hose DN16, for piston pumps, Zip and Cobra	2324110	
AirCoat controller add-on kit; without sight glass; for Puma / Cobra	2328611	
Release combination assy.	2329023	
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt	2329978	



## Puma 28-40 AirCoat Spraypack on stand



The classic AirCoat piston pump - powerful and versatile

- The most powerful AirCoat piston pump in our product range
- Also available as an Airless variant
- No more icing in continuous operation IceBreaker motor
- Small details that simplify maintenance: Lightweight, replaceable fluid section, swivelling suction hose etc.
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Puma 28-40 AirCoat Spraypack on stand</b>	<b>367168</b>	<b>ILGR</b>
Piston pump Puma 28-40 PE / TG	2329467	
Stand 4" complete	2332374	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15	2324158	
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	
Nozzle ACF3000 11/40	379411	
AirCoat controller add-on kit; without sight glass; for Puma / Cobra	2328611	
Release combination assy.	2329023	
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt	2329978	



## Puma 28-40 AirCoat Spraypack - Cart version



The classic AirCoat piston pump - powerful and versatile

- The most powerful AirCoat piston pump in our product range
- Also available as an Airless variant
- No more icing in continuous operation IceBreaker motor
- Small details that simplify maintenance: Lightweight, replaceable fluid section, swivelling suction hose etc.
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>Puma 28-40 AirCoat Spraypack - Cart version</b>	<b>367167</b>	<b>ILGR</b>
Piston pump Puma 28-40 PE / TG	2329467	
Cart 4" complete	2325901	
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	
Suction hose DN16, for piston pumps, Zip and Cobra	2324110	
AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	
Nozzle ACF3000 11/40	379411	
AirCoat controller add-on kit; without sight glass; for Puma / Cobra	2328611	
Release combination assy.	2329023	
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt	2329978	



## Puma 28-40 with wall mount, without hose and gun


























The classic AirCoat piston pump - powerful and versatile

- The most powerful AirCoat piston pump in our product range
- No more icing in continuous operation: IceBreaker motor
- Small details that simplify maintenance: Lightweight, replaceable fluid section, swivelling suction hose etc.
- Suitable for use in potentially explosive atmospheres










Scope of delivery	Article no.	Cat.
<b>Puma 28-40 with wall mount, without hose and gun</b>	<b>2301854</b>	<b>ILGR</b>
Piston pump Puma 28-40 PE / TG	2329467	
Wall mounting 4" complete	2332143	
Suction hose DN16, for piston pumps, Zip and Cobra	2324110	
Release combination assy.	2329023	
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt	2329978	




## AirCoat accessories



Guns	Article no.	Cat.
 AirCoat gun AC 4500, blue air cap and holder	2368269	ILZU
 AirCoat gun AC 4500, green air cap and holder	2368270	ILZU
 AirCoat gun AC 4500, red air cap and holder	2368271	ILZU
 AirCoat gun AC 4600 Professional, incl. blue air cap and holder	394156	ILZU
 AirCoat gun AC 4600 Professional, incl. blue air cap, holder and nozzle	394150	ILZU
 AirCoat gun AC 4600 Professional, incl. green air cap and holder	394158	ILZU
 AirCoat gun AC 4600 Professional, incl. green air cap, holder and nozzle	394152	ILZU
 AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	ILZU
 AirCoat gun AC 4600 Professional, incl. red air cap, holder and nozzle	394151	ILZU
Nozzle extensions	Article no.	Cat.
 AirCoat nozzle extension: 30 cm	394090	ILZU
AirCoat nozzles	Article no.	Cat.
 AirCoat ACF 3000 Plus nozzles; a summary table can be found in the final chapter, "Accessories"	321XXX	ILTIP
 AirCoat nozzles AC4600 Prof./ GM3000 AC; an overview table can be found in the last chapter „Accessories“	379XXX	ILTIP




Air caps	Article no.	Cat.
 Blue air cap for water-based materials (water-based paints), incl. union nut	394911	ILZU
 Green air cap for water-based materials and solvent-based materials (low air consumption), incl. union nut	394912	ILZU
 Red air cap for solvent-based materials, incl. union nut	394910	ILZU
 Union nut complete	394921	ILET
Gun filter insert	Article no.	Cat.
 Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	DPFILT
 Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine	97022	DPFILT
 Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
 Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
 Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
 Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium	97024	DPFILT
Suction systems	Article no.	Cat.
 Inlet elbow (stainless steel) complete, rigid for Wildcat /Puma, DN25	2323239	ILZU















Suction systems	Article no.	Cat.
 Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15	2324158	ILZU
 Suction hose DN16, for piston pumps, Zip and Cobra	2324110	ILZU
 Filter DN16, MW = 1.0 mm	2323396	ILZU
 Suction hose DN 25, for piston pumps, Zip and Cobra	2324116	ILZU
 Filter DN25 MW = 1.0 mm, for SF 23 Plus	2323325	ILZU
 QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra	341263	DPZU
 Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU
 Metex filter support cage	34950	DPZU
 Filter bag for paint, for Metex filter support cage, 5 pieces	34952	DPZU







Hopper	Article no.	Cat.
 5 litre hopper EX, M36x2 with filter disk	340265	ILZU
 5 litre hopper, for pneumatic piston pumps, incl. intake elbow	2332169	ILZU
 Cover, for 5 litre hopper EX	340429	ILZU

Hopper	Article no.	Cat.
 Filter bag for lacquer, for 5 litre hopper	97258	DPET
 Filter disk D57, 0.4 fine, for hoppers	3756	DPZU
 Filter disk D57, 0.8 coarse, for hoppers	37607	DPZU
 Return hose DN6-PN310-G1/4"-PA	2329046	ILZU
 Return pipe DN6-G1/4"-100mm-PE	2331752	ILZU

Skid / cart / wall mount	Article no.	Cat.
 Cart 4" complete	2325901	ILZU
 EvoMotion cart rollers	T6196.00	ILCZU
 Wall mounting 4" complete	2332143	ILZU

AirCoat hoses	Article no.	Cat.
Air hose, DN6, 1/4", 10 m, for HP double hose	2304451	DPZU
Air hose, DN6, 1/4", 7.5 m, for HP double hose	2304449	DPZU
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 10 m	9984596	DPHOSE
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	DPHOSE
 HP double hose, material DN3, max. 27 MPa, air DN6, M16x1.5, 7.5 m	2306802	DPHOSE
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m	2302379	DPHOSE
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m	2302378	DPHOSE
HP double hose, material DN4, max. 27 MPa, air DN6, M16x1.5, 7.5 m	2306803	DPHOSE
 Protective tubing, 10 m, for HP double hose	2305871	DPET

AirCoat hoses	Article no.	Cat.
 Protective tubing, 7.5 m, for HP double hose	2305870	DPET
<hr/>		
Connectors / double connectors	Article no.	Cat.
 Double connector A = G 1/4" x G 1/4"; 53 MPa	3204611	ILZP
<hr/>		
An in-depth summary of all nozzles can be found in the final chapter, "Accessories".		
Cleaning / storage / preserving	Article no.	Cat.
 EasyClean cleaning and conservation agent, 118 ml	508620	DPZU
 EasyClean cleaning and conservation agent, 1 litre	508281	DPZU
 EasyGlide, special oil, 118 ml	508619	DPET
 Hydraulic oil Divinol 1 litre, for diaphragm pumps	21061	DPET
 Antifreeze lubricant 0.25 litre	9992509	DPET
 TipClean, container incl. special cleaner	97108	DPZU
TipClean, container incl. special cleaner, box (24 pieces)	97109	DPZU
 TipClean, refill bottle, 1 liter	97110	DPZU
 Release agent, 0.25 litre	9992504	DPZU
Release oil / Messamoll, 0.5 litre	9992505	DPET

Tools	Article no.	Cat.
 Adjusting spanner	9991114	DPZU
<hr/>		
Other	Article no.	Cat.
 AirCoat regulator assy. Cobra	2333479	ILZU
AirCoat controller add-on kit; without sight glass; for Puma / Cobra	2328611	ILZU
 AirCoat controller set; for pneumatic piston pumps	T6145.00A	ILCZU
 Pressure gauge combination 250 - 400 bar, l = 1/4", A = 1/4"	340256	DPZU
 Pressure gauge combination complete 250 - 400 bar, l = M16x1.5, A = M16x1.5	97061	DPZU
Shut-off cock for atomiser air	M101.00	ILCZU
<hr/>		
Spare parts / service kits	Article no.	Cat.
AC 4600 P service kit	394942	ILET
Air cap gasket; for AirCoat AC 4600 guns	394339	ILET
Nozzle seal, for AirCoat Pistole AC 4600	394338	ILET
 Swivel joint air	364938	ILET
Swivel joint, material, for AC 4600	347706	DPET



## FineFinish 40-15 S Airless Spraypack on stand



The entry-level Airless unit for woodworking applications

- Perfect finish: Thanks to the special FineFinish Airless paint nozzle
- Ideal entry-level unit: A lot of power at an attractive price
- Compact and lightweight: Ideal for small painting jobs
- Delivery direct from original container: Handles low to high-viscosity materials
- Suitable for use in potentially explosive atmospheres

Scope of delivery	Article no.	Cat.
<b>FineFinish 40-15 S Airless Spraypack on stand</b>	<b>2309804</b>	<b>ILGR</b>
Basic unit, FineFinish 40-15 S on stand	2329450	
Stand 4" complete	2332374	
HP hose DN4, 27 MPa, NPS 1/4", 7.5 m	9984573	
Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15	2324158	
Return pipe DN6-G1/4"-100mm-PE	2331752	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
TradeTip 3 FineFinish nozzle, 512	554512	
Ball valve R 1/4"; G 1/4"; PN 350-SSt	2334488	



## Puma 28-40 Airless Spraypack on stand
















The classic pneumatic piston pump – powerful and versatile





- Most powerful piston pump in our product range
- Also available as AirCoat variant
- No more icing in continuous operation IceBreaker motor
- Small details that simplify maintenance: Lightweight, replaceable fluid section, swivelling suction hose etc.
- Suitable for use in potentially explosive atmospheres






Scope of delivery	Article no.	Cat.
<b>Puma 28-40 Airless Spraypack on stand</b>	<b>2303397</b>	<b>ILGR</b>
Piston pump Puma 28-40 PE / TG	2329467	
Stand 4" complete	2332374	
HP hose DN4, 27 MPa, NPS 1/4", 7.5 m	9984573	
Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15	2324158	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
TradeTip 3 FineFinish nozzle, 512	554512	
Release combination assy.	2329023	
Paint filter DN6, PN 270, G 1/4", 1/4" NPS-SSt	2329978	




## Airless accessories



Guns	Article no.	Cat.
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
 Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
 Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
 Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	DPALG
 Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder	502166	DPALG







Nozzle extensions	Article no.	Cat.
 ClearSpray valve, G-thread	0521012A	DPALG
 ClearSpray valve, F-thread	0521012F	DPALG
 Nozzle extension, 15 cm, G-thread, with holder without nozzle	556074	DPALG
 Nozzle extension, 15 cm, F-thread, with holder, without nozzle	556051	DPALG
 Nozzle extension, 30 cm, G-thread, with holder without nozzle	556075	DPALG
 Nozzle extension, 30 cm, F-thread, with holder, without nozzle	556052	DPALG
 Nozzle extension, 45 cm, G-thread, with holder without nozzle	556076	DPALG






Nozzle extensions	Article no.	Cat.
 Nozzle extension, 45 cm, F-thread, with holder, without nozzle	556053	DPALG
 Nozzle extension, 60 cm, G-thread, with holder without nozzle	556077	DPALG
 Nozzle extension, 60 cm, F-thread, with holder, without nozzle	556054	DPALG
 Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU

Airless nozzles	Article no.	Cat.
 Adjustable fan tip nozzles; a summary table can be found in the final chapter, "Accessories"	9990XX	DPTIP
 Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
 Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
 StandardTip nozzles; you will find an overview table in the last chapter „Accessories“	90xxx	ILTIP
 TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories"	554XXX	DPTIP






Airless nozzle holders	Article no.	Cat.
 Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU
 Anti-contact guard, for adjustable fan tip	97294	DPET
 Double seal set, 5 pieces, for TradeTip 3 nozzles	556037	DPZU

Airless nozzle holders	Article no.	Cat.
 Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles	289391	DPTIP
 Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles	289390	DPTIP








Gun filter insert	Article no.	Cat.
 Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	DPFILT
 Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine	97022	DPFILT
 Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
 Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium	97024	DPFILT
 Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
 Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT


Suction systems	Article no.	Cat.
 Filter DN16, MW = 1.0 mm	2323396	ILZU
 Filter DN25 MW = 1.0 mm, for SF 23 Plus	2323325	ILZU
 Filter bag for paint, for Metex filter support cage, 5 pieces	34952	DPZU
 Inlet elbow (stainless steel) complete, rigid for Wildcat /Puma, DN25	2323239	ILZU
 Metex filter support cage	34950	DPZU




Suction systems	Article no.	Cat.
 QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra	341263	DPZU
 Suction hose DN 25, for piston pumps, Zip and Cobra	2324116	ILZU
 Suction hose DN16, for piston pumps, Zip and Cobra	2324110	ILZU
 Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15	2324158	ILZU
 Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU


Hopper	Article no.	Cat.
 5 litre hopper EX, M36x2 with filter disk	340265	ILZU
 5 litre hopper, for pneumatic piston pumps, incl. intake elbow	2332169	ILZU
 Cover, for 5 litre hopper EX	340429	ILZU
 Filter bag for lacquer, for 5 litre hopper	97258	DPET
 Filter disk D57, 0.4 fine, for hoppers	3756	DPZU
 Filter disk D57, 0.8 coarse, for hoppers	37607	DPZU
 Return hose DN6-PN310-G1/4"-PA	2329046	ILZU

Hopper	Article no.	Cat.
 Return pipe DN6-G1/4"-100mm-PE	2331752	ILZU





  

Hoses	Article no.	Cat.
 HP hose DN3, 27 MPa, M16x1.5, 7.5 m	9984584	DPHOSE
HP hose DN3, 27 MPa, NPS 1/4", 10 m	2301052	ILZU
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	DPHOSE
HP hose DN4, 27 MPa, M16x1.5, 7.5 m	9984510	DPHOSE
HP hose DN4, 27 MPa, NPS 1/4", 10 m	2302374	DPHOSE
HP hose DN4, 27 MPa, NPS 1/4", 7.5 m	9984573	DPHOSE
HP hose DN6, 27 MPa, M16x1.5, 30 m	9984562	DPHOSE
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
HP hose DN6, 27 MPa, NPSM 1/4", 30 m	9984575	DPHOSE
HP hose DN6, max. 27 MPa, M16x1.5, 15 m	9984507	DPHOSE









  

Hose whips	Article no.	Cat.
 Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE	9984458	DPHOSE
Hose whip DN5, max. 27 MPa, M16x1.5, 1 m, enamel paints, PFTE	9984456	DPHOSE
Hose whip DN6, max. 27 MPa, M16x1.5, 2.5 m	9984569	DPHOSE

Connectors / double connectors	Article no.	Cat.
 Coupling sleeve l = 1/4"NPS x A = M16x1.5	34041	ILZP
 Double connector A = 1/4" x 1/4"	34038	DPZU
 Double connector A = 1/4" x M16x1.5	34033	DPZU
 Transition fitting l = M16x1.5 x A = 1/4"	97201	DPZU

An in-depth summary of all nozzles can be found in the final chapter, "Accessories".


Cleaning / storage / preserving		Article no.	Cat.
	Antifreeze lubricant 0.25 litre	9992509	DPET
	EasyClean cleaning and conservation agent, 1 litre	508281	DPZU
	EasyClean cleaning and conservation agent, 118 ml	508620	DPZU
	EasyGlide, special oil, 118 ml	508619	DPET
	Hydraulic oil Divinol 1 litre, for diaphragm pumps	21061	DPET
	Release agent, 0.25 litre	9992504	DPZU
	Release oil / Messamoll, 0.5 litre	9992505	DPET
	TipClean, container incl. special cleaner	97108	DPZU
	TipClean, container incl. special cleaner, box (24 pieces)	97109	DPZU
	TipClean, refill bottle, 1 liter	97110	DPZU

Tools		Article no.	Cat.
	Adjusting spanner	9991114	DPZU

## Notes

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	





- 1
- 2
- 3
- 4
- 5
- 6
- 7**
- 8
- 9
- 10




















## 7 | Corrosion and structural protection

### **Maximum protection.** **Even under extreme conditions.**

The effects of weather, UV rays, salty air, temperature fluctuations, acids and aggressive substances: the list of influences that can attack surfaces is a long one. Structures used for power generation and distribution, industrial buildings and infrastructure projects are particularly badly affected. Consequent maintenance work in the form of regular protective coatings is essential. WAGNER offers the perfect hardware solutions for especially tough, uneven surfaces.











# Product comparison

	SuperFinish 23i	<b>NEW</b> HeavyCoat 750 E	<b>NEW</b> HeavyCoat 750 G	HeavyCoat 950 E	HeavyCoat 950 G
<b>Spraying method</b>	Injection				
<b>Product image (may differ)</b>					
<b>Art. No.</b>	2361599	2371027	2371029	2332184	2332186
<b>Cat.</b>	DPFSF	DPHC	DPHC	DPHC	DPHC
<b>Technology</b>					
<b>Weight</b>	29 kg	85 kg	81 kg	76 kg	76 kg
<b>Motor output</b>	1.3 kW	3.1 kW	4.1 kW	4.1 kW	4.1 kW
<b>Drive</b>					
<b>Voltage</b>	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz	230 V / 50 Hz
<b>Max. nozzle size</b>	0.023"	0.043"	0.043"	0.052"	0.052"
<b>Max. operating pressure</b>	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa	250 bar, 25 MPa
<b>Max. delivery rate</b>	2.6 l/min	6 l/min	7.6 l/min	8 l/min	8 l/min
<b>Max. viscosity</b>	20.000 mPas	50.000 mPas	65.000 mPas	50.000 mPas	50.000 mPas

<b>Material</b>	SuperFinish 23i	HeavyCoat 750 E	HeavyCoat 750 G	HeavyCoat 950 E	HeavyCoat 950 G
<b>Injections with Epoxy and Polyurethanes (PU), SPUR foam, aqueous solutions</b>	S-L	-	-	-	-
<b>Epoxy paints, water-based acrylics, primers and polyurethanes</b>	-	M	M	S-M	S-M
<b>Fire protective coatings, zinc dust paints, silicone / roof coatings</b>	-	M	M	S-M	S-M




Suitable for following object sizes: S = less than 200 m<sup>2</sup>, M = 200 m<sup>2</sup> - 800 m<sup>2</sup>, L = over 800 m<sup>2</sup>, - = not suitable

HeavyCoat 970 E	HeavyCoat 970 G
	
	
2332191	2332192
DPHC	DPHC
	
100 kg	88 kg
5.5 kW	6 kW
	
400 V / 50 Hz	400 V / 50 Hz
0.056"	0.056"
250 bar, 25 MPa	250 bar, 25 MPa
10 l/min	12 l/min
65.000 mPas	65.000 mPas

HeavyCoat 970 E	HeavyCoat 970 G
-	-
S-L	S-L
S-L	S-L



## The following pump technologies are available in this chapter

	Diaphragm pump	Piston pump
Technology		
Description	The material is transported by means of a stroke movement in the diaphragm. Products featuring this technology are robust and yet easy to handle units for construction site use. Electrically driven diaphragm pumps can be used as both Airless and AirCoat Spraypacks.	Piston pumps transport the material by means of a stroke movement in the piston. This creates high suction performance, making them ideal for highly viscous materials. Pneumatically driven piston pumps are explosion-proof and therefore suitable for use in workshops. Our hydraulic piston pumps offer even greater performance and can also be operated with petrol.
Benefits and applications	<ul style="list-style-type: none"> <li>• Flexible material intake: It is possible to use small amounts with a hopper or apply the material directly from the original container</li> <li>• The pressure can be continuously regulated from 0 to 25 MPa</li> <li>• Ease of maintenance</li> <li>• Very low wear</li> <li>• Low operating costs</li> <li>• WAGNER quality: Long stroke technology and extremely robust design</li> </ul>	<ul style="list-style-type: none"> <li>• Perfect for high-viscosity materials</li> <li>• Optimal suction performance</li> <li>• High delivery volumes, including with high-viscosity materials</li> <li>• High material pressure: long hose lengths possible</li> <li>• Use of large nozzle sizes possible</li> <li>• WAGNER quality: Extra durable packings</li> </ul>
Recommended spraying method	Injection	



## SuperFinish 23 Injection

### Professional crack repair

- Powerful: big diaphragm surface for perfect usage with high viscosity materials and a long life time
- Variety of materials: suitable for Epoxy and Polyurethanes (PU), SPUR foam, aqueous solutions
- Simple: service, cleaning and maintenance directly on the job site is no problem at all
- Ease of use: handy pressure regulation in low pressure areas (starting from 10 bar)

#### Scope of delivery

	Article no.	Cat.
<b>SuperFinish 23i with hopper and pressure regulator</b>	<b>2361599</b>	<b>DPFSF</b>
No Spraypack	-	
Basic unit, SF 23i	2357691	
Complete hopper; for injection	2357506	
Pressure gauge combination 250 - 400 bar, I = 1/4", A = 1/4"	340256	

## Accessories for conversion (diaphragm pumps)

Airless emulsion applications (for SF 23i)	Article no.	Cat.
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
Suction system; flexible; for emulsion; DN25	34630	DPZU

Airless rollers (for SF 23i)	Article no.	Cat.
InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL

### Temperature-controlled spraying

Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"

Airless painting applications	Article no.	Cat.
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles HEA ProTip, please find an overview in the last chapter „Accessories“	0554XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
TradeTip 3 FineFinish nozzles; a summary table can be found in the final chapter, "Accessories"	554XXX	DPTIP
Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	DPFILT
Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	DPHOSE
HP hose DN4, 27 MPa, NPS 1/4", 7.5 m	9984573	DPHOSE
HP hose DN3, 27 MPa, NPS 1/4", 10 m	2301052	ILZU
HP hose DN4, 27 MPa, NPS 1/4", 10 m	2302374	DPHOSE
5 litre hopper, M36x2	341265	DPZU

**NEW**



## HeavyCoat 750 E Spraypack / 230 V



New compact power pack for heavy material

- Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- Powerful: constant performance for the application of heavy, filled and high-viscosity materials such as bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- Maximum user-friendliness thanks to simple operation

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 750 E Spraypack / 230 V</b>	<b>2371027</b>	<b>DPHC</b>
Basic unit; HC 750 E	537004	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, S10, 235 / 527	271049	

**NEW**



## HeavyCoat 750 G Spraypack / Petrol



New compact power pack for heavy material

- Long service and reliability: thanks to new Hydrastroke technology, the operating temperature is significantly reduced, thereby increasing the service life
- New hydraulic design: inspired by mining and aviation for the toughest demands in terms of the piston pump's working and delivery performance
- Powerful: constant performance for the application of heavy, filled and high-viscosity materials such as bitumen and textured plaster over large areas
- Superb performance and perfect surface results, even with long hoses
- Versatile and durable for demanding construction site use
- Maximum user-friendliness thanks to simple operation

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 750 G Spraypack / Petrol</b>	<b>2371029</b>	<b>DPHC</b>
Basic unit; HC 750 G	537006	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, S10, 235 / 527	271049	



## HeavyCoat 950 E Spraypack / 230 V



Power pack for heavy materials

- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 950 E Spraypack / 230 V</b>	<b>2332184</b>	<b>DPHC</b>
Basic unit, HC 950 E	528501	
HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, D40, 117 / 427	271048	



## HeavyCoat 950 G Spraypack / Petrol



Power pack for heavy materials

- Versatile in use thanks to high delivery capacity
- Powerful but light: Compact for ease of transport
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 950 G Spraypack / Petrol</b>	<b>2332186</b>	<b>DPHC</b>
Basic unit, HC 950 G	528500	
HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, D40, 117 / 427	271048	



## HeavyCoat 970 E Spraypack / 400 V



All-round Xtra speed for XL projects

With a delivery volume of 10 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 10 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 970 E Spraypack / 400 V</b>	<b>2332191</b>	<b>DPHC</b>
Basic unit, HC 970 E	528509	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, S20, 243 / 539	271050	



## HeavyCoat 970 G Spraypack / Petrol



All-round Xtra speed for XL projects

With a delivery volume of 12 l/min, the HC 970 is WAGNER's most powerful hydraulically driven piston pump

- The perfect choice for large areas and intensive usage
- Maximised capacity: With a delivery volume of 12 l/min
- Innovative HeavyCoat product features: With a choice of either a petrol or electric motor which can be switched in a few minutes! - As an option, you can order even more performance with the SSP - Fast container changeovers, easy to clean and transport thanks to the swivelling SwingCart pump unit etc.

Scope of delivery	Article no.	Cat.
<b>HeavyCoat 970 G Spraypack / Petrol</b>	<b>2332192</b>	<b>DPHC</b>
Basic unit, HC 970 G	528508	
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	
Connector 3/8" x 1/2"	814-005	
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	
2SpeedTip, S20, 243 / 539	271050	

## Accessories for conversion (piston pumps)

Airless emulsion applications	Article no.	Cat.
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	DPALG
Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder	502166	DPALG
Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8"	296441	DPALG
Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16"	296443	DPALG
Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8"	296442	DPALG
Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16"	296444	DPALG
Nozzle extension, 15 cm, G-thread, with holder without nozzle	556074	DPALG
Nozzle extension, 15 cm, F-thread, with holder, without nozzle	556051	DPALG
Nozzle extension, 30 cm, G-thread, with holder without nozzle	556075	DPALG
Nozzle extension, 30 cm, F-thread, with holder, without nozzle	556052	DPALG
Nozzle extension, 45 cm, G-thread, with holder without nozzle	556076	DPALG
Nozzle extension, 45 cm, F-thread, with holder, without nozzle	556053	DPALG
Nozzle extension, 60 cm, G-thread, with holder without nozzle	556077	DPALG
Nozzle extension, 60 cm, F-thread, with holder, without nozzle	556054	DPALG
Knee joint with screw (G-thread)	286908	DPET
Knee joint, F-thread, for nozzle extension	97009	DPZU
Nozzle extension, 1 m with swivelling knee joint; F-thread	96015	DPALG
Nozzle extension, 2 m with swivelling knee joint; F-thread	96016	DPALG
Nozzle extension, 3 m with swivelling knee joint; F-thread	96017	DPALG
Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
TwinTip nozzles; a summary table can be found in the final chapter, "Accessories"	1009XXX	DPTIP
Adjustable fan tip nozzles; a summary table can be found in the final chapter, "Accessories"	9990XX	DPTIP
Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse	89323	DPFILT
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
HP hose DN6, 27 MPa, NPSM 1/4", 30 m	9984575	DPHOSE
Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE	9984458	DPHOSE
Double connector A = 1/4" x 1/4"	34038	DPZU

Airless rollers	Article no.	Cat.
InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL

Processing of large volumes	Article no.	Cat.
Inlet elbow, 2-C, for HeavyCoat	349252	DPET
Large volume containers	2309956	DPZU
Large volume container, incl. sack support and roller press	2309960	DPZU
Large volume container incl. sack support, roller press and adaptor set for HeavyCoat	2309955	DPZU
Press table incl. guide rail for roller	2323178	DPZU
Container Connector PS 39/HC	2383128	DPZU

### Temperature-controlled spraying













Accessories for temperature-controlled spraying can be found in the chapter "Construction trades - temperature-controlled spraying"






Converting to petrol HC950/970	Article no.	Cat.
Kit for conversion to petrol operation, 4.8 PS, Honda	0290614A	DPET
Kit for conversion to petrol-driven operation, 8.5 PS, Honda	0290456A	DPET







Converting for electrical operation HC950/970	Article no.	Cat.
Kit for conversion to electric motor, 230 V	0528611A	DPZU
Kit for conversion to electric motor, 400 V	0528612A	DPET











## Airless accessories

Guns	Article no.	Cat.
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
 Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
 Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
 Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	DPALG
 Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder	502166	DPALG
 Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	DPALG
 Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder	2341126	DPALG
 Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8"	296441	DPALG
 Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16"	296443	DPALG
 Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8"	296442	DPALG
 Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16"	296444	DPALG

Nozzle extensions	Article no.	Cat.
 ClearSpray valve, G-thread	0521012A	DPALG
 ClearSpray valve, F-thread	0521012F	DPALG
 Nozzle extension, 15 cm, G-thread, with holder without nozzle	556074	DPALG
 Nozzle extension, 15 cm, F-thread, with holder, without nozzle	556051	DPALG
 Nozzle extension, 30 cm, G-thread, with holder without nozzle	556075	DPALG

Nozzle extensions	Article no.	Cat.
 Nozzle extension, 30 cm, F-thread, with holder, without nozzle	556052	DPALG
 Nozzle extension, 45 cm, G-thread, with holder without nozzle	556076	DPALG
 Nozzle extension, 45 cm, F-thread, with holder, without nozzle	556053	DPALG
 Nozzle extension, 60 cm, G-thread, with holder without nozzle	556077	DPALG
 Nozzle extension, 60 cm, F-thread, with holder, without nozzle	556054	DPALG
 Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU

Nozzles	Article no.	Cat.
 Nozzles 2SpeedTip, please find an overview in the last chapter „Accessories“	271XXX	DPTIP
 Nozzles TradeTip 3, please find an overview in the last chapter „Accessories“	553XXX	DPTIP
 Nozzles TradeTip 3 HighPressure, please find an overview in the last chapter „Accessories“	559XXX	DPTIP

Nozzle holder	Article no.	Cat.
 Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles	289390	DPTIP
 Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles	289391	DPTIP
 TradeTip HP nozzle holder, G-thread 7/8"	289395	DPTIP
 TradeTip HP nozzle holder, F-thread 11/16"	289396	DPTIP
 Double seal set, 5 pieces, for TradeTip 3 nozzles	556037	DPZU

Nozzle holder	Article no.	Cat.
Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU

Gun filter insert	Article no.	Cat.
Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT

Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium	97024	DPFILT
---	-------	--------

Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse	89323	DPFILT
--	-------	--------

Gun filter green, set of 10 pieces, 30 MA, 0.56 mm MW, coarse	97025	DPFILT
---	-------	--------

High-pressure filter pads (for HeavyCoat)	Article no.	Cat.
Filter cartridge, 0 MA, for HeavyCoat / LineCoat	930-004	DPET

Filter cartridge, 5 MA, for HeavyCoat / LineCoat	349431	DPET
--	--------	------

Filter cartridge, 50 MA, for HeavyCoat / LineCoat	930-006	DPET
---	---------	------

Filter cartridge, 100 MA, for HeavyCoat / LineCoat	930-007	DPET
--	---------	------

Suction systems (for HeavyCoat)	Article no.	Cat.
Intake elbow for fillers, for HeavyCoat	2340003	DPET

Suction systems (for HeavyCoat)	Article no.	Cat.
Inlet elbow, 2-C, for HeavyCoat	349252	DPET

Inlet elbow, for HeavyCoat	349580	DPET
----------------------------	--------	------

Inlet elbow, 2", for HeavyCoat 950/970	342205	DPZU
--	--------	------

Blind plug for C-coupling	97305	DPZU
---------------------------	-------	------

Container suction system, incl. C-coupling adapter, for HeavyCoat	349907	DPZU
---	--------	------

Metex filter support cage	34950	DPZU
---------------------------	-------	------

Reducing adapter B- to C-coupling, for HeavyCoat	9991651	DPZU
--	---------	------









Hoses	Article no.	Cat.
HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	DPHOSE
HP hose DN10, max. 25 MPa, NPSM 3/8", 30 m	2336584	DPHOSE
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	DPHOSE






HP hose DN19, max. 25 MPa, NPSM 3/4", 15 m	2336586	DPHOSE
HP hose DN6, 27 MPa, M16x1.5, 30 m	9984562	DPHOSE











HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
HP hose DN6, 27 MPa, NPSM 1/4", 30 m	9984575	DPHOSE





HP hose DN6, max. 27 MPa, M16x1.5, 15 m	9984507	DPHOSE
---	---------	--------

Hose whips	Article no.	Cat.
Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PTFE	9984458	DPHOSE
Hose whip DN5, max. 27 MPa, M16x1.5, 1 m, enamel paints, PTFE	9984456	DPHOSE
Hose whip DN6, max. 27 MPa, M16x1.5, 2.5 m	9984569	DPHOSE

Accessories for injections (for SF 23i)		Article no.	Cat.
	Complete hopper; for injection	2357506	DPZU
	HD ball valve; with slide coupling	2353775	DPZU
	HP ball cock, with mouth piece	2353754	DPZU
	HP ball cock, with whip hose and mouth piece	2353788	DPZU
	HP ball cock, with whip hose and slide coupling	2353789	DPZU
	Hose whip with mouthpiece	97057	DPET
	Pressure gauge combination 250 - 400 bar, l = 1/4", A = 1/4"	340256	DPZU
	Pressure measuring unit; 400 bar	2353487	DPZU

Large volume containers		Article no.	Cat.
	Container Connector PS 39/HC	2383128	DPZU
	Large volume container incl. sack support, roller press and adaptor set for HeavyCoat	2309955	DPZU
	Large volume container, incl. sack support and roller press	2309960	DPZU
	Large volume containers	2309956	DPZU
	Press table incl. guide rail for roller	2323178	DPZU


Cleaning / storage / preserving		Article no.	Cat.
	EasyClean cleaning and conservation agent, 1 litre	508281	DPZU
	EasyClean cleaning and conservation agent, 118 ml	508620	DPZU
	EasyGlide, special oil, 118 ml	508619	DPET
	Hydraulic oil Divinol 1 litre, for diaphragm pumps	21061	DPET
	Antifreeze lubricant 0.25 litre	9992509	DPET
	TipClean, container incl. special cleaner, box (24 pieces)	97109	DPZU
	TipClean, container incl. special cleaner	97108	DPZU
	TipClean, refill bottle, 1 liter	97110	DPZU
	TopClean cleaning set, for hoppers	340930	DPZU
	Release agent, 0.25 litre	9992504	DPZU

Tools	Article no.	Cat.
 Adjusting spanner	9991114	DPZU
 Coupling spanner with thermally insulated handle (2x)	9100099	DPPCZU
 Relief combination, for HeavyCoat	349911	DPZU
 Strap spanner for HP filters	349720	DPET

## Notes

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	







- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

## 8 | Preparing – Paint or wallpaper removal

### **Clean preparation.** **Fast and effective refurbishing of old surfaces.**

Need to strip off wallpaper or to refresh the favourite furnitures of a client? Before a professional coating can be applied you first have to remove the old wallpaper. This is usually exhausting and time consuming. Now you can work more conveniently and faster with the practical tools from WAGNER, e.g. the wallpaper steamer.

## Product comparison

SteamForce Pro	
Product image (may differ)	
Art. No.	2351453
Cat.	DPPE
Motor output	2.75 kW
Drive	
Voltage	230 V / 50 Hz
Size of the steamer plates	253 x 305 mm / 140 x 70 mm
Hose length	5 m
Tank volume	7.5 l
Steaming time max.	90 min
Heating time	ca. 18 min
Cable length	5 m
Temperature stages	-
Fan	-
Air volume	-



## SteamForce Pro



The professional wallpaper steamer

- Powerful: ideal for removing large areas of wallpaper - even coated wallpaper
- Efficient without chemicals: no pre-processing with cleaning agents required – the natural force of the steam removes even small particles with no residue
- Robust professional device with a sturdy frame you can stand on – to tackle difficult to reach areas without using a ladder
- Durable: the water tank is anodised to provide protection from corrosion
- Safe and comfortable: heat-insulated working hose

### Scope of delivery

	Article no.	Cat.
<b>SteamForce Pro</b>	<b>2351453</b>	<b>DPPE</b>
Base unit; SteamForce Pro	-	
Steaming bar, small, for SteamForce Pro	ST7/B	



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

## 9 | Accessories




### Practical accessories Rollers and more ...

WAGNER provides innovative accessories that offer you additional options for using your spraying system. These include the practical “inside fillable delivery paint roller” for processing emulsions indoors and outdoors, as well as a wide range of accessories, which makes your daily work easier for you.







# XVLP

## Spraying attachments XVLP

	Article no.	Cat.
 FineSpray spray attachment	2321877	DPXVZU
 StandardSpray spray attachment	2321879	DPXVZU
 WallSpray spray attachment	2321880	DPXVZU





## Filters

	Article no.	Cat.
 Air filters, 3 pieces, for FC 5000	2322446	DPXVET
 Air filters, 3 pieces, for FinishControl 3500	2343947	DPXVET
 Feed tube filter, coarse, 5 pcs, for FinishControl spray attachments	2324249	DPXVET
 Feed tube filter, fine, 5 pcs, for FinishControl spray attachments	2324248	DPXVET





## Hoses

	Article no.	Cat.
 Air hose including handle, for FinishControl 5000	2314573	DPXVET

## Cleaning and storage

	Article no.	Cat.
Carrying case, for FC 3500	2341100	DPXVET
 Carrying strap, for FC 3500	2341187	DPXVET
 Cleaning brush	514209	DHET
Cleaning kit for HVLP and XVLP spraying guns	2354639	DHZU
 Cleaning set, for XVLP spray attachments	935364	DPZU
Strap holder FinishControl 3500, incl. screws	2343948	DPXVET
 Tanos Systainer	2340218	DPXVZU





## Other

	Article no.	Cat.
 Can Adapter, for FinishControl	2350692	DPXVZU
Container seal, for all XVLP spray attachments	2319223	DPXVET
 Container with cover, 1000 ml, stainless steel, for FinishControl spray attachments	2322451	DPXVET
Container with cover, 1400 ml, for WallPaint spray attachments	2324749	DPXVET
Feed tube, emulsion	2323674	DPXVET
Feed tube, standard	2319222	DPXVET
 Filling hopper, 3 pieces, for FinishControl spray attachments	2324745	DPXVET
 Nozzle seal, for FinishControl	2323934	DPXVET
Turbine housing with handle	2350780	DPXVET












## HVLP – Nozzles

FineCoat nozzles are made of high-quality, robust metal and have an extremely easy-to-clean design. In combination with the air cap, the precise nozzle aperture enables enamel application with low overspray. Several nozzles in different sizes are available for different guns. This enables work to be carried out with a wide variety of materials.






	Product name	Art. No.	Cat.
	<b>FineCoat radiator extension nozzle</b> FineCoat radiator extension nozzle RN30, only for FineCoat guns (item no. 0277 035)	261020	DPZU
	<b>Nozzle set for FineCoat Split Gun</b> Nozzle set, for FineCoat Split Gun, no. 2, Ø 0.8 mm	529209	DPZU
	Nozzle set, for FineCoat Split Gun, no. 3, Ø 1.3 mm	529210	DPZU
	Nozzle set, for FineCoat Split Gun, no. 4, Ø 1.8 mm	529211	DPZU
	Nozzle set, for FineCoat Split Gun, no. 5, Ø 2.2 mm	529212	DPZU
	Nozzle set, for FineCoat Split Gun, no. 6, Ø 2.4 mm	529213	DPZU
	Nozzle set, for FineCoat Split Gun, no. 7, Ø 2.6 mm	529214	DPZU
	<b>Nozzle set for FineCoat gun</b> Nozzle set, for FineCoat gun, no. 1, Ø 0.5 mm	276155	DPET
	Nozzle set, for FineCoat gun, no. 2, Ø 0.8 mm	276254	DPET
	Nozzle set, for FineCoat gun, no. 3, Ø 1.3 mm	276227	DPET
	Nozzle set, for FineCoat gun, no. 4, Ø 1.8 mm	276228	DPET
	Nozzle set, for FineCoat gun, no. 5, Ø 2.2 mm	276229	DPET
	Nozzle set, for FineCoat gun, no. 6, Ø 2.5 mm	276245	DPET
	Nozzle set, for FineCoat gun, no. 7, Ø 2.7 mm	524211	DPET
	<b>Nozzles for WSL 50/60</b> Nozzle, d = 04 mm, 6KT.22, for WSL 50/60	261463	DPET
	Nozzle, d = 06 mm, 6KT.22, for WSL 50/60	261464	DPZU
	Nozzle, d = 08 mm, 6KT.22, for WSL 50/60	261465	DPZU
	Nozzle, d = 10 mm, 6KT.22, for WSL 50/60	261466	DPZU






## HVLP – Additional accessories

Guns	Article no.	Cat.
 Conversion kit FineCoat Split Gun, for gravity feed cup	524045	DPZU
 FineCoat Split Gun; suction cup; 1000 ml	524028	DPZU
 FineCoat gun; 1-litre pressure cup; incl. nozzle set No. 4; for FC 7000 / FC 8800 / FC 9900	277035	DPZU
 FineCoat gun; 1-litre pressure cup; incl. nozzle set No. 4; for FineCoat Controller	279094	DPZU
 FineCoat gun; material connection; incl. nozzle set No. 5; for FineCoat 9900 PowerCart	277058	DPZU
 FineCoat spraying lance WSL 60 with hopper; for liquid raw fibres; texture effects or plaster; only usable with quick release coupling (art. No. 0275 625)	261024	DPZU
 Flocking gun WF-20; 20 mm; for the application of dry chips to a wet undercoat	261025	DPZU
 Gravity feed cup, for FineCoat Split Gun, 600 ml	524053	DPZU

Air caps	Article no.	Cat.
 Air cap, d = 09 mm, RD45	261460	DPET
Air cap, d = 12 mm, RD45	261461	DPET
Air cap, d = 14.5 mm, RD45	261462	DPET

Filters	Article no.	Cat.
 Filter kit, for FC 9900 / FC 9800	279938	DPET



Hoses	Article no.	Cat.
 Air hose, 4.5 m, for FineCoat turbines incl. quick release coupling	276233	DPET
 Air hose assy. FC-9900 Plus	277236	DPET
 Air hose, 9 m, for FC Controller	275249	DPET
 Hose pack, consisting of material and air hose DN10, 8.2 m	261255	DPET
 Hose whip, 152 cm, for FineCoat	524405	DPET

Other	Article no.	Cat.
Cleaning kit for HVLP and XVLP spraying guns	2354639	DHZU
 Pressure gauge 0-4 bar, 1/8", for pressure tank FineCoat 9950 PP	261342	DPZU
 Pressure tank insert, solvent resistant, plastic	261374	DPET
 Quick release coupling	275625	DPET
 Remote pressure pot	524232	DPZU
 Service kit, for FC gun with pressure cup	295981	DPZU





## Notes

1
2
3
4
5
6
7
8
9
10



# FineSpray





Guns		Article no.	Cat.
	PILOT Trend MP paint connection 1.5 mm	V1061304153	ILW001
	PILOT Trend HD gravity cup 1.5 mm	V1060103153	ILW001


Filters		Article no.	Cat.
	Filter pad	T500.00	ILZU
	Filter pad 100 meshes	T500.00A	ILCZU
	Filter pad 150 meshes	T500.00B	ILZU
	Filter, coarse, 60 meshes	T454.00	ILCZU
	Filter, medium, 100 meshes	T455.00	ILCZU

Hoses		Article no.	Cat.
	Hose pack DN6, 7.5 m, material 3/8", air 1/4"	3677249	ILZU
	Hose pack DN9, 7.5 m, material 3/8", air 1/4"	3677250	ILWO
	Restricted fitting: A = R3/8": I = Rp1/4"	3202252	ILET
	Suction hose DN16, for piston pumps, Zip and Cobra	2324110	ILZU

Skid / cart / wall mount		Article no.	Cat.
	Cart set with wheels, for Zip 52	T760.00SR	ILCZU
	Clutch and wheel set, for Zip 52, for conversion from stand to cart	T760.00R	ILCZU
	Stand, for Zip 52	T760.00S	ILCZU
	Wall bracket, for Zip 52	T760.00M	ILCZU
	Wall mounting for Zip 52	T600.573	ILCZU

Low-pressure double screw connections		Article no.	Cat.
	Double screw connection A = G 1" x G 1 1/2"; 1.5 MPa; low pressure	368964	ILZP
	Double screw connection A = G 3/4" x G 1"; 1.5 MPa; low pressure	M344.00	ILZP

# AirCoat – Nozzles

## 1. AirCoat nozzles ACF 3000

The dome-shaped geometry and high-tech sanding and erosion methods during manufacture ensure extremely fine atomisation with low energy consumption (material pressure). For a long service life and low wear and tear, the nozzle is made from resistant hard metal. The WAGNER AirCoat nozzle ensures brilliant paint finishes: An even spray pattern and extremely gentle graduated borders are guaranteed. This applies to both small and large quantities of atomised air.



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
natural colour paints, colourless paints, oils	07.10	0.007/0,18	10	55	red	379107
	07.20	0.007/0,18	20	100	red	379207
	07.40	0.007/0,18	40	195	red	379407
	09.20	0.009/0,23	20	100	red	379209
	09.30	0.009/0,23	30	145	red	379309
	09.40	0.009/0,23	40	195	red	379409
	09.50	0.009/0,23	50	250	red	379509
	09.60	0.009/0,23	60	300	red	379609
	synthetic resin-based paints, PVC paints, 2K paints	11.10	0.011/0,28	80	55	red
11.20		0.011/0,28	20	100	red	379211
11.30		0.011/0,28	30	145	red	379311
11.40		0.011/0,28	40	195	red	379411
11.50		0.011/0,28	50	250	red	379511
11.60		0.011/0,28	60	300	red	379611
11.80		0.011/0,28	80	400	red	379811
paints, undercoats, primers, fillers		13.10	0.013/0,33	10	55	red, yellow
	13.20	0.013/0,33	20	100	red, yellow	379213
	13.30	0.013/0,33	30	145	red, yellow	379313
	13.40	0.013/0,33	40	195	red, yellow	379413
	13.50	0.013/0,33	50	250	red, yellow	379513
	13.60	0.013/0,33	60	300	red, yellow	379613
	13.80	0.013/0,33	80	400	red, yellow	379813
	filler, anti-corrosive paints	15.10	0.015/0,38	10	55	yellow
15.20		0.015/0,38	20	100	yellow	379215
15.30		0.015/0,38	30	145	yellow	379315
15.40		0.015/0,38	40	195	yellow	379415
15.50		0.015/0,38	50	250	yellow	379515
15.60		0.015/0,38	60	300	yellow	379615
15.80		0.015/0,38	80	400	yellow	379815

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. ILTIP



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
anti-corrosive paints, latex paints	17.20	0.017/0,43	20	100	yellow	379217
	17.30	0.017/0,43	30	145	yellow	379317
	17.40	0.017/0,43	40	195	yellow	379417
	17.50	0.017/0,43	50	250	yellow	379517
	17.60	0.017/0,43	60	300	yellow	379617
	17.80	0.017/0,43	80	400	yellow	379817
	19.20	0.019/0,48	20	100	yellow, white	379219
	19.30	0.019/0,48	30	145	yellow, white	379319
	19.40	0.019/0,48	40	195	yellow, white	379419
	19.50	0.019/0,48	50	250	yellow, white	379519
anti-corrosive paints	19.60	0.019/0,48	60	300	yellow, white	379619
	19.80	0.019/0,48	80	400	yellow, white	379819
	21.20	0.021/0,53	20	100	white	379221
	21.40	0.021/0,53	40	195	white	379421
	21.50	0.021/0,53	50	250	white	379521
	21.60	0.021/0,53	60	300	white	379621
	21.80	0.021/0,53	80	400	white	379821
	23.40	0.023/0,58	40	195	white	379423
	23.60	0.023/0,58	60	300	white	379623
	23.80	0.023/0,58	80	400	white	379823

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. ILTIP



## 2. AirCoat pre-atomisation nozzles ACF 3000 Plus

AirCoat pre-atomisation nozzles provide extra fine atomisation even with low inlet air pressure. This is especially important for processing water- or solvent-based paints. Using a pre-atomisation nozzle allows you to work with less material and air quantity. There is significantly less overspray and material consumption decreases. Compared to the standard AirCoat nozzle the material is pre-atomised directly at the outer edge of the nozzle. The result: an especially even and soft spray pattern.



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
natural colour paints, colourless paints, oils	208	0.008/0,20	20	100	red	321208
	308	0.008/0,20	30	145	red	321308
	408	0.008/0,20	40	195	red	321408
	508	0.008/0,20	50	250	red	321508
synthetic resin-based paints, PVC paints, 2K paints	210	0.010/0,25	20	100	red, blue	321210
	310	0.010/0,25	30	145	red, blue	321310
	410	0.010/0,25	40	195	red, blue	321410
	510	0.010/0,25	50	250	red, blue	321510
	610	0.010/0,25	60	300	red, blue	321610
paints, undercoats, primers, fillers	212	0.012/0,30	20	100	blue	321212
	312	0.012/0,30	30	145	blue, yellow	321312
	412	0.012/0,30	40	195	blue	321412
	512	0.012/0,30	50	250	blue, yellow	321512
	612	0.012/0,30	60	300	blue, yellow	321612
	214	0.014/0,36	20	100	blue, yellow	321214
	314	0.014/0,36	30	145	blue, yellow	321314
	414	0.014/0,36	40	195	blue, yellow	321414
filler, anti-corrosive paints	514	0.014/0,36	50	250	blue, yellow	321514
	614	0.014/0,36	60	300	blue, yellow	321614
	216	0.016/0,41	20	100	yellow	321216
	316	0.016/0,41	30	145	yellow	321316
	416	0.016/0,41	40	195	yellow	321416
anti-corrosive paints, latex paints	516	0.016/0,41	50	250	yellow	321516
	616	0.016/0,41	60	300	yellow	321616
	218	0.018/0,46	20	100	yellow, white	321218
	318	0.018/0,46	30	145	yellow, white	321318
	418	0.018/0,46	40	195	yellow, white	321418
	518	0.018/0,46	50	250	yellow, white	321518

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. ILTIP



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
anti-corrosive paints, latex paints	618	0.018/0,46	60	300	yellow, white	321618
anti-corrosive paints	320	0.020/0,51	30	145	white	321320
	420	0.020/0,51	40	195	white	321420
	620	0.020/0,51	60	300	white	321620
	422	0.022/0,56	40	195	white	321422
	622	0.022/0,56	60	300	white	321622

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. ILTIP

## AirCoat – Additional accessories

**NEW**

### For rapid cleaning of nozzle blockages

Simple insert the nozzle the other way around and blow the blockage back out.

### A choice of three air caps is available:

- Blue: for water-based materials
- Red: for solvent-based materials
- Green: for water-based and solvent-based materials.

### Easy cleaning

The filter housing can be opened without using a tool for cleaning or to replace the filter.



### High productivity









With a continuously adjustable air and jet width.










### Ergonomic







Light weight and low trigger pressure.




### Pleasant working


Free-moving air and material joints.

Guns	Article no.	Cat.
 AirCoat gun AC 4500, blue air cap and holder	2368269	ILZU
 AirCoat gun AC 4500, green air cap and holder	2368270	ILZU
 AirCoat gun AC 4500, red air cap and holder	2368271	ILZU
 AirCoat gun AC 4600 Professional, incl. blue air cap and holder	394156	ILZU
 AirCoat gun AC 4600 Professional, incl. blue air cap, holder and nozzle	394150	ILZU
 AirCoat gun AC 4600 Professional, incl. green air cap and holder	394158	ILZU
 AirCoat gun AC 4600 Professional, incl. green air cap, holder and nozzle	394152	ILZU
 AirCoat gun AC 4600 Professional, incl. red air cap and holder	394157	ILZU













Guns	Article no.	Cat.
 AirCoat gun AC 4600 Professional, incl. red air cap, holder and nozzle	394151	ILZU
AirCoat gun AC4600 Professional Pro Box	394155	ILZU
Nozzle extensions	Article no.	Cat.
 AirCoat nozzle extension: 30 cm	394090	ILZU
Nozzle accessories	Article no.	Cat.
 Nozzle cleaning needle set, 0.05-0.50 mm, 12 pieces	8612001	ILET
Air caps	Article no.	Cat.
 Blue air cap for water-based materials (water-based paints), incl. union nut	394911	ILZU
 Red air cap for solvent-based materials, incl. union nut	394910	ILZU
 Green air cap for water-based materials and solvent-based materials (low air consumption), incl. union nut	394912	ILZU
 Union nut complete	394921	ILET
Gun filter insert	Article no.	Cat.
 Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine	34383	DPFILT
 Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine	97022	DPFILT












Gun filter insert	Article no.	Cat.
 Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine	43235	DPFILT
 Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine	97023	DPFILT
 Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium	34377	DPFILT
 Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium	97024	DPFILT
 Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse	89323	DPFILT
 Gun filter green, set of 10 pieces, 30 MA, 0.56 mm MW, coarse	97025	DPFILT


AirCoat hoses	Article no.	Cat.
Air hose, DN6, 1/4", 10 m, for HP double hose	2304451	DPZU
Air hose, DN6, 1/4", 7.5 m, for HP double hose	2304449	DPZU
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 10 m	9984596	DPHOSE
HP double hose, material DN3, max. 27 MPa, air DN6, 1/4", 7.5 m	9984595	DPHOSE
 HP double hose, material DN3, max. 27 MPa, air DN6, M16x1.5, 7.5 m	2306802	DPHOSE
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 10 m	2302379	DPHOSE
HP double hose, material DN4, max. 27 MPa, air DN6, 1/4", 7.5 m	2302378	DPHOSE
HP double hose, material DN4, max. 27 MPa, air DN6, M16x1.5, 7.5 m	2306803	DPHOSE
 Protective tubing, 10 m, for HP double hose	2305871	DPET
 Protective tubing, 7.5 m, for HP double hose	2305870	DPET


Release combinations	Article no.	Cat.
 Release combination assy.	2329023	ILZU

Suction systems	Article no.	Cat.
 Inlet elbow (stainless steel) complete, rigid for Wildcat /Puma, DN25	2323239	ILZU
 Suction pipe, stainless steel, rigid, DN16, for Wildcat / Puma / FF 20-30 / FF 40-15	2324158	ILZU
 Suction hose DN16, for piston pumps, Zip and Cobra	2324110	ILZU
 Suction hose DN 25, for piston pumps, Zip and Cobra	2324116	ILZU
 Filter DN25 MW = 1.0 mm, for SF 23 Plus	2323325	ILZU
 Filter DN16, MW = 1.0 mm	2323396	ILZU
 QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra	341263	DPZU
 Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU
 Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose	250243	DPFILT
Return hose Niro elbow	97089	DPET
 Metex filter support cage	34950	DPZU
 Filter bag for paint, for Metex filter support cage, 5 pieces	34952	DPZU
 Filter bag for lacquer, for 5 litre hopper	97258	DPET

Hopper	Article no.	Cat.
 5 litre hopper, for F 230	524242	DPET
 5 litre hopper, M36x2	341265	DPZU
 5 litre hopper, for pneumatic piston pumps, incl. intake elbow	2332169	ILZU
 5 litre hopper EX, M36x2 with filter disk	340265	ILZU
 Cover, for 5 litre hopper EX	340429	ILZU
 5 litre hopper EX, for Cobra	2344505	ILZU
 Filter disk D57, 0.4 fine, for hoppers	3756	DPZU
 Filter disk D57, 0.8 coarse, for hoppers	37607	DPZU
 Filter bag for lacquer, for 5 litre hopper	97258	DPET
 Return pipe DN6-G1/4"-100mm-PE	2331752	ILZU
 Return hose DN6-PN310-G1/4"-PA	2329046	ILZU






Double connectors	Article no.	Cat.
 Double connector A = R 1/4" x M12; 27 MPa	2325343	ILZU
Double connector A = 1/2" x 1/2" (hose connector)	3202901	ILSET
Double connector A = 1/4"NPSM x 1/4"NPSM; 53 MPa	367560	ILZP
Double connector A = 1/4"NPSM x 3/8"NPSM; 53 MPa	367561	DPZU
Double connector A = 1/4"NPT x 1/4"NPS; 53 MPa	3505045	DPZU

Double connectors	Article no.	Cat.
Double connector A = 1/4" x 1/4"	34038	DPZU
Double connector A = 1/4" x M16x1.5	34033	DPZU
Double connector A = 3/4"NPSM x 1/2"NPSM; 53 MPa	9985782	DPZU
Double connector A = 3/4"NPSM x 3/4"NPSM; 53 MPa	9985781	DPZU
Double connector A = 3/4"NPSM x 3/8"NPSM; 53 MPa	9985783	DPZU
Double connector A = 3/8" NPT x A = 1/2" NPS	815-005	DPET
Double connector A = 3/8"NPS x 3/8"NPS; 53 MPa	256343	DPZU
Double connector A = G 1" x G 1"; 53 MPa	3678387	ILZP
Double connector A = G 1/2" x G 3/4"; 53 MPa	3207692	ILZP
Double connector A = G 1/2" x G 1/2"; 53 MPa	3676778	ILZP
Double connector A = G 1/2" x G 1/4"; 53 MPa	3204623	ILZP
Double connector A = G 1/2" x G 3/4"; 53 MPa	370915	ILZP
Double connector A = G 1/4" x G 1/4"; 53 MPa	3204611	ILZP
Double connector A = G 1/4" x M16x1.5; 25 MPa	9998860	ILZP
Double connector A = G 1/8" x G 1/4"; 53 MPa	3206710	ILZP
Double connector A = G 1/8" x M16x1.5; 53 MPa	97548	DPZU
Double connector A = G 3/4" x G 1/2"; 53 MPa	3677079	ILZP
Double connector A = G 3/4" x G 1/4"	3206429	ILZP
Double connector A = G 3/4" x G 3/4"	3676773	ILZP
 Double connector A = G 3/4" x M16x1.5	369913	ILZP
Double connector A = G 3/8" x 1/2"NPS; 53 MPa	367554	ILZP
Double connector A = G 3/8" x 1/4"NPS; 53 MPa	367555	ILZP
Double connector A = G 3/8" x G 1/4"; 53 MPa	M803.03	ILZP
Double connector A = G 3/8" x G 3/8"; 53 MPa	3206676	ILZP
Double connector A = G 3/8" x M16x1.5; 53 MPa	367923	ILZP
Double connector A = G 3/8" x M16x1.5; 53 MPa	367913	ILZP
Double connector A = G 3/8" x M20x2; 53 MPa	367962	ILZP
Double connector A = G3/8" x 3/8"NPS; 53 MPa	367556	ILZP
Double connector A = M16x1.5 x 1/4"NPS; 53 MPa	105313	ILZP
Double connector A = M16x1.5 x 3/8"	2308887	DPET
Double connector A = M16x1.5 x 3/8"NPS	256320	DPZU
Double connector A = M16x1.5 x G 1/2"; 53 MPa	357436	ILZP
Double connector A = M16x1.5 x M16x1.5	123510	DPET
Double connector A = M16x1.5 x M16x1.5 / 2x60°	34030	DPZU
Double connector A = M16x1.5 x M16x1.5; 53 MPa	123446	ILZP
Double connector A = M16x1.5 x M16x1.5; 53 MPa	341350	DPET
Double connector A = M16x1.5 x M16x1.5; 53 MPa	104475	ILZP
Double connector A = M16x1.5 x M16x1.5; 53 MPa / 1x60°	97529	DPET
Double connector A = M16x1.5 x M18x1.5; 53 MPa	104618	ILZP



Double connectors	Article no.	Cat.
Double connector A = M16x1.5 x R 3/8"	104527	ILZP
Double connector A = NPSM 3/8" x G 3/4"; 53 MPa	369657	ILZP
Double connector A = R 1" x R 1"; 35 MPa	3201325	ILZP
Double connector A = R 1/2" x R 3/4"; 35 MPa	3201471	ILZP
Double connector A = R 1/4" x G 1/4"; 53 MPa	M801.03B	ILZP
Double connector A = R 1/4" x R 1/4"; 35 MPa	M801.03A	ILZP
Double connector A = R 3/4" x R 3/4"; 35 MPa	3201102	ILZP
Double connector A = R 3/8" x 1/4"NPSM; 53 MPa	M8022.03	ILZP
Double connector A = R 3/8" x G 3/8"; 53 MPa	3676419	ILZP
Double connector A = R 3/8" x R 3/8"	3201607	ILZP
Double connector G3/4"	367958	



Connectors	Article no.	Cat.
Connector 3/8" x 1/2"	814-005	DPET
Coupling sleeve I = 1/2"JIC x A = 1/4"NPS; 27 MPa	2324417	ILZP
Coupling sleeve I = 1/4"NPS x A = M16x1.5	34041	ILZP
Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	ILZP
Coupling sleeve I = 1/4"NPSM x A = G 1/4"; 53 MPa	179247	ILZP
Coupling sleeve I = 3/8"NPS x A = M16x1.5; 53 MPa	367563	ILZP
Coupling sleeve I = 3/8"NPSM x A = 1/4"NPSM; 53 MPa	367562	ILZP
Coupling sleeve I = G 1/4" x A = 1/4"NPSM; 53 MPa	2332619	ILZP
Coupling sleeve I = G 1/4" x A = G 3/8"; 53 MPa	2353265	ILZP
Coupling sleeve I = G 1/4" x M16x1.5; 27 MPa	256321	DPZU
Coupling sleeve I = G 3/8" x A = 1/4"NPSM; 53 MPa	2332621	ILZP
Coupling sleeve I = G 3/8" x A = 3/8"NPSM; 53 MPa	2332620	ILZP
Coupling sleeve I = G 3/8" x A = 3/8"NPT; 53 MPa	2308541	ILZP
Coupling sleeve I = G 3/8" x A = M16x1.5	115378	ILZP
Coupling sleeve I = G 3/8" x A = M16x1.5; 25 MPa	115672	ILZP
Coupling sleeve I = M16x1.5 x A = 1/4"NPS; 53 MPa	384555	ILZP
Coupling sleeve I = M16x1.5 x A = 3/8"NPS; 53 MPa	384556	ILZP
Coupling sleeve I = M16x1.5 x A = G 1/2"; 27 MPa	115897	ILZP
Coupling sleeve I = M16x1.5 x A = G 3/8"; 53 MPa	377342	ILZP
Coupling sleeve I = M16x1.5 x A = M20x2; 27 MPa	118231	ILZP
Coupling sleeve I = M20x1.5 x A = 3/8"NPS; 53 MPa	367564	ILZP
Transition fitting I = 1/4" x A = NPS1/2"	2302993	DPZU
Transition fitting I = M16x1.5 x A = 1/2"	349256	DPET
Transition fitting I = M16x1.5 x A = 1/4"	97201	DPZU
Transition fitting I = M16x1.5 x A = 3/8"	97204	DPZU

Special double screw connections	Article no.	Cat.
 Special double screw connection A = G 1/4" x 1/4"NPS; 53 MPa	350550	ILZP
 Special double screw connection A = G 1/4" x M16x1.5; 53 MPa	350499	ILZP
 Special double screw connection A = M22x1.5 x G 3/8"; 53 MPa	2332966	ILZP
 Special double screw connection A = R 1/4" x 1/4"NPS; 35 MPa	B0461.03A	ILZP
 Special double screw connection A = R 3/8" x 1/4"NPS; 35 MPa	B0461.03	ILZP





Cleaning / storage / preserving	Article no.	Cat.
 EasyClean cleaning and conservation agent, 118 ml	508620	DPZU
 EasyClean cleaning and conservation agent, 1 litre	508281	DPZU
 EasyGlide, special oil, 118 ml	508619	DPET
 Hydraulic oil Divinol 1 litre, for diaphragm pumps	21061	DPET
 Antifreeze lubricant 0.25 litre	9992509	DPET
 TipClean, container incl. special cleaner	97108	DPZU
TipClean, container incl. special cleaner, box (24 pieces)	97109	DPZU
 TipClean, refill bottle, 1 liter	97110	DPZU
 Release agent, 0.25 litre	9992504	DPZU

Cleaning / storage / preserving	Article no.	Cat.
Release oil / Messamoll, 0.5 litre	9992505	DPET

### Compressors

	Article no.	Cat.
 Compressor AirBoost 100, for SF 23 Plus	2347935	DPZU
 Fan filter, 5 pieces, for compressor AB 100	2351461	DPFILT
Suction filter, for compressor AB 100	2348863	DPET



### AirCoat Regulator

	Article no.	Cat.
 AirCoat regulator assy. Cobra	2333479	ILZU
AirCoat controller add-on kit; without sight glass; for Puma / Cobra	2328611	ILZU
 AirCoat controller set; for pneumatic piston pumps	T6145.00A	ILCZU
AirCoat regulator, fitting kit	340250	DPZU
 Pressure gauge combination 250 - 400 bar, l = 1/4", A = 1/4"	340256	DPZU
 Pressure gauge combination complete 250 - 400 bar, l = M16x1.5, A = M16x1.5	97061	DPZU
Shut-off cock for atomiser air	M101.00	ILCZU





### Ball valves

	Article no.	Cat.
 Ball valve R 1/4"; G 1/4"; PN 350-CS	2334472	ILZU
 Ball valve R 1/4"; G 1/4"; PN 350-SSt	2334488	ILZU




### Pressure gauges


	Article no.	Cat.
 Pressure gauge combination 250 - 400 bar, l = 1/4", A = 1/4"	340256	DPZU
 Pressure gauge combination complete 250 - 400 bar, l = M16x1.5, A = M16x1.5	97061	DPZU


### Skid / cart / wall mount

	Article no.	Cat.
 Cart 4" complete	2325901	ILZU
 EvoMotion cart rollers	T6196.00	ILCZU
 Stand 4" complete	2332374	ILZU
 Wall mounting 4" complete	2332143	ILZU

### Tools

	Article no.	Cat.
 Adjusting spanner	9991114	DPZU
 Coupling spanner with thermally insulated handle (2x)	9100099	DPPCZU
 Strap spanner for HP filters	349720	DPET


Spare parts		Article no.	Cat.
Air cap gasket; for AirCoat AC 4600 guns		394339	ILET
Nozzle seal, for AirCoat Pistole AC 4600		394338	ILET
	Swivel joint air	364938	ILET
Swivel joint, material, for AC 4600		347706	DPET

Other		Article no.	Cat.
	Earth cable	236219	IPET
	FI-Protection PRCD 230 V / 16 A	9956257	DPZU

## Airless – Nozzles

### 1. High Efficiency Airless – Up to 55% less overspray with maximum control

The new WAGNER HEA ProTip airless nozzle provides a perfect surface finish at reduced spraying pressure. Compared to standard airless technology the spray pattern is gently feathered and free from edge strips. Fatigue-free working: low-pressure spraying ensures low gun recoil, allowing particularly pleasant and fatigue-free working. Reduced coverage efforts: the work required to achieve coverage, especially for indoor projects, is reduced.



**Nozzle angle**  
The nozzle angle determines the width of the spray angle, e.g. in this case 50°.

**Easy to clean**  
WAGNER HEA nozzles are reversible nozzles and can be cleaned in a matter of seconds. Simply twist the nozzle and spray - and the nozzle is already clean, without the need for any tools.

**Patent-registered dual nozzle technology**  
Two nozzle bores, one directly after the other, guarantee a perfect spray pattern with high material throughput even in low pressure ranges. Overspray is reduced to a minimum.

**Bore diameter**  
The bore diameter (in this case, 0.017 inch) determines the flow volume and thus the amount of paint applied.

**Extra durable**  
The high-quality stainless steel nozzle cylinder, as well as the nozzles made from carbide, reduce wear and allow a constant spray angle.

**HEA HIGH EFFICIENCY AIRLESS**

**Atomiser nozzle (Finish-Tip)**  
**Pre-atomiser nozzle (Pre-Tip)**

**FOR FREE**

**FREE IN THE SET:**  
purchase a HEA nozzle and receive the matching gun filter and a double seal for FREE.

100 bar pressure	150 bar pressure
HEA ProTip 517	Standard Airlessdüse 517



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
Primers, lacquers	211	0.011/0,28	20	120	red	554211
	311	0.011/0,28	30	150	red	554311
	411	0.011/0,28	40	190	red	554411
	213	0.013/0,33	20	120	red	554213
	313	0.013/0,33	30	150	red	554313
	413	0.013/0,33	40	190	red	554413
Primers, lacquers, emulsions, vinyl paints	415	0.015/0,38	40	190	yellow	554415
	515	0.015/0,38	50	225	yellow	554515
	615	0.015/0,38	60	270	yellow	554615

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
Emulsions, latex paints	417	0.017/0,43	40	190	white	554417
	517	0.017/0,43	50	225	white	554517
	617	0.017/0,43	60	270	white	554617
	519	0.019/0,48	50	225	white	554519
	619	0.019/0,48	60	270	white	554619
	421	0.021/0,53	40	190	white	554421
	521	0.021/0,53	50	225	white	554521
	621	0.021/0,53	60	270	white	554621

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.


<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP

## 2. Airless TradeTip 3 nozzles – perfect and durable

The nozzle core determines the coating results because the material passes through it and is transformed into a spray jet. TradeTip 3 nozzles are extra durable: The innovative nozzle aperture and carbide metal alloy reduce wear and enable a constant spray angle. Another advantage: The nozzle is very easy to clean - just twist and rinse - without any tools.

The **nozzle angle** determines the width of the spray pattern, in the example 50°:



The ideal distance to the object is approx. 300 mm.

The bore diameter (in this example: 0.017 inch) determines the flow volume and thus the amount of paint to be applied.



In set: When purchasing a TradeTip 3 nozzle you will get a matching gun filter and a double seal for free.

## 2.1 Airless TradeTip 3 FineFinish nozzles

Top painting nozzle with optimised third generation properties. With double special core for ultrafine droplet formation and particularly high-quality surfaces, even in low pressure ranges. FineFinish nozzles are coloured purple.



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
water-soluble and solvent-based enamels and paints, oils, release agents	208	0.008/0,20	20	120	red	554208
	308	0.008/0,20	30	150	red	554308
	408	0.008/0,20	40	190	red	554408
synthetic resin-based paints, PVC paints	210	0.010/0,25	20	120	red	554210
	310	0.010/0,25	30	150	red	554310
	410	0.010/0,25	40	190	red	554410
	510	0.010/0,25	50	225	red	554510
paints, undercoats, primers, fillers	212	0.012/0,30	20	120	red	554212
	312	0.012/0,30	30	150	red	554312
	412	0.012/0,30	40	190	red	554412
	512	0.012/0,30	50	225	red	554512
fillers, anti-corrosive paints	214	0.014/0,36	20	120	red	554214
	314	0.014/0,36	30	150	red	554314
	414	0.014/0,36	40	190	red	554414
	514	0.014/0,36	50	225	red	554514

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP

## 2.2 Airless TradeTip 3 nozzles

The yellow standard nozzles offer a wide spectrum of applications for working with primers, paints, glazes, emulsions, flame retardants and corrosion protection to Airless fillers.



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
water- and solvent-based paints, oils, release agents	107	0.007/0,18	10	100	red	553107
	207	0.007/0,18	20	120	red	553207
	307	0.007/0,18	30	150	red	553307
	407	0.007/0,18	40	190	red	553407
	109	0.009/0,23	10	100	red	553109
	209	0.009/0,23	20	120	red	553209

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP





Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
water- and solvent-based paints, oils, release agents	309	0.009/0,23	30	150	red	553309
	409	0.009/0,23	40	190	red	553409
	509	0.009/0,23	50	225	red	553509
	609	0.009/0,23	60	270	red	553609
synthetic resin-based paints, PVC paints	111	0.011/0,28	10	100	red	553111
	211	0.011/0,28	20	120	red	553211
	311	0.011/0,28	30	150	red	553311
	411	0.011/0,28	40	190	red	553411
	511	0.011/0,28	50	225	red	553511
	611	0.011/0,28	60	270	red	553611
paints, undercoats, primers, fillers	113	0.013/0,33	10	100	red	553113
	213	0.013/0,33	20	120	red	553213
	313	0.013/0,33	30	150	red	553313
	413	0.013/0,33	40	190	red	553413
	513	0.013/0,33	50	225	red	553513
	613	0.013/0,33	60	270	red	553613
fillers, anti-corrosive paints	813	0.013/0,33	80	330	red	553813
	115	0.015/0,38	10	100	yellow	553115
	215	0.015/0,38	20	120	yellow	553215
	315	0.015/0,38	30	150	yellow	553315
	415	0.015/0,38	40	190	yellow	553415
	515	0.015/0,38	50	225	yellow	553515
	615	0.015/0,38	60	270	yellow	553615
	715	0.015/0,38	70	300	yellow	553715
anti-corrosive paints, latex paints, emulsions	815	0.015/0,38	80	330	yellow	553815
	117	0.017/0,43	10	100	yellow	553117
	217	0.017/0,43	20	120	white	553217
	317	0.017/0,43	30	150	white	553317
	417	0.017/0,43	40	190	white	553417
	517	0.017/0,43	50	225	white	553517
	617	0.017/0,43	60	270	white	553617
	717	0.017/0,43	70	300	white	553717
	817	0.017/0,43	80	330	white	553817
	219	0.019/0,48	20	120	white	553219
319	0.019/0,48	30	150	white	553319	

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
anti-corrosive paints, latex paints, emulsions	419	0.019/0,48	40	190	white	553419
	519	0.019/0,48	50	225	white	553519
	619	0.019/0,48	60	270	white	553619
	719	0.019/0,48	70	300	white	553719
	819	0.019/0,48	80	330	white	553819
	919	0.019/0,48	90	385	white	553919
flame retardants	221	0.021/0,53	20	120	white	553221
	321	0.021/0,53	30	150	white	553321
	421	0.021/0,53	40	190	white	553421
	521	0.021/0,53	50	225	white	553521
	621	0.021/0,53	60	270	white	553621
	721	0.021/0,53	70	300	white	553721
roof linings	821	0.021/0,53	80	330	white	553821
	223	0.023/0,58	20	120	white	553223
	323	0.023/0,58	30	150	white	553323
	423	0.023/0,58	40	190	white	553423
	523	0.023/0,58	50	225	white	553523
	623	0.023/0,58	60	270	white	553623
thick coating materials, corrosion-proofing, spraying fillers	723	0.023/0,58	70	300	white	553723
	823	0.023/0,58	80	330	white	553823
	225	0.025/0,64	20	120	white	553225
	325	0.025/0,64	30	150	white	553325
	425	0.025/0,64	40	190	white	553425
	525	0.025/0,64	50	225	white	553525
	625	0.025/0,64	60	270	white	553625
	725	0.025/0,64	70	300	white	553725
	825	0.025/0,64	80	330	white	553825
	227	0.027/0,69	20	120	white	553227
327	0.027/0,69	30	150	white	553327	
427	0.027/0,69	40	190	white	553427	
527	0.027/0,69	50	225	white	553527	
627	0.027/0,69	60	270	white	553627	
727	0.027/0,69	70	300	white	553727	
827	0.027/0,69	80	330	white	553827	
229	0.030/0,75	20	120	white	553229	
329	0.030/0,75	30	150	white	553329	

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
<b>thick coating materials, corrosion-proofing, spraying fillers</b>	429	0.030/0,75	40	190	white	553429
	529	0.030/0,75	50	225	white	553529
	629	0.030/0,75	60	270	white	553629
	231	0.031/0,79	20	120	white	553231
	331	0.031/0,79	30	150	white	553331
	431	0.031/0,79	40	190	white	553431
	531	0.031/0,79	50	225	white	553531
	631	0.031/0,79	60	270	white	553631
	731	0.031/0,79	70	300	white	553731
	831	0.031/0,79	80	330	white	553831
	233	0.033/0,84	20	120	white	553233
	333	0.033/0,84	30	150	white	553333
	433	0.033/0,84	40	190	white	553433
	533	0.033/0,84	50	225	white	553533
	633	0.033/0,84	60	270	white	553633
	235	0.035/0,90	20	120	white	553235
	335	0.035/0,90	30	150	white	553335
	435	0.035/0,90	40	190	white	553435
	535	0.035/0,90	50	225	white	553535
	635	0.035/0,90	60	270	white	553635
735	0.035/0,90	70	300	white	553735	
439	0.039/0,99	40	190	white	553439	
539	0.039/0,99	50	225	white	553539	
639	0.039/0,99	60	270	white	553639	
<b>Heavy duty applications</b>	243	0.043/1,10	20	120	green	553243
	443	0.043/1,10	40	190	green	553443
	543	0.043/1,10	50	225	green	553543
	643	0.043/1,10	60	270	green	553643
	445	0.045/1,14	40	190	green	553445
	545	0.045/1,14	50	225	green	553545
	451	0.051/1,30	40	190	green	553451
	551	0.051/1,30	50	225	green	553551
	651	0.051/1,30	60	270	green	553651
	252	0.052/1,32	20	120	green	553252
455	0.055/1,40	40	190	green	553455	

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
<b>Heavy duty applications</b>	555	0.055/1,40	50	225	green	553555
	655	0.055/1,40	60	270	green	553655
	261	0.061/1,55	20	120	green	553261
	461	0.061/1,55	40	190	green	553461
	561	0.061/1,55	50	225	green	553561
	661	0.061/1,55	60	270	green	553661
	263	0.063/1,60	20	120	green	553263
	463	0.063/1,60	40	190	green	553463
	565	0.065/1,65	50	225	green	553565
	665	0.065/1,65	60	270	green	553665
	267	0.067/1,70	20	120	green	553267
	467	0.067/1,70	40	190	green	553467


<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP

### 3. Airless 2SpeedTip nozzles – Two nozzles combined in one

The innovative changeover nozzle from WAGNER combines two nozzle cores into one nozzle. Just by simply rotating, you always have the correct size of nozzle available. This facilitates optimum adaptation to the surface that has to be coated and ensures a time-saving work sequence. Additionally, the colour identification on the nozzle indicates the corresponding gun plug-in filter.



### 3.1 Airless 2SpeedTip nozzles – Enamel

Guarantees a quick change between coating large areas and performing intricate work. 2SpeedTip enamel nozzles are coloured purple.



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
enamel	L10 208/510	0.008/0,20	20	120 - 225	red	271042
	L20 210/512	0.010/0,25	20	120 - 225	red	271043
	L30 212/514	0.012/0,30	20	120 - 225	red	271044

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP

### 3.2 Airless 2SpeedTip nozzles – Emulsion

Wide spectrum of applications for working with primers, emulsions, flame retardants and corrosion protection. For top-class surfaces. Emulsion nozzles are coloured yellow.



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
emulsion	D10 111/419	0.010/0,25	10	100 - 190	white	271045
	D05 111/415	0.011/0,28	10	100 - 190	white	271062
	D07 113/417	0.013/0,33	10	100 - 190	white	271063
	D20 115/421	0.015/0,38	10	100 - 190	white	271046
	D30 115/423	0.015/0,38	10	100 - 190	white	271047
	D40 117/427	0.017/0,43	10	100 - 190	white	271048

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP

### 3.3 Airless 2SpeedTip nozzles – Filler

This nozzle is specially designed for high-viscosity materials such as Airless spray filler and ensures optimum material coverage. Filling nozzles are coloured orange.



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Art. No. <sup>2</sup>
filler	S05 225/629	0.025/0,64	20 - 60	120 - 270	271064
	S10 527/235	0.027/0,69	50 - 20	225 - 120	271049
	S20 539/243	0.039/0,99	50 - 20	225 - 120	271050
	S30 543/252	0.043/1,10	50 - 20	225 - 120	271051

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Cat. DPTIP

### 4. Airless TwinTip nozzles

Special nozzles for low overspray



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
trimming jobs (facades)	D215	0.021/0,53	20	100	white	1009215
smooth surfaces (indoors)	D316	0.021/0,53	25	130	white	1009316
rough surfaces (indoors), smooth surfaces (facades)	D317	0.023/0,59	25	130	white	1009317
rough surfaces (facades)	D319	0.027/0,69	25	130	white	1009319

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. DPTIP

## 5. Airless adjustable fan nozzles

Adjustable fan tips offer maximum flexibility. Spray width and nozzle aperture can be set. This means that the nozzle can perfectly match the material and the object to be coated. With just one nozzle, a large area can be coated or intricate work carried out. The high-quality material guarantees the long service life of the nozzle which also features an impressive timesaving self-cleaning function.



Application	Nozzle marking	Nozzle hole in inch/mm	Spray width in mm <sup>1</sup>	Art. No. <sup>2</sup>
paints	15	0.005/0,13	50 - 350	999057
paints, filler	20	0.007/0,18	50 - 500	999053
paints, emulsions	28	0.011/0,28	80 - 550	999054
paints, emulsions, anti-corrosive paints	41	0.017/0,43	100 - 600	999055
coatings for large areas	49	0.021/0,53	100 - 400	999056

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Cat. DPTIP

## 6. Airless standard adjustable fan nozzles

Airless standard flat jet nozzle are especially suitable for painting applications, but can be used also for high viscosity materials. They are ideal for the fast processing of large quantities of material. The high-quality nozzles are robust and suitable for all common Airless guns.



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
Natural lacquers, colorless lacquers, oils	407	0.007/0,18	40	163	red	90407
	507	0.007/0,18	50	190	red	90507
	209	0.009/0,23	20	148	red	90209
	309	0.009/0,23	30	158	red	90309
	409	0.009/0,23	40	198	red	90409
	509	0.009/0,23	50	215	red	90509
	609	0.009/0,23	60	225	red	90609
	Synthetic resin lacquers, PVC lacquers	111	0.011/0,28	10	87	red
211		0.011/0,28	20	93	red	90211
311		0.011/0,28	30	127	red	90311
411		0.011/0,28	40	210	red	90411
511		0.011/0,28	50	225	red	90511
611		0.011/0,28	60	270	red	90611

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. ILTIP



Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>	
Lacquers, undercoat lacquers, zinc chromate base, base coat, filler	113	0.013/0,33	10	103	red	90113	
	213	0.013/0,33	20	107	red	90213	
	313	0.013/0,33	30	142	red	90313	
	413	0.013/0,33	40	207	red, yellow	90413	
	513	0.013/0,33	50	255	red, yellow	90513	
	613	0.013/0,33	60	282	yellow	90613	
	813	0.013/0,33	80	375	yellow	90813	
	Filler, spraying plaster, corrosion protection	115	0.015/0,38	10	98	yellow	90115
215		0.015/0,38	20	100	yellow	90215	
315		0.015/0,38	30	162	yellow	90315	
415		0.015/0,38	40	202	yellow	90415	
515		0.015/0,38	50	252	yellow	90515	
615		0.015/0,38	60	268	yellow	90615	
715		0.015/0,38	70	295	yellow	90715	
815		0.015/0,38	80	395	yellow	90815	
Spraying plaster, corrosion protection, red lead, latex paints		217	0.017/0,43	20	117	yellow	90217
		317	0.017/0,43	30	153	yellow	90317
	417	0.017/0,43	40	190	yellow	90417	
	517	0.017/0,43	50	235	yellow	90517	
	617	0.017/0,43	60	283	yellow	90617	
	717	0.017/0,43	70	342	yellow	90717	
	219	0.019/0,48	20	147	yellow, white	90219	
	319	0.019/0,48	30	168	yellow, white	90319	
	419	0.019/0,48	40	192	yellow, white	90419	
	519	0.019/0,48	50	272	yellow, white	90519	
Glimmer paints, zinc dust paints, dispersions	619	0.019/0,48	60	315	white	90619	
	719	0.019/0,48	70	330	white	90719	
	819	0.019/0,48	80	402	white	90819	
	221	0.021/0,53	20	148	white	90221	
	421	0.021/0,53	40	183	white	90421	
	521	0.021/0,53	50	252	white	90521	
	621	0.021/0,53	60	313	white	90621	
	821	0.021/0,53	80	380	white	90821	

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. ILTIP





Application	Nozzle marking	Nozzle hole in inch/mm	Spray angle in °	Spray width in mm <sup>1</sup>	Gun filter <sup>2</sup>	Art. No. <sup>3</sup>
<b>Corrosion protection</b>	223	0.023/0,58	20	130	white	90223
	423	0.023/0,58	40	185	white	90423
	523	0.023/0,58	50	253	white	90523
	623	0.023/0,58	60	298	white	90623
	723	0.023/0,58	70	340	white	90723
	823	0.023/0,58	80	355	white	90823
<b>Emulsion</b>	225	0.025/0,64	20	133	white	90225
	425	0.025/0,64	40	198	white	90425
	525	0.025/0,64	50	250	white	90525
	625	0.025/0,64	60	265	white	90625
	825	0.025/0,64	80	360	white	90825
	227	0.027/0,69	20	143	green	90227
	427	0.027/0,69	40	222	green	90427
	527	0.027/0,69	50	233	green	90527
	627	0.027/0,69	60	270	green	90627
	827	0.027/0,69	80	353	green	90827
	629	0.030/0,75	60	288	green	90629
	231	0.031/0,79	20	130	green	90231
	431	0.031/0,79	40	220	green	90431
	531	0.031/0,79	50	223	green	90531
	631	0.031/0,79	60	273	green	90631
	235	0.035/0,90	20	120	green	90235
	435	0.035/0,90	40	220	green	90435
	535	0.035/0,90	50	270	green	90535
635	0.035/0,90	60	310	green	90635	
839	0.039/0,99	80	480	green	90839	
<b>Large surface coating</b>	243	0.043/1,10	20	135	green	90243
	543	0.043/1,10	50	260	green	90543
	552	0.051/1,30	50	280	green	90552

<sup>1</sup>Spray width (mm) at approx. 30 cm distance from the object and with 10 MPa pressure, with synthetic resin-based paint 20 DIN seconds.

<sup>2</sup>Red: 180 mesh, extra fine, yellow: 100 mesh, fine, white: 50 mesh, average, green: 30 mesh, coarse

<sup>3</sup>Cat. ILTIP

## Airless – Additional accessories

**NEW**

### Infinity Packing System

extends the life of the Airless gun quickly and cost-efficiently. Thanks to the replaceable ball and reversible seat the need to change the entire needle and spring assembly is reduced.

### 1-finger-lock

for ease of use. Stop and resume work again with only one hand.

### Extra light All-Day trigger

for fatigue-free work. This way also large projects can be sprayed easily.

### Perfect for any hand due to Finger-Print® Grip

two dials allow the user to adjust the grip perfectly to their hand. That is unique in the market!

### Improved flow

due to direct material supply.




### Exchangeable grip










for the perfect fit the hand grip is available in four different sizes: the customizable FingerPrint® Grip (included with delivery) and additionally in the fixed sizes small, medium and large.

### Free-moving swivel










allows comfortable working.








Guns	Article no.	Cat.
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 4-finger trigger	538040	DPALG
 Airless Vector Pro gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2-finger trigger	538041	DPALG
 Airless Vector Grip gun; 1/4"; incl. TradeTip 3 nozzle holder; with 2- and 4-finger trigger	538043	DPALG
Grip for Vector-Grip gun; small	538228	DPZU
Grip for Vector-Grip gun; medium	538229	DPZU
Grip for Vector-Grip gun; large	538230	DPZU





Guns	Article no.	Cat.
 Airless Gun Vector Infinity G-thread 1/4", incl. TradeTip 3 nozzle holder, with 2 finger trigger	538085	DPALG
Small grip (S); metal – Vector Infinity	538264	DPALG
Medium grip (M); metal – Vector Infinity	538265	DPALG
Large grip (L); plastic – Vector Infinity	538266	DPALG
 Airless gun AG 14, G-thread 1/4"; incl. TradeTip 3 nozzle holder	0502081A	DPALG
 Airless gun AG 14, F-thread 1/4", incl. TradeTip 3 nozzle holder	502166	DPALG
 Airless gun AG 19, 25 MPa, G-thread 3/8", incl. TradeTip 3 nozzle holder	2341127	DPALG
 Airless gun AG 19, 25 MPa, F-thread 3/8", incl. TradeTip 3 nozzle holder	2341126	DPALG
 Pole gun 120 cm, 1/4" nozzle holder, G-thread 7/8"	296441	DPALG
 Pole gun 120 cm, 1/4" nozzle holder, F-thread 11/16"	296443	DPALG
 Pole gun 200 cm, 1/4" nozzle holder, G-thread 7/8"	296442	DPALG
 Pole gun 200 cm, 1/4" nozzle holder, F-thread 11/16"	296444	DPALG







Nozzle extensions	Article no.	Cat.
 ClearSpray valve, G-thread	0521012A	DPALG
 ClearSpray valve, F-thread	0521012F	DPALG
 Nozzle extension, 15 cm, G-thread, with holder without nozzle	556074	DPALG
 Nozzle extension, 15 cm, F-thread, with holder, without nozzle	556051	DPALG
 Nozzle extension, 30 cm, G-thread, with holder without nozzle	556075	DPALG
 Nozzle extension, 30 cm, F-thread, with holder, without nozzle	556052	DPALG
 Nozzle extension, 45 cm, G-thread, with holder without nozzle	556076	DPALG
 Nozzle extension, 45 cm, F-thread, with holder, without nozzle	556053	DPALG
 Nozzle extension, 60 cm, G-thread, with holder without nozzle	556077	DPALG





Nozzle extensions	Article no.	Cat.
 Nozzle extension, 60 cm, F-thread, with holder, without nozzle	556054	DPALG
 Knee joint with screw (G-thread)	286908	DPET
 Knee joint, F-thread, for nozzle extension	97009	DPZU
 Nozzle extension, 1 m with swivelling knee joint; F-thread	96015	DPALG
 Nozzle extension, 2 m with swivelling knee joint; F-thread	96016	DPALG
 Nozzle extension, 3 m with swivelling knee joint; F-thread	96017	DPALG
 Adapter, G- to F-thread, l=7/8", A=11/16"	553300	DPZU
 Adapter, F- to G-thread; l=11/16"; A=7/8"	2389689	DPZU
 SpeedShield	538905	DPZU









Cavity lances	Article no.	Cat.
 Cavity lance A, rigid, 12 cm, with nozzle R11	97252	DPET
 Cavity lance B, rigid, 70 cm, with nozzle R15	97208	DPZU
 Cavity lance, flexible, 130 cm, with nozzle 0.5 mm, 25 Mpa	97004	DPZU


Nozzle accessories	Article no.	Cat.
 Nozzle case 2SpeedTip Emulsion, content: - 3x gun filter white, 50 MA, 0.31 mm MW, middle - 1x gun filter red, 180 MA, 0.084 mm MW, extra fine - 1x Nozzle extension, 15 cm, G-thread, with holder without nozzle - 1x HEA ProTip 311 - 1x 2SpeedTip nozzle D10 111/419 - 1x 2SpeedTip nozzle D20 115/421 - 1x 2SpeedTip nozzle D30 115/423	2391872	DPZU
 Nozzle case 2SpeedTip Enamel, content: - 4x gun filter red, 180 MA, 0.084 mm MW, extra fine - 1x Nozzle extension, 15 cm, G-thread, with holder without nozzle - 1x TradeTip 3 FineFinish nozzle 308 - 1x TradeTip 3 FineFinish nozzle 410 - 1x 2SpeedTip nozzle L20 210/512 - 1x 2SpeedTip nozzle L30 212/514	2391873	DPZU


Nozzle accessories	Article no.	Cat.
 <p>Nozzle case HEA Pro Tip Emulsion, content:            - 3x gun filter white, 50 MA, 0.31 mm MW, middle            - 1x gun filter red, 180 MA, 0.084 mm MW, extra fine            - 1x Nozzle extension, 15 cm, G-thread, with holder without nozzle            - 1x HEA ProTip nozzle 311            - 1x HEA ProTip nozzle 421            - 1x HEA ProTip nozzle 517            - 1x HEA ProTip nozzle 519</p>	2391870	DPZU
 <p>Nozzle case TradeTip 3 Enamel, content:            - 4x gun filter red, 180 MA, 0.084 mm MW, extra fine            - 1x Nozzle extension, 15 cm, G-thread, with holder without nozzle            - 1x TradeTip 3 FineFinish nozzle 308            - 1x TradeTip 3 FineFinish nozzle 410            - 1x TradeTip 3 FineFinish nozzle 412            - 1x TradeTip 3 FineFinish nozzle 510</p>	2391871	DPZU
 <p>Nozzle cleaning needle set, 0.05-0.50 mm, 12 pieces</p>	8612001	ILET
Texture-effect set for applying spray filler	258720	DPZU
 <p>TipClick, holder for TradeTip 3 nozzles</p>	149702	DPTIP






Nozzle holder	Article no.	Cat.
 <p>Nozzle holder, G-thread 7/8", for TradeTip 3 nozzles</p>	289390	DPTIP
 <p>Nozzle holder, F-thread 11/16", for TradeTip 3 nozzles</p>	289391	DPTIP
TradeTip HP nozzle holder, F-thread 11/16"	289396	DPTIP
TradeTip HP nozzle holder, G-thread 7/8"	289395	DPTIP
 <p>Double seal set, 5 pieces, for TradeTip 3 nozzles</p>	556037	DPZU
 <p>2SpeedTip nozzle holder</p>	271065	DPTIP
 <p>Anti-contact guard, for adjustable fan tip</p>	97294	DPET
 <p>Seal, for nozzle installation</p>	43052	DPET



Nozzle holder	Article no.	Cat.
 <p>Nozzle holder, for low overspray, for TwinTip nozzles</p>	1006001	ILET
 <p>Nozzle holder, for low overspray, for TwinTip nozzles</p>	1006002	ILET
 <p>Saddle seal, for nozzle holder, for TwinTip nozzles</p>	1006700	ILPCZU
 <p>Adapter, G- to F-thread, l=7/8", A=11/16"</p>	553300	DPZU



Gun filter insert	Article no.	Cat.
 <p>Gun filter red, 1 piece, 180 MA, 0.084 mm MW, extra fine</p>	34383	DPFILT
 <p>Gun filter red, set of 10 pieces, 180 MA, 0.084 mm MW, extra fine</p>	97022	DPFILT
 <p>Gun filter yellow, 1 piece, 100 MA, 0.14 mm MW, fine</p>	43235	DPFILT
 <p>Gun filter yellow, set of 10 pieces, 100 MA, 0.14 mm MW, fine</p>	97023	DPFILT
 <p>Gun filter white, 1 piece, 50 MA, 0.31 mm MW, medium</p>	34377	DPFILT
 <p>Gun filter white, set of 10 pieces, 50 MA, 0.31 mm MW, medium</p>	97024	DPFILT
 <p>Gun filter green, 1 piece, 30 MA, 0.56 mm MW, coarse</p>	89323	DPFILT
 <p>Gun filter green, set of 10 pieces, 30 MA, 0.56 mm MW, coarse</p>	97025	DPFILT






Hoses	Article no.	Cat.
HP hose DN3, 27 MPa, M16x1.5, 7.5 m	9984584	DPHOSE
HP hose DN3, 27 MPa, NPS 1/4", 10 m	2301052	ILZU
HP hose DN3, 27 MPa, NPS 1/4", 7.5 m	9984583	DPHOSE
HP hose DN4, 27 MPa, M16x1.5, 7.5 m	9984510	DPHOSE
HP hose DN4, 27 MPa, NPS 1/4", 10 m	2302374	DPHOSE
HP hose DN4, 27 MPa, NPS 1/4", 7.5 m	9984573	DPHOSE
 HP hose DN6, max. 27 MPa, M16x1.5, 15 m	9984507	DPHOSE
HP hose DN6, 27 MPa, M16x1.5, 30 m	9984562	DPHOSE
HP hose DN6, 27 MPa, NPSM 1/4", 15 m	9984574	DPHOSE
HP hose DN6, 27 MPa, NPSM 1/4", 30 m	9984575	DPHOSE
HP hose DN10, max. 25 MPa, NPSM 3/8", 15 m	2336583	DPHOSE
HP hose DN10, max. 25 MPa, NPSM 3/8", 30 m	2336584	DPHOSE
HP hose DN13, max. 25 MPa, 3/8", NPSM 1/2", 15 m	2336585	DPHOSE
HP hose DN19, max. 25 MPa, NPSM 3/4", 15 m	2336586	DPHOSE


Hose whips	Article no.	Cat.
Hose whip DN10, max. 25 MPa, NPSM 3/8", 2.5 m	2336582	DPHOSE
 Hose whip DN5, max. 25 MPa, NPS 1/4", 1 m, PFTE	9984458	DPHOSE
Hose whip DN5, max. 27 MPa, M16x1.5, 1 m, enamel paints, PFTE	9984456	DPHOSE
Hose whip DN6, max. 27 MPa, M16x1.5, 2.5 m	9984569	DPHOSE

Accessories for injection	Article no.	Cat.
Complete hopper; for injection	2357506	DPZU
 HD ball valve; with slide coupling	2353775	DPZU
 HP ball cock, with mouth piece	2353754	DPZU
 HP ball cock, with whip hose and mouth piece	2353788	DPZU
 HP ball cock, with whip hose and slide coupling	2353789	DPZU
 Hose whip with mouthpiece	97057	DPET





Accessories for injection	Article no.	Cat.
 Pressure gauge combination 250 - 400 bar, l = 1/4", A = 1/4"	340256	DPZU
 Pressure measuring unit; 400 bar	2353487	DPZU

Hose reels	Article no.	Cat.
 Hose reel HR30; M16x1.5; for SF 27 / SF 31	341910	DPZU
 Hose reel HR45, incl. 30 m HP hose DN6, for all diaphragm and piston pumps	341912	DPZU





Temperature-controlled spraying	Article no.	Cat.
 TempSpray H 126 Basic Unit, 10 m	2311659	DPTS
 TempSpray H 126 Spraypack, 10 m	2311852	DPTS
 TempSpray H 226 Basic Unit, 15 m	2311660	DPTS
 TempSpray H 226 Spraypack, 15 m	2311853	DPTS
 TempSpray H 326 Basic Unit, 30 m	2311661	DPTS
 TempSpray H 326 Spraypack, 30 m	2311854	DPTS





Airless rollers	Article no.	Cat.
 InlineRoller packaged in a plastic box, incl. HP hose DN4, 27 MPa, 7.5 m, extension complete 0.5 m, woven plush paint roller short pile 13 mm, and so on	345010	DPROL











Airless rollers	Article no.	Cat.
 Woven plush paint roller, padded, short pile 13 mm	345324	DPZU
 Woven plush paint roller, padded, long pile 20 mm, incl. roller frame seal	345902	DPZU
Roller frame seal	345323	DPET
 Telescopic extension, 60 - 100 cm	345901	DPET
Extension, Rd. 32x1/8, 0.3 m	345915	DPET
Extension, Rd. 32x1/8, 1.2 m	345916	DPET
 Roller box D = 100x320	345912	DPET

High-pressure filter (for SuperFinish)	Article no.	Cat.
 HP-filter HF-01, for diaphragm pumps	97120	DPZU

High-pressure filter pads (for ProSpray / high-pressure filter HF-01)	Article no.	Cat.
 Filter cartridge, 30 MA, for ProSpray / high-pressure filter HF-01	730-067-30	DPZU
 Filter cartridge, 60 MA, for ProSpray / high-pressure filter HF-01	730-067	DPZU
 Filter cartridge, 100 MA, for ProSpray / high-pressure filter HF-01	730-067-10	DPET
 Supporting shell, for ProSpray / high-pressure filter HF-01	757-105	DPET
Supporting disc, for ProSpray / high-pressure filter HF-01	702-251	DPET











High-pressure filter pads (for HeavyCoat)	Article no.	Cat.
 Filter cartridge, 0 MA, for HeavyCoat / LineCoat	930-004	DPET
 Filter cartridge, 5 MA, for HeavyCoat / LineCoat	349431	DPET
 Filter cartridge, 50 MA, for HeavyCoat / LineCoat	930-006	DPET
 Filter cartridge, 100 MA, for HeavyCoat / LineCoat	930-007	DPET

Suction system (for SuperFinish)	Article no.	Cat.
 Suction system, for SF 23 Plus, incl. PumpRunner	2342879	DPET
 Filter DN25 MW = 1.0 mm, for SF 23 Plus	2323325	ILZU
 QuickClean suction system, for SF 21 / SF 23 / SF 1500	341262	DPZU
 QuickClean suction system, for SF 27 / SF 31 / SF 1750 / F 500 / Cobra	341263	DPZU
 Filter for suction system, M38x1.5 1 mm MW (SF 27 / SF 31 / SF 1750 and F 500)	341435	DPET
 Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU
 Suction system for containers, with suction filter, 3.5 m	97083	DPZU
 Metex filter support cage	34950	DPZU





Suction system (for SuperFinish)	Article no.	Cat.
----------------------------------	-------------	------

 Filter bag for emulsions, for Metex filter support cage, 5 pieces	34951	DPZU
 Filter bag for paint, for Metex filter support cage, 5 pieces	34952	DPZU









Suction systems (for ProSpray)	Article no.	Cat.
--------------------------------	-------------	------

 Suction hose, for rigid suction system, for PS 3.29 / PS 26 on cart	705-054	DPET
Intake elbow for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on trolley	451-241	DPET
Return hose for rigid suction system, for PS 3.29 / PS 26 on trolley	702-239	DPET
 Return hose for rigid suction system, for PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart	800-904	DPET
 Clamp for rigid suction system, PS 3.29 / PS 26 / PS 3.31 / PS 3.34 / PS 30 / PS 34 on cart	730-334	DPET
 Suction system for containers, C-coupling, curved connection, 1.4 m	97082	DPZU
 Blind plug for C-coupling	97305	DPZU
 Suction system for containers, with suction filter, 3.5 m	97083	DPZU
 Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose	250243	DPFILT
 Suction hose, flexible, for PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26 on stand or cart	704-300A	DPET
 Filter for suction system, PS 3.21 / P 20	295565	DPET
 Filter for suction system, MA 10, PS 3.23 / PS 3.25 / PS 3.29 / PS 22 / PS 24 / PS 26	700-805	DPET


Suction systems (for ProSpray)	Article no.	Cat.
--------------------------------	-------------	------

 Filter for suction system, MA 10, PS 3.31 / PS 3.34 / PS 30 / PS 34	349602	DPET
 Metex filter support cage	34950	DPZU
 Filter bag for emulsions, for Metex filter support cage, 5 pieces	34951	DPZU
 Filter bag for paint, for Metex filter support cage, 5 pieces	34952	DPZU


Suction systems (for HeavyCoat)	Article no.	Cat.
---------------------------------	-------------	------

 Inlet elbow, for HeavyCoat	349580	DPET
 Intake elbow for fillers, for HeavyCoat	2340003	DPET
 Container suction system, incl. C-coupling adapter, for HeavyCoat	349907	DPZU
 Inlet elbow, 2-C, for HeavyCoat	349252	DPET
 Inlet elbow, 2", for HeavyCoat 950/970	342205	DPZU
 Blind plug for C-coupling	97305	DPZU
 Reducing adapter B- to C-coupling, for HeavyCoat	9991651	DPZU
 Metex filter support cage	34950	DPZU

Suction systems (for HeavyCoat)	Article no.	Cat.
---------------------------------	-------------	------

 Filter bag for emulsions, for Metex filter support cage, 5 pieces	34951	DPZU
---	-------	------

Suction system for emulsion	Article no.	Cat.
-----------------------------	-------------	------


 Suction system; flexible; for emulsion; DN25	34630	DPZU
--	-------	------

Filter basket; for flexible suction system; for emulsion; 0.8 mm MW	36580	DPET
---	-------	------

Extension pipe assy., Niro emulsion	97077	DPZU
-------------------------------------	-------	------


 Suction hose DN 25, for piston pumps, Zip and Cobra	2324116	ILZU
---	---------	------

 Metex filter support cage	34950	DPZU
---	-------	------

 Filter bag for emulsions, for Metex filter support cage, 5 pieces	34951	DPZU
--	-------	------

Suction systems for enamel	Article no.	Cat.
----------------------------	-------------	------


 Suction hose DN16, for piston pumps, Zip and Cobra	2324110	ILZU
--	---------	------

 Filter DN25, M28x1.5, 1.25 mm MW, for container suction hose	250243	DPFILT
--	--------	--------

Filter DN16, MW = 1.0 mm	2323396	ILZU
--------------------------	---------	------

Filter DN25 MW = 1.0 mm, for SF 23 Plus	2323325	ILZU
---	---------	------

Return hose Niro elbow	97089	DPET
------------------------	-------	------

 Metex filter support cage	34950	DPZU
---	-------	------


 Filter bag for paint, for Metex filter support cage, 5 pieces	34952	DPZU
---	-------	------


Hopper	Article no.	Cat.
--------	-------------	------

 20 litre hopper, M36x2	341266	DPZU
--	--------	------

 5 litre hopper, M36x2	341265	DPZU
---	--------	------

 5 litre hopper, for F 230	524242	DPET
---	--------	------

 5 litre hopper, with TopClean	341268	DPZU
---	--------	------

 5 litre hopper; for PS 3.20 / PS 3.21 / PS 3.23 / PS 3.25 skid-mounted	704-453	DPZU
--	---------	------

 Filter bag for lacquer, for 5 litre hopper	97258	DPET
--	-------	------

 Filter disk D57, 0.4 fine, for hoppers	3756	DPZU
---	------	------

 Filter disk D57, 0.8 coarse, for hoppers	37607	DPZU
--	-------	------


 TopClean cleaning set, for hoppers	340930	DPZU
--	--------	------




Filter disk, coarse	97521	DPET
---------------------	-------	------




Large volume containers	Article no.	Cat.
-------------------------	-------------	------








 Large volume containers	2309956	DPZU
---	---------	------



 Large volume container, incl. sack support and roller press	2309960	DPZU
---	---------	------

 Large volume container incl. sack support, roller press and adaptor set for HeavyCoat	2309955	DPZU
---	---------	------

Large volume containers		Article no.	Cat.
	Press table incl. guide rail for roller	2323178	DPZU
	Adapter set for large volume container, for PS 3.25	2312155	DPZU
	Adapter set for large volume container, for PS 3.29 - PS 3.34	2312156	DPZU
	Adapter set for large volume container, for PS 3.39	2312157	DPZU
	Container Connector SF27/SF31	2371930	DPZU
	Container Connector PS 39/HC	2383128	DPZU

Connectors / double connectors		Article no.	Cat.
	Coupling sleeve I = 1/4"NPS x A = M16x1.5	34041	ILZP
	Coupling sleeve I = 1/4"NPSM x A = 3/8"NPSM; 27 MPa	179732	ILZP
	Coupling sleeve I = G 3/8" x A = M16x1.5; 25 MPa	115672	ILZP
	Double connector A = 1/2" x 1/2" (hose connector)	3202901	ILSET
	Double connector A = 1/2" x 3/8" (hose reducer)	3203026	ILZP
	Double connector A = 1/4"NPSM x 3/8"NPSM; 53 MPa	367561	DPZU
	Double connector A = 1/4" x 1/4"	34038	DPZU
	Double connector A = 1/4" x M16x1.5	34033	DPZU
	Double connector A = 3/4"NPSM x 1/2"NPSM; 53 MPa	9985782	DPZU
	Double connector A = 3/4"NPSM x 3/4"NPSM; 53 MPa	9985781	DPZU
	Double connector A = 3/4"NPSM x 3/8"NPSM; 53 MPa	9985783	DPZU
	Double connector A = 3/8" NPT x A = 1/2" NPS	815-005	DPET
	Double connector A = 3/8"NPS x 3/8"NPS; 53 MPa	256343	DPZU
	Double connector A = M16x1.5 x 1/4"NPS; 53 MPa	105313	ILZP
	Double connector A = M16x1.5 x 3/8"	2308887	DPET
	Double connector A = M16x1.5 x M16x1.5 / 2x60°	34030	DPZU
	Double connector A = M16x1.5 x M16x1.5; 53 MPa / 1x60°	97529	DPET
	Transition fitting I = 1/4" x A = NPS1/2"	2302993	DPZU
	Transition fitting I = M16x1.5 x A = 1/2"	349256	DPET
	Transition fitting I = M16x1.5 x A = 1/4"	97201	DPZU
	Transition fitting I = M16x1.5 x A = 3/8"	97204	DPZU







Cleaning / storage / preserving / operating materials		Article no.	Cat.
	EasyClean cleaning and conservation agent, 118 ml	508620	DPZU
	EasyClean cleaning and conservation agent, 1 litre	508281	DPZU
	EasyGlide, special oil, 118 ml	508619	DPET
	Hydraulic oil Divinol 1 litre, for diaphragm pumps	21061	DPET
	Hydraulic oil 5 litre, for HeavyCoat	349909	DPET
	TipClean, container incl. special cleaner	97108	DPZU
	TipClean, container incl. special cleaner, box (24 pieces)	97109	DPZU
	TipClean, refill bottle, 1 liter	97110	DPZU
	PumpRunner, for SF 23 Plus / SF 27 / SF 31 / PS 3.25 / PS 3.29 / PS 3.34	2306987	DPZU

Pressure gauges		Article no.	Cat.
	Pressure gauge combination 250 - 400 bar, I = 1/4", A = 1/4"	340256	DPZU
	Pressure gauge set assy. HEA(MPa)	2383995	DPZU

Conversion to petrol (for HeavyCoat devices 950/970)		Article no.	Cat.
	Kit for conversion to petrol operation, 4.8 PS, Honda	0290614A	DPET
	Kit for conversion to petrol-driven operation, 8.5 PS, Honda	0290456A	DPET





Conversion to electrical operation (for HeavyCoat devices 950/970)	Article no.	Cat.
Kit for conversion to electric motor, 230 V	0528611A	DPZU
Kit for conversion to electric motor, 400 V	0528612A	DPET

Tools	Article no.	Cat.
 Adjusting spanner	9991114	DPZU
 Coupling spanner with thermally insulated handle (2x)	9100099	DPPCZU
 Double open ended spanner for inlet valve for SF 21 / SF 23	344340	DPET
 Double open-ended spanner for inlet valve, for SF 27 / SF 31	341434	DPET
 Relief combination, for HeavyCoat	349911	DPZU
 Strap spanner for HP filters	349720	DPET

## Plaster spraying – Nozzles

### 1. Texture nozzles for plaster spraying


The robust texture nozzles perfectly match the automatic and pneumatic spraying lances. Made from high-quality stainless steel, they are extremely robust and resistant even when used with filled media. A choice of different sizes is available for perfectly matching the respective material. The nozzles are available individually or in a nozzle set.

	Product name	Art. No. <sup>1</sup>
	<b>Texture nozzle set</b>	
	Texture nozzle set, stainless steel, 4/6/8/10 mm	268905
	<b>Texture nozzles</b>	
	Texture nozzle, stainless steel, 04 mm	268779
	Texture nozzle, stainless steel, 05 mm	348915
	Texture nozzle, stainless steel, 06 mm	268780
	Texture nozzle, stainless steel, 07 mm	348916
	Texture nozzle, stainless steel, 08 mm	268781
	Texture nozzle, stainless steel, 09 mm	348917
	Texture nozzle, stainless steel, 10 mm	268782
Texture nozzle, stainless steel, 12 mm	342327	
Texture nozzle, stainless steel, 15 mm	342328	

<sup>1</sup>Cat. DPPCZU






### 2. In-wall nozzles for plaster spraying


Specially designed for in-wall work. The nozzles enable particularly high coating thicknesses to be applied.

	Product name	Art. No. <sup>1</sup>
	<b>In-wall nozzles</b>	
	In-wall nozzle, 10 mm	2362235
	In-wall nozzle, 12 mm	2362236
	In-wall nozzle, 14 mm	268746
	In-wall nozzle, 16 mm	268747
In-wall nozzle, 18 mm	268748	







<sup>1</sup>Cat. DPPCZU




## Plaster spraying – Additional accessories









Flow mixer		Article no.	Cat.
	PlastMix 15 flow mixer	2348669	DPPC
	PlastMix 15 flow mixer, PUR mixing tube, incl. booster pump	2360039	DPPC
	PlastMix 15 flow mixer, incl. booster pump	2351507	DPPC
	PlastMix 15 flow mixer; PUR mixing pipe	2359240	DPPC
PlastMax		Article no.	Cat.
	Accessory box, complete, for PlastMax	2362233	DPPC
	PlastMax Mixing shaft, light materials	2366915	DPPCZU
	PlastMax Turbo Mixer	2371521	DPPCET
	Rotor PlastMAX D5-2,5	2363614	DPPCET
	Rotor PlastMax D4-1/2	2366947	DPPCET
	Rotor PlastMax D4-1/4	2366951	DPPCET
	Rotor PlastMax D8-1,5	2369949	DPPCET
	Stator PlastMAX D5-2,5	2363615	DPPCET
	Stator PlastMax D4-1/2	2366948	DPPCET
	Stator PlastMax D4-1/4	2366952	DPPCET
	Stator PlastMax D8-1,5	2369950	DPPCET
PlastCoat HP 10		Article no.	Cat.
	Cleaning and conservation agent (1 l)	2368525	DPPCET
	Cleaning ball; for PlastCoat HP 10 (DN 20mm)	2368524	DPPCZU
	Extension cable for remote operation (10 m)	2368540	DPPCZU
	Extension cable for remote operation (20 m)	2368544	DPPCZU
	Extension cable for remote operation (40 m)	2368546	DPPCZU
	Extension cable for remote operation (5 m)	2368535	DPPCZU
	Extension hose (DN 19, 10m)	2368627	DPPCZU



PlastCoat HP 10		Article no.	Cat.
	Extension hose (DN 19, 20m)	2368628	DPPCZU
	Extension hose (DN 19, 30m)	2368629	DPPCZU
	Mobility hose (DN 13; 2.5 m)	2368631	DPPCZU
	Mortar hose (DN 19; 10 m)	2368630	
	PlastCoat HP10 sack press table	2367229	DPPCZU
	Rotor and stator; complete; for PlastCoat HP 10	2367496	DPPCZU
	Spray lance (without nozzle holder and nozzle)	2368604	DPPCZU








Accessories for PlastMix 15 flow mixer		Article no.	Cat.
	Flow meter	2349234	DPPCZU
	Mixing shaft, for PlastMix 15	2349436	DPPCET
	PUR mixing tube	2359241	DPPCET
	Power cable, 6 m, for PlastMix 15	2349166	DPPCET
	Solenoid valve	2349458	DPPCET
	Transport shaft, for PlastMix 15	2349434	DPPCET




Spraying lance		Article no.	Cat.
	Angle head 70°	2337672	DPPCZU
	Fill and dosing attachment	2335388	DPPCZU
	Glue attachment	2335394	DPPCZU
	In-wall lance, automatic	2334121	DPPCZU
	In-wall lance, pneumatic	2334122	DPPCZU
	Spray lance extension, 150 cm	2339400	DPPCZU






Spraying lance	Article no.	Cat.
 Spray lance extension, 200 cm	2334124	DPPCZU
 Spray lance extension, 80 cm	2334123	DPPCZU
 Spraying lance, automatic, incl. 6 mm nozzle	2334115	DPPCZU








Hoses	Article no.	Cat.
 Adapter V25/M35 hose connection	348920	DPPCET
 Adapter fix connector V35/M25	342321	DPPCET
 Air hose DN9, 10.5 m	2311644	DPPCET
 Hose holder	342215	DPPCET
Mortar hose DN19, M/V25, 10 m incl. air hose	2325194	DPPCZU
 Mortar hose DN19, M/V25, 10 m, incl. air hose and control cable	2325193	DPPCZU
Mortar hose DN19, M/V25, 2 m incl. swivel joint: including air hose	2324927	DPPCZU
Mortar hose DN19, M/V25, 2 m incl. swivel joint: including air hose and control cable	2334131	DPPCZU
 Mortar hose DN25, M/V25, 10 m incl. air hose	2325182	DPPCZU
 Mortar hose DN25, M/V35, 10 m, including air hose and control cable	2325197	DPPCZU
 Mortar hose DN35, V35, 13.3 m, including air hose and control cable	2325199	DPPCZU
Mortar hose DN35: V35; 13.3 m; incl. air hose	2363405	DPPCZU

Compressors	Article no.	Cat.
 Air compressor C 330/03	2337718	DPPCZU
 VKM 592 compressor, with automatic switch-off, 230V / 50Hz	2311921	DPPCZU

Pump casings and pump worms	Article no.	Cat.
 Pump casing W10/2.5, 270x89, black, for PC 1030 / PC 25 / PC 35	348311	DPPCET
 Pump casing W10/3, 270x89, yellow, for PC 1030 / PC 25 / PC 35	348315	DPPCET
 Pump casing W15/2, 270x89, brown, for PC 1030 / PC 25 / PC 35	348925	DPPCZU
 Pump casing, for PC 430 / PC 830	2304954	DPPCET
Pump worm W10/2.5, Ø = 40 mm, L = 317 mm, black, for PC 1030 / PC 25 / PC 35	348312	DPPCET
 Pump worm W10/3, Ø = 40 mm, L = 320 mm, yellow, for PC 1030 / PC 25 / PC 35	348316	DPPCET
 Pump worm W15/2, Ø = 40 mm, L = 320 mm, brown, for PC 1030 / PC 25 / PC 35	348926	DPPCZU
Pump worm, for PC 830	2304986	DPPCET
Rotor D8-1,5	2385520	DPPCET
 Stator D8-1,5	2385532	DPPCET

Large volume containers		Article no.	Cat.
	Large volume containers	2309956	DPZU
	Large volume container, incl. sack support and roller press	2309960	DPZU
	Press table incl. guide rail for roller	2323178	DPZU
	Adapter set for large volume container, for PC 430	2312159	DPPCZU

Cleaning and storage		Article no.	Cat.
	Bottle brush for cleaning interior of outlet unit and spraying lance	342329	DPPCET
	Brush with handle and cap	9100095	DPPCZU
	Cleaning adapter M27GK	342241	DPPCZU
	Cleaning ball DN19, 25 mm	342330	DPPCET
	Cleaning ball DN27, 30 mm	342331	DPPCET
	Cleaning ball DN35, 40 mm	342332	DPPCET
	Cleaning brush, 280 to 420 mm long	348959	DPZU
	Cleaning needle, for plaster spraying nozzles	342916	DPPCET
	Tool box, premium, without content	348450	DPPCET

Other		Article no.	Cat.
	Adapter machine plug to Harting	2337504	DPPCZU
	Cleaning and conservation agent (1 l)	2368525	DPPCET
	Cleaning ball; for PlastCoat HP 10 (DN 20mm)	2368524	DPPCZU
	Control cable for automatic lance, 14 m	2311692	DPPCZU
	Extension cable for remote operation (10 m)	2368540	DPPCZU
	Extension cable for remote operation (20 m)	2368544	DPPCZU
	Extension cable for remote operation (40 m)	2368546	DPPCZU
	Extension cable for remote operation (5 m)	2368535	DPPCZU
	Extension hose (DN 19, 10m)	2368627	DPPCZU
	Extension hose (DN 19, 20m)	2368628	DPPCZU
	Extension hose (DN 19, 30m)	2368629	DPPCZU
	Height-adjustable sack press table	2371563	DPPCZU
	Mobility hose (DN 13; 2.5 m)	2368631	DPPCZU
	Mortar hose (DN 19; 10 m)	2368630	DPPCZU
	Pump lubricant 500 ml	9992824	DPPCET
	Remote operation	2368460	DPPCZU
	Rotor and stator; complete; for PlastCoat HP 10	2367496	DPPCZU
	Seal, fix-coupling M27	342314	DPPCET
	Seal, fix-coupling M35	9971531	DPPCET
	Spray lance (without nozzle holder and nozzle)	2368604	DPPCZU
	Support table cpl. for PC 830	2318389	DPPCZU
	Toolbox 24"	2371412	DPPCET
	Toolbox, for PlastCoat	348958	DPPCET



## Work safety

Safety glasses	Article no.	Cat.
 Full protection safety glasses, clear	2331967	DPSAF
 Safety over-glasses, clear	2331966	DPSAF

## Service kits

Paint stage IceBreaker piston pumps	Article no.	Cat.
Service set pump PP40 ccm PE + TG, Wildcat, Puma	367990	ILET

Air motor IceBreaker piston pumps	Article no.	Cat.
Service set air motor 4"/75, Wildcat, Puma	367995	ILET

Paint stage other pumps	Article no.	Cat.
Service set 130S PE + TG	109705	ILET
Service set pump; 22-185 PE / TG	105705	ILET

Pneumatic double diaphragm pump Cobra	Article no.	Cat.
Service set 3"/53 air motor; Cobra 40-10	322995	ILET
Service set Cobra 40-10 diaphragm set, with insert	322913	ILET
Service set Cobra 40-10 inlet valve	322914	ILET
Service set Cobra 40-10 outlet valve	322915	ILET

SuperFinish	Article no.	Cat.
Depressor housing service kit; for SF 21 to SF 31	341705	DPET
Inlet valve complete service kit SF 27 / SF 31	341247	DPET
Inlet valve complete service set F 250 / F 270 / SF 21 / SF 23 / SF 23 Plus	344700	DPET
Inlet valve pusher complete service kit F 250 / F 270 / SF 27 / SF 31	341241	DPET
Pressure regulator compl. F230	508138	DPET
Relief valve service kit F 230	508199	DPET
Service kit outlet valve F 230	508198	DPET
Service kit outlet valve F 250 / F 270 / SF 21 to SF 31 / SF 23 Plus	341702	DPET


  

ProSpray	Article no.	Cat.
Packings service kit for ProSpray 3.21 / 3.23 / 3.25	290201	DPET
Packings service kit for ProSpray 3.29 / 3.31 / 3.34	508221	DPET

HeavyCoat	Article no.	Cat.
High-pressure filter service kit	349700	DPET
Material feed pump service kit, HC 920 E/G	528105	DPET
Relief valve service kit HC 920 - 960 E/G + SSP	349706	DPET
Service kit inlet valve - shovelvalve, HC 940 / HC 960 E SSP	349719	DPET
Service kit packings and shovelvalve HC 950 / HC 970 E/G+SSP	528705	DPET
Service kit valves and packings, HC 920 E/G	528104	DPET
Service kit valves and packings, HC 940 E/G+SSP / 960 E/G+SSP	528101	DPET
Service set; Large, HC 950 SSP (Incl. piston w. pin)	537901	DPET
Service set; Large, HC 970 SSP (Incl. piston w. pin)	537900	DPET
Shovel piston service kit, HC 940 / HC 960 E SSP	349718	DPET

Guns	Article no.	Cat.
AC 4600 P service kit	394942	ILET
AG 08 service kit, F-thread	556039	DPET
AG 14 service kit, G-thread	502144	DPET
AG 14 service kit, G-thread, 1-hole diffuser	502175	DPET
AG 19 service kit, F-thread	2347489	DPET
Ball Valve Kit - Vector Grip	538227	DPZU
Pole gun service kit; 120 mm	286935	DPET
Pole gun service kit; 200 mm	286936	DPET
Service kit AG 08, G-thread	556038	DPET
Service kit AG 19, G-thread	2348175	DPET
Service set AG 14, F-thread	502143	DPET
Service set AG 14, F-thread, one-hole-diffusor	502149	DPET
Service set; Vector Pro	538225	DPET

## Notes







10 | Service



## Service at WAGNER

From advice on choosing the right equipment through to warranty processing, the WAGNER Service team will take complete care of you. If there is an unexpected problem with your spraying unit, our sales or service staff are on hand for you. Your personal contact can be found on [www.wagner-group.com](http://www.wagner-group.com). In addition, we work closely with our specialist dealers to provide you with expert advice. This service is unique in the industry.



## Our technology and training centre



Comprehensive range of seminars awaits you in our 1500 square metre technology centre for home handymen, trade and industry.

Make use of our one day basic seminars to extend your knowledge in theory and practice. In our seminars we have put together an innovative program with a wealth of interesting information and also practical and invaluable professional tips. We shall be glad to put together for you a quotation for individual, company or training seminars.

Further information can be found on:  
[www.wagner-group.com](http://www.wagner-group.com).

## WAGNER 3+2 guarantee

You already have a WAGNER professional unit?

Then take five years WAGNER guarantee instead of three years standard guarantee! Simply register online. Our quality is assured. Guaranteed.

Every purchaser of a WAGNER paint spraying unit will get three years manufacturer's guarantee. But we can do more: This guarantee can be extended for free by a further 2 years by online registration – at any time! Simply register the equipment on [www.wagner-group.com/professional-guarantee](http://www.wagner-group.com/professional-guarantee) and get an additional 2 years guarantee.

Other extended guarantees cost a lot of money, ours only a click online.



Simply scan this code with your smartphone or directly register on [www.wagner-group.com/profi-guarantee](http://www.wagner-group.com/profi-guarantee).



# WAGNER SprayGuide – all material test reports on a click

You will find just the right device or material for your application in our extensive material test report database. The so-called WAGNER SprayGuide offers you access to a wide range of well-known material manufacturers from the trade. WAGNER has tested over 550 colours, varnishes and glazes and other materials for their spraying characteristics and surface quality. This gives you the possibility and also the security of being able to perfectly match material and equipment-technology and to achieve perfect surface finishes.

## Guarantee of success

With the detailed specifications in the displayed WAGNER material test report, you are presented with all the important parameters for the optimised adjustment and setup of equipment and material for the corresponding application, at a glance. Further information is made available easily through links to the material manufacturers' Technical data sheets. Print out the test report and the data and you've got all the important information for achieving an optimum spray result.

The screenshot shows the WAGNER SprayGuide website interface. On the left, there is a navigation menu with three main categories: **Materials**, **Producers**, and **Devices**. The main content area displays a sample material test report titled "Materialtestbericht mit Fili Boya". The report includes sections for "Materialhersteller" (Material Manufacturer), "Materialdaten" (Material Data), and "Gerätedaten" (Equipment Data). The "Materialhersteller" section lists "Druck Gips in Klinge Garage A. G." and "Anbauk Astab 1 Luoyan Gully Garage". The "Materialdaten" section lists "Acrylic paint" and "Capural Alpha Marmor". The "Gerätedaten" section lists "PS 3.20" and "Prof. Klasse: 3 (min. oder höher)".

**Search by Material**  
On the left is a list of material types we've tested. After you have chosen a type of material you will be presented on the left side with a list of products for each type. You are then able to select a product and see the individual test report.

**Search by Manufacturer**  
On the left is a list of manufacturers. By selecting a manufacturer you will be presented with a list of all the products from that manufacturer we have tested. Click on a product to see its test report. When a product has been tested with multiple Sprayers you will be able to select the sprayer which is most relevant to you.

**Search by Sprayer/Systems**  
By choosing a sprayer from the list on the left you will be presented with a list of all products tested with that sprayer. Select a product to see its test report.

© 2015 J.Wagner GmbH      Legal Notice | Contact

# Operating instructions

Description	Languages	Article no.
<b>Finish &amp; SuperFinish</b>		
Finish 230	D/GB/F/I/E/S/DK/NL	508296
F 230 AC compact	D/GB/F/I	524804
F 230 AC compact	E/NL/DK/S	524805
F 230 AC compact	P	524827
SF 17 ex	D/GB/F/E	2364738
SF 17 ex	NL/I/DK/S	2364739
SF 17 ex	P	2364741
SF23i	D/GB/F/I	2358664
SF23i	E/NL/DK/S	2358665
SF23i	P	2358666
SF 23 Plus	D/GB/F/I	2341576
SF 23 Pus	E/NL/DK/S	2341577
SF 23 Plus	P	2341578
SF 27 / SF 31	D/GB/F/I	341855
SF 27 / SF 31	E/NL/DK/S	341856
SF 27 / SF 31	P	341872

<b>ProSpray</b>		
PS 3.20	GB/E/P	532861
PS 3.20	D/F/NL	532862
PS 3.20	I/DK/S	532863
PS 3.21	D/GB/F/I	558900
PS 3.21	E/NL/DK/S/P	558901
PS 3.23	D/GB/F/I	558902
PS 3.23	E/NL/DK/S/P	558903
PS 3.25	D/GB/F/I	558971
PS 3.25	E/NL/DK/S/P	558972
PS 3.29 / PS 3.31	D/GB/F/I	558904
PS 3.29 / PS 3.31	E/NL/DK/S/P	558905
PS 3.34	D/GB/F/I	558906
PS 3.34	E/NL/DK/S/P	558907
PS 3.39	D/GB/F/I	558975
PS 3.39	E/NL/DK/S/P	558976

<b>HeavyCoat</b>		
HC 750	D/GB/F	537814
HC 750	E/I/P	537815
HC 750	NL/DK/S	537816
HC 950 / HC 970 E/G + SSP	D/GB/F/I	528940
HC 950 / HC 970 E/G + SSP	E/NL/DK/S/P	528941

<b>XVLP</b>		
FinishControl 3500	D/GB/F/I/E/S/DK/NL/P	2342387
FinishControl 5000	D/GB/F/NL/E/I/DK/S/P	2321725
StandardSpray spray attachment	D/GB/F/NL/E/I/DK/S/P	2324806
FineSpray spray attachment	D/GB/F/NL/E/I/DK/S/P	2324807
WallSpray spray attachment	D/GB/F/NL/E/I/DK/S/P	2324808
TempSpray spray attachment	D/GB/F/NL/E/I/DK/S/P	2324809

Description	Languages	Article no.
<b>High Efficiency Airless</b>		
Control Pro 350 Extra Spraypack Skid version	D/GB/F/I/E/S/DK/NL/P	2372677
Control Pro 350 Extra Spraypack Cart version	D/GB/F/I/E/S/DK/NL/P	2372679

<b>FineCoat</b>		
FC 8800 / FC 9900 / FC 9900 PC	D/GB/F/I	524808
FC 8800 / FC 9900 / FC 9900 PC	E/NL/DK/S	524809
FC8800 / FC 9900 / FC 9900 PC	P	524824
FC PowerCart	D/GB/F/I	524806
FC PowerCart	E/NL/DK/S	524807
FC PowerCart	P	524825
FC Split-Gun	D/GB/F/I	524839
FC Split-Gun	E/NL/DK/S/P	524191

<b>PlastCoat</b>		
PC 830	D/GB/F/NL	2309522
PC 830	E/I/DK/S	2309523
PC 830	P	2309524
PC 1030	D/GB/F/NL	2368883
PC 1030	E/I/DK/S	2368885
PC 1030	P	2368886
PC HP 10	D/GB/DK/S	2367283
PC HP 10	NL/F/I/E/P	2367284
PC 25 / PC 35	D/GB/F/NL	348870
PC 25 / PC 35	E/I/DK/S	348871
PC 25 / PC 35	P	2301496
PlastMix 15	D/GB/F/NL/E/I/DK/S/P	2349169
Automatic spray lance, pneumatic spray lance, automatic ceiling spray lance, pneumatic ceiling spray lance	D/GB/F/NL/E/I/DK/S/P	2334489
Automatic in-wall lance, pneumatic in-wall lance	D/GB/F/NL/E/I/DK/S/P	2334491

<b>Guns</b>		
Vector Grip	D/GB/F/I/E/S/DK/NL/P	538803
Vector Pro	D/GB/F/I/E/S/DK/NL/P	538802
AG 14	D/GB/F/I/E/S/DK/NL	502114
AG 19	D/GB/F/I/E/S/DK/NL/P	2347392
AC 4500 Prof.	D	2365830
AC 4500 Prof.	GB	2365831
AC 4500 Prof.	F	2365832
AC 4500 Prof.	NL	2365833
AC 4500 Prof.	I	2365834
AC 4500 Prof.	E	2365835
AC 4500 Prof.	P	2365836
AC 4500 Prof.	DK	2365837
AC 4500 Prof.	S	2365838
AC 4600 Prof.	D	394870
AC 4600 Prof.	GB	394871

## Operating instructions

Bezeichnung	Sprache	Art.-Nr.
AC 4600 Prof.	F	394872
AC 4600 Prof.	NL	394873
AC 4600 Prof.	I	294874
AC 4600 Prof.	E	394875
AC 4600 Prof.	DK	394876
AC 4600 Prof.	S	394877
Pole gun (120 cm, 200 cm)	D/GB/F/I/E/S/DK/NL/P	296446

### AirCoat accessories

AirBoost 100	D/GB/F/I/E/NL/DK/S/P	2351067
--------------	----------------------	---------

### Airless accessories

InlineRoller	D/GB/F/I/E/S/DK/NL	345850
--------------	--------------------	--------

### TempSpray

TS H 126, H 226, H 326, H 426	D/GB/F/NL	2312558
TS H 126, H 226, H 326, H 426	E/NL/DK/S	2312560

### Pneumatic double diaphragm pumps

Cobra 40-10	D	2303152
Cobra 40-10	GB	2303675
Cobra 40-10	F	2303676
Cobra 40-10	NL	2303677
Cobra 40-10	DK	2303680
Cobra 40-10	S	2303682
Cobra 40-10	I	2303678
Cobra 40-10	E	2303679

### Pneumatic piston pumps

FineFinish 20-30 S / 40 -15 S	D	2310798
FineFinish 20-30 S / 40 -15 S	GB	2310799
FineFinish 20-30 S / 40 -15 S	F	2310800
FineFinish 20-30 S / 40 -15 S	NL	2310801
FineFinish 20-30 S / 40 -15 S	DK	2310805
FineFinish 20-30 S / 40 -15 S	S	2310806
FineFinish 20-30 S / 40 -15 S	I	2310802
FineFinish 20-30 S / 40 -15 S	E	2310803
Wildcat 18-40 / Puma 28-40	D	2302505
Wildcat 18-40 / Puma 28-40	GB	2303659
Wildcat 18-40 / Puma 28-40	F	2303661
Wildcat 18-40 / Puma 28-40	NL	2303662
Wildcat 18-40 / Puma 28-40	DK	2303666
Wildcat 18-40 / Puma 28-40	S	2303667
Wildcat 18-40 / Puma 28-40	I	2303663
Wildcat 18-40 / Puma 28-40	E	2303665

## Notes

